UNC | GILLINGS SCHOOL OF GLOBAL PUBLIC HEALTH

THE UNIVERSITY OF NORTH CAROLINA AT CHAPEL HILL
GILLINGS SCHOOL OF GLOBAL PUBLIC HEALTH
Collaborative Studies Coordinating Center
Department of Biostatistics

O 919-962-6971 | **F** 919-962-3265

Carolina Square | Suite 450 | Campus Box 8030
123 West Franklin Street | Chapel Hill, NC 27599-8030
cscc.unc.edu

TO: HCHS/SOL Quality Control Committee
FROM: Daniela Sotres-Alvarez and Matthew Boykin, HCHS/SOL Coordinating Center
DATE: August 29, 2024
RE: HCHS/SOL QC Report, May 2024

Data collection for Visit 3 ended on January 31st, 2024. According to data retrieved as of June 4th, a total of 9,852 participants have attended the Visit 3 in-person clinic visit. Specifically, 2,270 in the Bronx, 2,698 in Chicago, 2,426 in Miami and 2,458 in San Diego (Table 1.2 in the May Management report). **This V3 QC report includes:**

1. **Visit 3 Anthropometry Reliability (5% randomly selected by CDART)**
   Table 1. Reliability of Anthropometric Measurements 3
   Plots Corresponding to Table 1 8

2. **Visit 3 Lab Reliability Study (~5% blinded duplicates for Central Lab)**
   Table 2a. Tube 1 (9 mL red-stoppered, serum): CHOL, HDL, LDL, TRYG 14
   Table 2b. Tube 4 (4 mL lavender-stoppered, EDTA): Glycosylated hemoglobin 16
   Table 2c. Tube 5 (10 mL lavender-stoppered, EDTA): Fasting glucose 17
   Plots Corresponding to Tables 2a to 2c 18

3. **NAFLD Blood Collection.**
   Table 3. Number of days between NAFLD blood collection and lab receipt 24

4. **Visit 3 (ALL participants)**
   Table 4. Biospecimen collection form by center and trimester 25
   Plots from Trend Analyses for ANT, LAB, and SBP 30

5. **Frequency of Procedures Performed by Staff**
   Table 6.2. Number of anthropometries performed by staff id (ANT0B) and month 38
   Table 6.3. Number of SBP performed by staff id (SBPOB) and month 42
   Table 6.4. Number of blood draws performed by staff id (BIO13) and month 46

Visit 3 Lab Reliability Study (blinded duplicates for Central Lab)

- Under V3 contract, only six analytes are being analyzed and transferred to the Coordinating Center: cholesterol (total, HDL, LDL), triglycerides, glycosylated hemoglobin, and fasting glucose. Other ancillaries will fund other analytes for a subsample of participants.

Two statistics of great interest are the reliability coefficient and the coefficient of variation (CV). A reliability coefficient close to 1 suggests that only a small proportion of the total variance is due to measurement error (or laboratory) variation. Ideally, we would like all reliabilities to be above 0.80. The CV is a measure of within-specimen variation expressed as a percentage of the mean; we would like to see CV values below 10%.
Most statistics (reliability, CV, mean difference and proportion of positive differences) show excellent reproducibility from the Central Lab for blinded duplicates.

HCHS/SOL Quality Control Report, May 2024

Table 1. Reliability of Anthropometric Measurements

	QC Pairs						Repli-cate	Original	Difference (replicate-original)				
	N	Mean	Within SD (Lab) (1)	Between SD (2)	Reliab (3)	CV (4)	Mean	Mean	Mean	95% CI		Prop > 0	pval (5)
Standing Height (ANT2)													
Bronx	47	160.1	0.48	10.13	1.00	0.3	160.0	160.1	-0.09	-0.28	0.11	0.46	1.000
*Bronx	47	160.1	0.48	10.66	1.00	0.3	160.0	160.6	-0.09	-0.28	0.11	0.46	1.000
Chicago	45	161.1	0.18	8.85	1.00	0.1	161.1	161.1	0.02	-0.05	0.10	0.67	1.000
*Chicago	46	161.0	0.28	8.63	1.00	0.2	161.0	160.9	-0.02	-0.14	0.09	0.50	1.000
Miami	53	162.6	0.55	8.99	1.00	0.3	162.6	162.5	0.08	-0.13	0.29	0.65	0.263
*Miami	53	162.6	0.55	8.93	1.00	0.3	162.6	162.6	0.08	-0.13	0.29	0.65	0.263
San Diego	72	158.5	0.48	8.91	1.00	0.3	158.5	158.5	-0.04	-0.20	0.12	0.48	1.000
*San Diego	73	158.6	0.54	8.76	1.00	0.3	158.6	158.7	-0.08	-0.26	0.09	0.46	0.851
Overall	218	160.4	0.46	9.24	1.00	0.3	160.4	160.4	-0.02	-0.11	0.07	0.53	0.708
*Overall	219	160.4	0.48	9.35	1.00	0.3	160.4	160.5	-0.03	-0.12	0.06	0.52	0.804
Weight (ANT4)													
Bronx	45	78.1	0.09	16.89	1.00	0.1	78.07	78.10	-0.03	-0.07	0.00	0.35	0.263
*Bronx	47	78.2	0.13	15.80	1.00	0.2	78.16	77.48	-0.03	-0.08	0.02	0.36	0.286
Chicago	44	80.5	0.04	18.00	1.00	0.1	80.49	80.50	-0.00	-0.02	0.01	0.44	0.804
*Chicago	46	80.4	0.08	21.95	1.00	0.1	80.37	82.80	0.02	-0.02	0.05	0.50	1.000
Miami	51	83.6	0.10	20.33	1.00	0.1	83.60	83.63	-0.04	-0.07	0.00	0.33	0.189
*Miami	53	83.1	0.12	19.62	1.00	0.2	83.06	82.88	-0.04	-0.08	0.01	0.35	0.210
San Diego	72	76.1	0.12	15.81	1.00	0.2	76.08	76.11	-0.03	-0.07	0.01	0.42	0.405
*San Diego	73	75.8	0.15	16.21	1.00	0.2	75.77	76.21	-0.05	-0.09	0.00	0.41	0.324
Overall	214	79.2	0.10	17.72	1.00	0.1	79.19	79.20	-0.02	-0.04	0.00	0.41	0.100
*Overall	219	79.0	0.13	18.34	1.00	0.2	79.01	79.37	-0.03	-0.05	-0.00	0.40	0.057

	QC Pairs						Repli-cate	Original	Difference (replicate-original)				
	N	Mean	Within SD (Lab) (1)	Between SD (2)	Reliab (3)	CV (4)	Mean	Mean	Mean	95% CI		Prop > 0	pval (5)
Fat (%) (ANT5)													
Bronx	45	36.7	0.64	8.64	0.99	1.8	36.59	36.71	-0.13	-0.39	0.14	0.42	0.418
*Bronx	46	36.6	1.44	8.71	0.97	3.9	36.36	35.81	-0.39	-0.98	0.19	0.41	0.337
Chicago	41	35.4	1.11	8.13	0.98	3.1	35.31	35.42	-0.11	-0.59	0.38	0.33	0.053
*Chicago	43	34.9	2.79	8.41	0.90	8.0	34.47	35.99	-0.88	-2.04	0.28	0.32	0.028
Miami	50	38.5	0.56	8.90	1.00	1.5	38.49	38.47	0.01	-0.21	0.24	0.30	0.011
*Miami	52	38.5	1.76	8.54	0.96	4.6	38.44	38.41	-0.05	-0.73	0.64	0.31	0.013
San Diego	71	38.2	0.35	7.92	1.00	0.9	38.15	38.25	-0.10	-0.22	0.01	0.33	0.010
*San Diego	73	38.0	1.17	7.92	0.98	3.1	37.94	38.03	-0.03	-0.41	0.36	0.33	0.011
Overall	208	37.3	0.74	8.39	0.99	2.0	37.27	37.38	-0.11	-0.25	0.03	0.34	0.000
*Overall	214	37.2	1.80	8.40	0.96	4.8	37.02	37.17	-0.28	-0.62	0.06	0.34	0.000
Impedance (ANT6)													
Bronx	45	497.9	4.06	91.47	1.00	0.8	497.2	498.5	-1.29	-2.94	0.36	0.34	0.060
*Bronx	46	496.6	12.83	85.13	0.98	2.6	494.7	501.4	-3.80	-8.99	1.38	0.33	0.044
Chicago	41	466.1	27.90	72.62	0.87	6.0	464.0	468.2	-4.22	-16.4	7.94	0.34	0.073
*Chicago	43	473.3	51.04	76.71	0.69	10.8	464.9	475.4	-16.9	-37.9	4.13	0.33	0.038
Miami	51	520.8	3.01	86.40	1.00	0.6	519.7	521.8	-2.10	-3.13	-1.07	0.25	0.001
*Miami	52	520.1	3.57	83.15	1.00	0.7	519.2	519.7	-1.67	-2.98	-0.37	0.27	0.001
San Diego	72	521.8	4.28	77.26	1.00	0.8	520.4	523.2	-2.81	-4.05	-1.56	0.25	0.000
*San Diego	73	523.9	4.59	79.28	1.00	0.9	522.4	521.2	-3.05	-4.38	-1.73	0.25	0.000
Overall	209	507.3	5.27	84.21	1.00	1.0	506.3	508.3	-1.98	-2.95	-1.00	0.29	0.000
*Overall	214	506.9	23.67	83.25	0.93	4.7	504.1	507.2	-5.66	-10.1	-1.23	0.29	0.000

	QC Pairs						Repli-cate	Original	Difference (replicate-original)				
	N	Mean	Within SD (Lab) (1)	Between SD (2)	Reliab (3)	CV (4)	Mean	Mean	Mean	95% CI		Prop > 0	pval (5)
Fat Mass (ANT7)													
Bronx	45	29.3	0.47	11.39	1.00	1.6	29.24	29.32	-0.08	-0.28	0.11	0.39	0.243
*Bronx	46	29.3	1.22	10.85	0.99	4.2	29.10	28.26	-0.32	-0.81	0.18	0.38	0.188
Chicago	41	28.9	0.83	12.03	1.00	2.9	28.84	28.94	-0.10	-0.46	0.26	0.32	0.058
*Chicago	43	28.5	2.31	14.40	0.97	8.1	28.15	30.72	-0.75	-1.71	0.21	0.31	0.029
Miami	51	32.4	0.29	11.71	1.00	0.9	32.37	32.44	-0.07	-0.18	0.04	0.30	0.010
*Miami	52	33.0	0.36	11.95	1.00	1.1	32.96	32.70	-0.03	-0.17	0.11	0.31	0.016
San Diego	71	29.5	0.23	10.99	1.00	0.8	29.47	29.56	-0.09	-0.16	-0.01	0.30	0.003
*San Diego	73	29.6	0.28	11.11	1.00	1.0	29.51	29.90	-0.08	-0.17	0.01	0.31	0.003
Overall	211	30.2	0.49	11.60	1.00	1.6	30.17	30.25	-0.07	-0.17	0.02	0.33	0.000
*Overall	214	30.1	1.20	11.97	0.99	4.0	29.99	30.30	-0.25	-0.48	-0.03	0.32	0.000
FFM (ANT8)													
Bronx	45	49.0	0.45	9.51	1.00	0.9	49.02	48.98	0.05	-0.14	0.23	0.55	0.728
*Bronx	46	49.2	1.22	9.53	0.98	2.5	49.37	49.19	0.28	-0.21	0.78	0.56	0.608
Chicago	41	51.1	0.84	9.47	0.99	1.6	51.15	51.03	0.12	-0.25	0.48	0.68	0.047
*Chicago	43	51.6	2.31	10.27	0.95	4.5	52.02	52.09	0.77	-0.19	1.73	0.69	0.024
Miami	51	49.5	0.27	9.86	1.00	0.5	49.51	49.46	0.05	-0.06	0.15	0.68	0.028
*Miami	52	50.3	0.34	11.15	1.00	0.7	50.29	50.19	0.01	-0.13	0.14	0.67	0.044
San Diego	71	46.0	0.20	8.04	1.00	0.4	46.05	46.01	0.04	-0.03	0.10	0.59	0.229
*San Diego	73	46.2	0.25	8.17	1.00	0.5	46.26	46.53	0.03	-0.05	0.12	0.59	0.237
Overall	211	48.8	0.48	9.71	1.00	1.0	48.79	48.75	0.05	-0.05	0.14	0.62	0.003
*Overall	214	49.0	1.20	9.85	0.99	2.4	49.07	49.11	0.23	0.00	0.45	0.62	0.001

	QC Pairs						Repli-cate	Original	Difference (replicate-original)				
	N	Mean	Within SD (Lab) (1)	Between SD (2)	Reliab (3)	CV (4)	Mean	Mean	Mean	95% CI		Prop > 0	pval (5)
TBW (ANT9)													
Bronx	45	35.8	0.34	6.91	1.00	0.9	35.87	35.83	0.03	-0.11	0.17	0.62	0.327
*Bronx	46	36.0	0.90	6.97	0.98	2.5	36.12	35.97	0.21	-0.16	0.57	0.63	0.248
Chicago	41	37.4	0.61	6.93	0.99	1.6	37.45	37.36	0.09	-0.18	0.35	0.66	0.110
*Chicago	43	37.8	1.69	7.52	0.95	4.5	38.08	38.14	0.56	-0.14	1.26	0.68	0.058
Miami	50	36.0	0.23	7.16	1.00	0.6	36.05	36.00	0.05	-0.04	0.14	0.71	0.017
*Miami	52	36.8	0.33	8.15	1.00	0.9	36.78	36.71	-0.02	-0.14	0.11	0.68	0.047
San Diego	71	33.7	0.15	5.88	1.00	0.4	33.71	33.69	0.03	-0.02	0.08	0.60	0.169
*San Diego	73	33.9	0.19	5.98	1.00	0.6	33.86	34.06	0.02	-0.04	0.08	0.60	0.177
Overall	211	35.7	0.37	7.09	1.00	1.0	35.71	35.68	0.03	-0.04	0.10	0.63	0.001
*Overall	214	35.8	0.88	7.21	0.99	2.5	35.91	35.94	0.16	-0.01	0.33	0.64	0.001
Waist (ANT10A)													
Bronx	45	103.0	2.89	12.34	0.95	2.8	103.7	102.3	1.42	0.29	2.55	0.67	0.080
*Bronx	47	103.1	4.06	12.17	0.90	3.9	103.8	101.7	1.32	-0.30	2.94	0.66	0.090
Chicago	46	102.7	1.04	12.57	0.99	1.0	102.7	102.6	0.15	-0.27	0.58	0.58	0.557
*Chicago	46	102.7	1.04	15.39	1.00	1.0	102.7	103.9	0.15	-0.27	0.58	0.58	0.557
Miami	53	104.4	0.93	14.45	1.00	0.9	104.5	104.3	0.17	-0.18	0.52	0.53	0.871
*Miami	53	104.4	0.93	14.05	1.00	0.9	104.5	104.3	0.17	-0.18	0.52	0.53	0.871
San Diego	72	100.7	1.65	13.31	0.98	1.6	100.7	100.7	0.07	-0.47	0.61	0.54	0.609
*San Diego	73	101.2	2.97	13.88	0.96	2.9	101.4	101.4	0.48	-0.49	1.44	0.55	0.526
Overall	214	102.4	1.41	13.23	0.99	1.4	102.5	102.2	0.25	-0.01	0.52	0.56	0.128
*Overall	219	102.7	2.63	13.79	0.96	2.6	102.9	102.6	0.52	0.03	1.01	0.57	0.083

	QC Pairs						Repli-cate	Original	Difference (replicate-original)				
	N	Mean	Within SD (Lab) (1)	Between SD (2)	Reliab (3)	CV (4)	Mean	Mean	Mean	95% CI		Prop > 0	pval (5)
Hip (ANT10B)													
Bronx	46	108.3	1.31	10.68	0.99	1.2	108.4	108.2	0.22	-0.32	0.76	0.61	0.243
*Bronx	47	108.4	2.26	10.01	0.95	2.1	108.3	107.4	-0.17	-1.09	0.75	0.59	0.324
Chicago	45	105.8	0.67	9.84	1.00	0.6	105.6	105.9	-0.27	-0.53	0.00	0.28	0.043
*Chicago	46	105.8	0.73	13.42	1.00	0.7	105.7	107.2	-0.20	-0.49	0.10	0.31	0.076
Miami	51	109.9	0.73	12.27	1.00	0.7	109.9	109.9	0.02	-0.27	0.31	0.50	1.000
*Miami	53	110.4	1.21	12.00	0.99	1.1	110.4	110.4	-0.02	-0.48	0.45	0.50	1.000
San Diego	72	108.4	1.09	12.28	0.99	1.0	108.4	108.4	-0.07	-0.43	0.29	0.48	0.894
*San Diego	73	108.5	1.27	12.33	0.99	1.2	108.4	108.7	-0.18	-0.59	0.23	0.47	0.791
Overall	216	108.2	1.04	11.44	0.99	1.0	108.2	108.2	0.01	-0.18	0.21	0.49	0.871
*Overall	219	108.4	1.45	11.92	0.99	1.3	108.3	108.5	-0.14	-0.41	0.13	0.48	0.687

*** Outliers defined as the pair difference >3SD**

(1) Standard deviation = square root (within-subject variance)

(2) Standard deviation = square root (between-subject variance)

(3) The reliability coefficient is the ICC (intra-class correlation coefficient) which is an estimate of the correlation between repeated measurements

(4) The coefficient of variation (CV) is the lab SD expressed as a percent of the mean of QC pairs

(5) P-value for test that the proportion of positive differences = 50% (test for systematic bias)

Created by HC325316 (uccpxs) on 07JUN24 10:58

Based on the HCHS Visit3 2406 retrieval data created in June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Bland–Altman plot associated to Table 1. Reliability of Anthropometric Measurements

standing height (ANT2_pvar)



weight (ANT4_pvar)



fat (%) (ANT5_pvar)



impedance (ANT6_pvar)



Created by HC325316_BAP (uccpxs) on 07JUN24 12:07
Based on the HCHS Visit3 2406 retrieval data created in June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Bland–Altman plot associated to Table 1. Reliability of Anthropometric Measurements

fat mass (ANT7_pvar)



FFM (ANT8_pvar)



TBW (ANT9_pvar)



waist (ANT10A_pvar)



Created by HC325316_BAP (uccpxs) on 07JUN24 12:07
Based on the HCHS Visit3 2406 retrieval data created in June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Bland–Altman plot associated to Table 1. Reliability of Anthropometric Measurements



HCHS/SOL Quality Control Report May 2024

Reliability of Anthropometric Measurements

standing height (ANT2)



weight (ANT4)



fat (%) (ANT5)



impedance (ANT6)



Circles indicate differences larger than 2 SD, and triangles larger than 3 SD

Created by HC325316 (uccpxs) on 07JUN24 10:58
Based on the HCHS Visit3 2406 retrieval data created in June 4, 2024

HCHS/SOL Quality Control Report May 2024

Reliability of Anthropometric Measurements

fat mass (ANT7)



FFM (ANT8)



TBW (ANT9)



waist (ANT10A)



Circles indicate differences larger than 2 SD, and triangles larger than 3 SD

Created by HC325316 (uccpxs) on 07JUN24 10:58
Based on the HCHS Visit3 2406 retrieval data created in June 4, 2024

HCHS/SOL Quality Control Report May 2024

Reliability of Anthropometric Measurements

hip (ANT10B)



Circles indicate differences larger than 2 SD, and triangles larger than 3 SD

Created by HC325316 (uccpxs) on 07JUN24 10:58
Based on the HCHS Visit3 2406 retrieval data created in June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Table 2a. Reliability of laboratory measurements (Tube 1: 9 mL red-stoppered (serum))

		QC Pairs				Repli-cate	Original	Difference (replicate-original)				
	N	Mean	Within SD (Lab) (1)	Between SD (2)	Reliab (3)	CV (4)	Mean	Mean	Mean	95% CI		Prop > 0	pval (5)
Total cholesterol (mg/dL) (LABA66)													
Bronx	198	182.3	4.90	37.91	0.98	2.7	182.3	182.4	-0.09	-1.06	0.88	0.48	0.709
*Bronx	201	182.5	6.58	37.89	0.97	3.6	182.3	182.7	-0.43	-1.72	0.86	0.48	0.657
Chicago	290	180.0	2.91	41.43	1.00	1.6	179.9	180.1	-0.19	-0.66	0.29	0.50	0.950
*Chicago	297	180.1	5.04	41.06	0.99	2.8	180.0	180.3	-0.29	-1.10	0.52	0.49	0.901
Miami	266	196.0	7.20	41.15	0.97	3.7	199.0	193.0	6.02	5.03	7.00	0.82	0.000
*Miami	270	196.3	9.38	40.86	0.95	4.8	199.4	193.1	6.34	4.95	7.73	0.81	0.000
San Diego	158	193.0	3.24	43.20	0.99	1.7	193.6	192.4	1.16	0.46	1.85	0.66	0.000
*San Diego	161	193.4	9.58	42.44	0.95	5.0	194.5	192.4	2.09	0.02	4.17	0.66	0.000
Overall	914	187.4	5.03	41.43	0.99	2.7	188.3	186.5	1.86	1.41	2.30	0.62	0.000
*Overall	929	187.6	7.68	41.14	0.97	4.1	188.6	186.6	2.02	1.33	2.70	0.62	0.000
HDL-cholesterol (mg/dL) (LABA68)													
Bronx	197	54.0	1.21	15.44	0.99	2.2	53.93	54.09	-0.16	-0.40	0.08	0.44	0.178
*Bronx	200	54.2	1.62	15.64	0.99	3.0	53.99	54.33	-0.34	-0.65	-0.03	0.43	0.113
Chicago	291	49.1	0.76	13.21	1.00	1.6	49.10	49.17	-0.07	-0.20	0.05	0.47	0.468
*Chicago	297	49.4	1.30	13.58	0.99	2.6	49.37	49.46	-0.09	-0.30	0.12	0.47	0.477
Miami	262	52.1	1.99	13.67	0.98	3.8	52.68	51.49	1.19	0.89	1.50	0.77	0.000
*Miami	270	52.1	2.94	13.45	0.95	5.6	52.55	51.64	0.91	0.42	1.39	0.75	0.000
San Diego	157	52.9	1.46	13.62	0.99	2.8	52.97	52.87	0.11	-0.22	0.43	0.57	0.228
*San Diego	161	53.3	3.63	13.56	0.93	6.8	53.32	53.24	0.07	-0.72	0.87	0.56	0.237
Overall	907	51.8	1.32	14.15	0.99	2.5	51.92	51.67	0.26	0.14	0.38	0.58	0.000
*Overall	928	51.9	2.43	14.11	0.97	4.7	51.97	51.80	0.17	-0.05	0.40	0.57	0.000

	QC Pairs						Repli-cate	Original	Difference (replicate-original)				
	N	Mean	Within SD (Lab) (1)	Between SD (2)	Reliab (3)	CV (4)	Mean	Mean	Mean	95% CI		Prop > 0	pval (5)
LDL-cholesterol (mg/dL) (LABA69)													
Bronx	194	103.8	3.38	33.29	0.99	3.3	103.7	103.9	-0.18	-0.85	0.49	0.48	0.708
*Bronx	198	104.2	4.89	33.44	0.98	4.7	104.0	104.4	-0.44	-1.41	0.52	0.48	0.604
Chicago	286	102.9	2.50	36.33	1.00	2.4	102.9	103.0	-0.12	-0.53	0.30	0.49	0.898
*Chicago	291	102.9	4.87	35.93	0.98	4.7	102.8	102.9	-0.09	-0.89	0.70	0.49	0.849
Miami	261	115.1	5.03	34.90	0.98	4.4	117.1	113.2	3.94	3.22	4.66	0.81	0.000
*Miami	265	115.4	5.71	34.73	0.97	5.0	117.4	113.4	4.00	3.16	4.85	0.80	0.000
San Diego	157	113.0	3.13	39.92	0.99	2.8	113.6	112.5	1.03	0.35	1.70	0.64	0.001
*San Diego	160	113.2	6.71	39.46	0.97	5.9	114.1	112.3	1.74	0.29	3.19	0.64	0.001
Overall	898	108.4	3.66	36.32	0.99	3.4	109.0	107.8	1.25	0.92	1.58	0.61	0.000
*Overall	914	108.6	5.49	36.10	0.98	5.1	109.3	107.9	1.34	0.84	1.83	0.61	0.000
Triglycerides (mg/dL) (LABA107)													
Bronx	196	119.2	3.22	63.47	1.00	2.7	120.0	118.4	1.62	1.02	2.22	0.73	0.000
*Bronx	200	123.2	4.63	73.95	1.00	3.8	123.8	122.6	1.18	0.28	2.08	0.72	0.000
Chicago	292	139.6	2.19	87.68	1.00	1.6	139.6	139.5	0.03	-0.33	0.39	0.52	0.649
*Chicago	297	139.4	6.43	87.02	0.99	4.6	139.1	139.7	-0.53	-1.56	0.51	0.51	0.797
Miami	267	143.6	6.73	81.32	0.99	4.7	145.5	141.8	3.68	2.63	4.74	0.83	0.000
*Miami	270	144.5	22.53	80.05	0.93	15.6	147.6	141.3	6.34	2.61	10.07	0.83	0.000
San Diego	157	134.8	2.64	67.76	1.00	2.0	135.4	134.3	1.09	0.53	1.65	0.69	0.000
*San Diego	161	134.5	8.10	66.79	0.99	6.0	135.2	133.7	1.43	-0.33	3.19	0.69	0.000
Overall	918	136.2	4.45	79.94	1.00	3.3	137.0	135.5	1.48	1.09	1.88	0.69	0.000
*Overall	928	136.5	13.30	79.26	0.97	9.7	137.6	135.4	2.18	0.97	3.38	0.69	0.000

*** Outliers defined as the pair difference >3SD**
(1) Standard deviation = square root (within-subject variance)
(2) Standard deviation = square root (between-subject variance)
(3) The reliability coefficient is the ICC (intra-class correlation coefficient) which is an estimate of the correlation between repeated measurements
(4) The coefficient of variation (CV) is the lab SD expressed as a percent of the mean of QC pairs
(5) P-value for test that the proportion of positive differences = 50% (test for systematic bias)

HCHS/SOL Quality Control Report, May 2024

Table 2b. Reliability of laboratory measurements (Tube 4: 4 mL lavender-stoppered (EDTA))

	QC Pairs						Repli-cate	Original	Difference (replicate-original)				
	N	Mean	Within SD (Lab) (1)	Between SD (2)	Reliab (3)	CV (4)	Mean	Mean	Mean	95% CI		Prop > 0	pval (5)
% Glycosylated Hemoglobin (LABA72)													
Bronx	199	6.3	0.05	1.38	1.00	0.8	6.33	6.33	-0.00	-0.01	0.01	0.49	0.911
*Bronx	200	6.3	0.36	1.36	0.93	5.7	6.36	6.33	0.03	-0.04	0.10	0.49	1.000
Chicago	298	6.4	0.04	1.59	1.00	0.7	6.36	6.35	0.00	-0.01	0.01	0.53	0.631
*Chicago	299	6.4	0.06	1.59	1.00	1.0	6.36	6.35	0.01	-0.00	0.02	0.53	0.566
Miami	269	6.0	0.06	1.18	1.00	1.0	5.98	5.99	-0.01	-0.02	0.00	0.48	0.614
*Miami	270	6.0	0.06	1.20	1.00	1.1	5.99	6.00	-0.01	-0.02	0.01	0.48	0.675
San Diego	159	6.3	0.06	1.65	1.00	1.0	6.30	6.31	-0.01	-0.02	0.01	0.46	0.556
*San Diego	161	6.3	0.53	1.61	0.90	8.4	6.28	6.37	-0.08	-0.20	0.03	0.45	0.416
Overall	927	6.2	0.06	1.46	1.00	1.0	6.23	6.24	-0.00	-0.01	0.00	0.49	0.765
*Overall	930	6.2	0.28	1.45	0.96	4.5	6.24	6.25	-0.01	-0.03	0.02	0.49	0.728

*** Outliers defined as the pair difference >3SD**
(1) Standard deviation = square root (within-subject variance)
(2) Standard deviation = square root (between-subject variance)
(3) The reliability coefficient is the ICC (intra-class correlation coefficient) which is an estimate of the correlation between repeated measurements
(4) The coefficient of variation (CV) is the lab SD expressed as a percent of the mean of QC pairs
(5) P-value for test that the proportion of positive differences = 50% (test for systematic bias)

Created by HC325301b (uccpxs) on 07JUN24 10:54
Based on the HCHS Visit3 2406 retrieval data created in June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Table 2c. Reliability of laboratory measurements (Tube 5: 10 mL lavender-stoppered (EDTA))

		QC Pairs					Repli-cate	Original	Difference (replicate-original)				
	N	Mean	Within SD (Lab) (1)	Between SD (2)	Reliab (3)	CV (4)	Mean	Mean	Mean	95% CI		Prop > 0	pval (5)
Glucose, fasting (mg/dL) (LABA70)													
Bronx	199	116.5	1.38	40.88	1.00	1.2	116.5	116.5	-0.02	-0.29	0.26	0.45	0.295
*Bronx	201	116.8	1.54	41.01	1.00	1.3	116.9	116.8	0.08	-0.22	0.39	0.46	0.379
Chicago	295	121.7	1.45	42.96	1.00	1.2	121.7	121.7	0.01	-0.22	0.24	0.49	0.891
*Chicago	298	121.7	3.46	42.70	0.99	2.8	121.8	121.6	0.19	-0.36	0.75	0.50	0.946
Miami	265	115.0	2.88	41.36	1.00	2.5	114.3	115.7	-1.36	-1.82	-0.90	0.20	0.000
*Miami	270	115.4	7.65	40.79	0.97	6.6	114.6	116.2	-1.61	-2.89	-0.33	0.21	0.000
San Diego	160	112.3	2.13	32.29	1.00	1.9	112.0	112.7	-0.71	-1.16	-0.25	0.33	0.000
*San Diego	161	112.7	7.55	32.03	0.95	6.7	112.7	112.6	0.11	-1.55	1.76	0.34	0.000
Overall	919	117.1	1.84	40.53	1.00	1.6	116.9	117.3	-0.43	-0.59	-0.26	0.37	0.000
*Overall	930	117.3	5.59	40.18	0.98	4.8	117.1	117.4	-0.37	-0.88	0.14	0.37	0.000

*** Outliers defined as the pair difference >3SD**
(1) Standard deviation = square root (within-subject variance)
(2) Standard deviation = square root (between-subject variance)
(3) The reliability coefficient is the ICC (intra-class correlation coefficient) which is an estimate of the correlation between repeated measurements
(4) The coefficient of variation (CV) is the lab SD expressed as a percent of the mean of QC pairs
(5) P-value for test that the proportion of positive differences = 50% (test for systematic bias)

Created by HC325301c (uccpxs) on 07JUN24 10:55
Based on the HCHS Visit3 2406 retrieval data created in June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Bland–Altman plot associated to Table 2a. Reliability of laboratory measurements (Tube 1: 9 mL red–stoppered (serum))

Cholesterol, Total (mg/dL) (laba66_pvar)



HDL-cholesterol (mg/dL) (laba68_pvar)



LDL-cholesterol (mg/dL) (laba69_pvar)



TG Triglycerides (mg/dL) (laba107_pvar)



Created by HC325301a_BAP (uccpxs) on 07JUN24 10:39
Based on the HCHS Visit3 2406 retrieval data created in June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Figure associated to Table 2a. Reliability of laboratory measurements (Tube 1: 9 mL red-stoppered (serum))

Cholesterol, Total (mg/dL) (LABA66)



HDL-cholesterol (mg/dL) (LABA68)



LDL-cholesterol (mg/dL) (LABA69)



TG Triglycerides (mg/dL) (LABA107)



Circles indicate differences larger than 2 SD, and triangles larger than 3 SD

Created by HC325301a (uccpxs) on 07JUN24 10:38
Based on the HCHS Visit3 2406 retrieval data created in June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Bland–Altman plot associated to Table 2b. Reliability of laboratory measurements (Tube 4: 4 mL lavender–stoppered (EDTA))



Created by HC325301b_BAP (uccpxs) on 07JUN24 10:54
Based on the HCHS Visit3 2406 retrieval data created in June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Figure associated to Table 2b. Reliability of laboratory measurements (Tube 4: 4 mL lavender-stoppered (EDTA))

Glycosylated Hemoglobin (%) (LABA72)



Circles indicate differences larger than 2 SD, and triangles larger than 3 SD

Created by HC325301b (uccpxs) on 07JUN24 10:54
Based on the HCHS Visit3 2406 retrieval data created in June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Bland–Altman plot associated to Table 2c. Reliability of laboratory measurements (Tube 5: 10 mL lavender–stoppered (EDTA))



HCHS/SOL Quality Control Report, May 2024

Figure associated to Table 2c. Reliability of laboratory measurements (Tube 5: 10 mL lavender-stoppered (EDTA))

Glucose, fasting (mg/dL) (LABA70)



Circles indicate differences larger than 2 SD, and triangles larger than 3 SD

Created by HC325301c (uccpxs) on 07JUN24 10:55
Based on the HCHS Visit3 2406 retrieval data created in June 4, 2024

HCHS/SOL Quality Control Report, September 2024

Table 6. Number of days between NAFLD blood collection and lab receipt.

	Bronx (N=424)		Chicago (N=559)		Miami (N=281)		San Diego (N=398)		Overall (N=1662)	
	N	%	N	%	N	%	N	%	N	%
Day of week sample collected[1]										
Monday	37	8.7	48	8.6	13	4.6	49	12.3	147	8.8
Tuesday-Thursday	282	66.5	371	66.4	211	75.1	313	78.6	1177	70.8
Friday	105	24.8	46	8.2	55	19.6	35	8.8	241	14.5
Saturday	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Sunday	0	0.0	85	15.2	0	0.0	1	0.3	86	5.2
Missing date (NBB6)	0	0.0	9	1.6	2	0.7	0	0.0	11	0.7
Q2. Different collection dates (NBB6 vs LAB dates)	1	0.2	6	1.1	2	0.7	11	2.8	20	1.2
# Days between collection date and lab receipt[2]										
1	409	97.1	440	80.4	269	96.4	381	96.2	1499	91.2
2	7	1.7	91	16.6	1	0.4	9	2.3	108	6.6
3	2	0.5	2	0.4	5	1.8	0	0.0	9	0.5
4+	3	0.7	3	0.5	0	0.0	2	0.5	8	0.5

[1]Collection date (NBB6) from NAFLD Biospecimen Collection Form (NBB)
[2]Among participants with consistent collection dates

Table 4. Percent of YES in the Biospecimen Collection Form (BIO) by field center and clinic date

	Bronx (N=1953)		Chicago (N=2490)		Miami (N=2278)		San Diego (N=2164)		Overall (N=8885)	
	N	%	N	%	N	%	N	%	N	%
Denominator (BIO forms)										
Jan – Mar 2020	44	100.0	-	-	-	-	-	-	44	100.0
Jan – Mar 2021	15	100.0	32	100.0	115	100.0	-	-	162	100.0
Apr – June 2021	117	100.0	237	100.0	261	100.0	110	96.5	725	99.5
Jul – Sept 2021	176	100.0	189	100.0	318	100.0	162	100.0	845	100.0
Oct – Dec 2021	194	100.0	169	100.0	276	100.0	223	100.0	862	100.0
Jan – Mar 2022	67	100.0	242	99.6	237	100.0	217	99.5	763	99.7
Apr – June 2022	199	100.0	268	100.0	268	100.0	270	100.0	1005	100.0
Jul – Sept 2022	211	100.0	267	100.0	238	100.0	241	96.8	957	99.2
Oct – Dec 2022	245	100.0	281	100.0	125	100.0	247	100.0	898	100.0
Jan – Mar 2023	214	99.5	234	100.0	125	100.0	247	99.2	820	99.6
Apr – June 2023	139	100.0	248	100.0	128	100.0	176	100.0	691	100.0
Jul – Sept 2023	127	100.0	155	100.0	108	100.0	119	100.0	509	100.0
Oct – Dec 2023	172	100.0	118	99.2	71	100.0	108	100.0	469	99.8
Jan 2024	33	100.0	47	100.0	8	100.0	44	97.8	132	99.2
bio8: fasting blood collected before snack										
Overall	1943	99.5	2480	99.6	2268	99.6	2147	99.2	8838	99.5
Jan – Mar 2020	44	100.0	-	-	-	-	-	-	44	100.0
Jan – Mar 2021	15	100.0	32	100.0	114	99.1	-	-	161	99.4
Apr – June 2021	116	99.1	235	99.2	259	99.2	107	97.3	717	98.9
Jul – Sept 2021	176	100.0	188	99.5	318	100.0	159	98.1	841	99.5
Oct – Dec 2021	193	99.5	169	100.0	276	100.0	221	99.1	859	99.7
Jan – Mar 2022	66	98.5	240	99.2	237	100.0	216	99.5	759	99.5
Apr – June 2022	197	99.0	267	99.6	266	99.3	270	100.0	1000	99.5
Jul – Sept 2022	210	99.5	267	100.0	237	99.6	240	99.6	954	99.7
Oct – Dec 2022	245	100.0	280	99.6	124	99.2	247	100.0	896	99.8
Jan – Mar 2023	214	100.0	234	100.0	125	100.0	246	99.6	819	99.9

	Bronx (N=1953)		Chicago (N=2490)		Miami (N=2278)		San Diego (N=2164)		Overall (N=8885)	
	N	%	N	%	N	%	N	%	N	%
Apr – June 2023	138	99.3	245	98.8	128	100.0	174	98.9	685	99.1
Jul – Sept 2023	126	99.2	155	100.0	107	99.1	117	98.3	505	99.2
Oct – Dec 2023	171	99.4	118	100.0	69	97.2	106	98.1	464	98.9
Jan 2024	32	97.0	47	100.0	8	100.0	44	100.0	131	99.2
bio9: 2 venipuncture attempts										
Overall	241	12.3	214	8.6	263	11.5	181	8.4	899	10.1
Jan – Mar 2020	4	9.1	-	-	-	-	-	-	4	9.1
Jan – Mar 2021	3	20.0	8	25.0	14	12.2	-	-	25	15.4
Apr – June 2021	10	8.5	38	16.0	23	8.8	10	9.1	81	11.2
Jul – Sept 2021	22	12.5	6	3.2	32	10.1	11	6.8	71	8.4
Oct – Dec 2021	186	95.9	19	11.2	42	15.2	75	33.6	322	37.4
Jan – Mar 2022	10	14.9	15	6.2	52	21.9	11	5.1	88	11.5
Apr – June 2022	19	9.5	25	9.3	21	7.8	18	6.7	83	8.3
Jul – Sept 2022	41	19.4	30	11.2	22	9.2	27	11.2	120	12.5
Oct – Dec 2022	35	14.3	17	6.0	10	8.0	26	10.5	88	9.8
Jan – Mar 2023	34	15.9	19	8.1	24	19.2	21	8.5	98	12.0
Apr – June 2023	12	8.6	18	7.3	23	18.0	21	11.9	74	10.7
Jul – Sept 2023	21	16.5	13	8.4	23	21.3	5	4.2	62	12.2
Oct – Dec 2023	15	8.7	11	9.3	6	8.5	13	12.0	45	9.6
Jan 2024	2	6.1	3	6.4	1	12.5	5	11.4	11	8.3
bio9: 3+ venipuncture attempts										
Overall	124	6.3	82	3.3	112	4.9	50	2.3	368	4.1
Jan – Mar 2020	7	15.9	-	-	-	-	-	-	7	15.9
Jan – Mar 2021	4	26.7	1	3.1	3	2.6	-	-	8	4.9
Apr – June 2021	8	6.8	10	4.2	6	2.3	3	2.7	27	3.7
Jul – Sept 2021	13	7.4	2	1.1	8	2.5	4	2.5	27	3.2
Oct – Dec 2021	10	5.2	5	3.0	2	0.7	6	2.7	23	2.7
Jan – Mar 2022	1	1.5	2	0.8	20	8.4	3	1.4	26	3.4
Apr – June 2022	7	3.5	2	0.7	15	5.6	3	1.1	27	2.7
Jul – Sept 2022	21	10.0	19	7.1	13	5.5	9	3.7	62	6.5

	Bronx (N=1953)		Chicago (N=2490)		Miami (N=2278)		San Diego (N=2164)		Overall (N=8885)	
	N	%	N	%	N	%	N	%	N	%
Oct – Dec 2022	19	7.8	9	3.2	3	2.4	5	2.0	36	4.0
Jan – Mar 2023	12	5.6	14	6.0	15	12.0	6	2.4	47	5.7
Apr – June 2023	11	7.9	9	3.6	16	12.5	3	1.7	39	5.6
Jul – Sept 2023	9	7.1	2	1.3	5	4.6	2	1.7	18	3.5
Oct – Dec 2023	2	1.2	5	4.2	6	8.5	4	3.7	17	3.6
Jan 2024	0	0.0	2	4.3	0	0.0	2	4.5	4	3.0
bio10: blood drawing incidents/problems										
Overall	973	49.8	263	10.6	596	26.2	251	11.6	2083	23.4
Jan – Mar 2020	12	27.3	-	-	-	-	-	-	12	27.3
Jan – Mar 2021	7	46.7	11	34.4	9	7.8	-	-	27	16.7
Apr – June 2021	19	16.2	54	22.8	57	21.8	21	19.1	151	20.8
Jul – Sept 2021	130	73.9	125	66.1	230	72.3	43	26.5	528	62.5
Jan – Mar 2022	64	95.5	8	3.3	60	25.3	13	6.0	145	19.0
Apr – June 2022	190	95.5	8	3.0	50	18.7	30	11.1	278	27.7
Jul – Sept 2022	145	68.7	18	6.7	47	19.7	16	6.6	226	23.6
Oct – Dec 2022	153	62.4	7	2.5	24	19.2	19	7.7	203	22.6
Jan – Mar 2023	26	12.1	11	4.7	27	21.6	17	6.9	81	9.9
Apr – June 2023	14	10.1	5	2.0	19	14.8	8	4.5	46	6.7
Jul – Sept 2023	26	20.5	3	1.9	26	24.1	8	6.7	63	12.4
Oct – Dec 2023	11	6.4	3	2.5	16	22.5	12	11.1	42	9.0
Jan 2024	3	9.1	1	2.1	1	12.5	2	4.5	7	5.3
bio10: blood drawing incidents/problems due to use of smaller tube										
Overall	159	8.1	0	0.0	0	0.0	0	0.0	159	1.8
Jan – Mar 2020	0	0.0	-	-	-	-	-	-	0	0.0
Jan – Mar 2021	0	0.0	0	0.0	0	0.0	-	-	0	0.0
Apr – June 2021	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Jul – Sept 2021	11	6.3	0	0.0	0	0.0	0	0.0	11	1.3
Oct – Dec 2021	21	10.8	0	0.0	0	0.0	0	0.0	21	2.4
Jan – Mar 2022	3	4.5	0	0.0	0	0.0	0	0.0	3	0.4
Apr – June 2022	8	4.0	0	0.0	0	0.0	0	0.0	8	0.8

	Bronx (N=1953)		Chicago (N=2490)		Miami (N=2278)		San Diego (N=2164)		Overall (N=8885)	
	N	%	N	%	N	%	N	%	N	%
Jul – Sept 2022	66	31.3	0	0.0	0	0.0	0	0.0	66	6.9
Oct – Dec 2022	50	20.4	0	0.0	0	0.0	0	0.0	50	5.6
Jan – Mar 2023	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Apr – June 2023	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Jul – Sept 2023	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Oct – Dec 2023	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Jan 2024	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
bio18: blood processing incidents										
Overall	415	21.2	91	3.7	174	7.6	214	9.9	894	10.1
Jan – Mar 2020	9	20.5	-	-	-	-	-	-	9	20.5
Jan – Mar 2021	5	33.3	5	15.6	13	11.3	-	-	23	14.2
Apr – June 2021	18	15.4	19	8.0	14	5.4	20	18.2	71	9.8
Jul – Sept 2021	51	29.0	6	3.2	17	5.3	17	10.5	91	10.8
Oct – Dec 2021	32	16.5	7	4.1	9	3.3	21	9.4	69	8.0
Jan – Mar 2022	23	34.3	6	2.5	10	4.2	17	7.8	56	7.3
Apr – June 2022	50	25.1	13	4.9	7	2.6	37	13.7	107	10.6
Jul – Sept 2022	52	24.6	7	2.6	10	4.2	18	7.5	87	9.1
Oct – Dec 2022	36	14.7	8	2.8	2	1.6	18	7.3	64	7.1
Jan – Mar 2023	41	19.2	8	3.4	8	6.4	19	7.7	76	9.3
Apr – June 2023	34	24.5	6	2.4	11	8.6	18	10.2	69	10.0
Jul – Sept 2023	15	11.8	2	1.3	49	45.4	15	12.6	81	15.9
Oct – Dec 2023	42	24.4	2	1.7	23	32.4	6	5.6	73	15.6
Jan 2024	7	21.2	2	4.3	1	12.5	8	18.2	18	13.6
bio18: blood processing incidents due to use of smaller tube										
Overall	45	2.3	0	0.0	0	0.0	0	0.0	45	0.5
Jan – Mar 2020	0	0.0	-	-	-	-	-	-	0	0.0
Jan – Mar 2021	0	0.0	0	0.0	0	0.0	-	-	0	0.0
Apr – June 2021	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Jul – Sept 2021	1	0.6	0	0.0	0	0.0	0	0.0	1	0.1
Oct – Dec 2021	3	1.5	0	0.0	0	0.0	0	0.0	3	0.3

	Bronx (N=1953)		Chicago (N=2490)		Miami (N=2278)		San Diego (N=2164)		Overall (N=8885)	
	N	%	N	%	N	%	N	%	N	%
Jan – Mar 2022	1	1.5	0	0.0	0	0.0	0	0.0	1	0.1
Apr – June 2022	2	1.0	0	0.0	0	0.0	0	0.0	2	0.2
Jul – Sept 2022	23	10.9	0	0.0	0	0.0	0	0.0	23	2.4
Oct – Dec 2022	15	6.1	0	0.0	0	0.0	0	0.0	15	1.7
Jan – Mar 2023	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Apr – June 2023	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Jul – Sept 2023	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Oct – Dec 2023	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Jan 2024	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BIO20: urine sample										
Overall	1945	99.6	2479	99.6	2272	99.7	2158	99.7	8854	99.7
Jan – Mar 2020	44	100.0	-	-	-	-	-	-	44	100.0
Jan – Mar 2021	15	100.0	32	100.0	115	100.0	-	-	162	100.0
Apr – June 2021	117	100.0	237	100.0	261	100.0	109	99.1	724	99.9
Jul – Sept 2021	176	100.0	189	100.0	317	99.7	161	99.4	843	99.8
Oct – Dec 2021	194	100.0	169	100.0	274	99.3	222	99.6	859	99.7
Jan – Mar 2022	67	100.0	242	100.0	235	99.2	216	99.5	760	99.6
Apr – June 2022	199	100.0	268	100.0	268	100.0	270	100.0	1005	100.0
Jul – Sept 2022	209	99.1	265	99.3	238	100.0	241	100.0	953	99.6
Oct – Dec 2022	245	100.0	280	99.6	124	99.2	247	100.0	896	99.8
Jan – Mar 2023	213	99.5	234	100.0	125	100.0	247	100.0	819	99.9
Apr – June 2023	138	99.3	247	99.6	128	100.0	175	99.4	688	99.6
Jul – Sept 2023	124	97.6	152	98.1	108	100.0	119	100.0	503	98.8
Oct – Dec 2023	171	99.4	117	99.2	71	100.0	107	99.1	466	99.4
Jan 2024	33	100.0	44	93.6	8	100.0	44	100.0	129	97.7

HCHS/SOL Quality Control Report, May 2024

Trend Analysis

Standing height (cm)
ANT2



Self reported weight (kg)
ANT3A_KG



Weight (kg)
ANT4



fat (%)
ANT5



Bronx=BLACK, Chicago=RED, Miami=GREEN, San Diego=BLUE

Created by HC325315 (uccpxs) on 07JUN24 12:09
Based on analysis files created on June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Trend Analysis

Impedance (Ohms)
ANT6



Fat mass (kg)
ANT7



Lean body mass (kg)
ANT8



Total body water (kg)
ANT9



Bronx=BLACK, Chicago=RED, Miami=GREEN, San Diego=BLUE

Created by HC325315 (uccpxs) on 07JUN24 12:09
Based on analysis files created on June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Trend Analysis

Waist (cm)
ANT10A



Hip (cm)
ANT10B



Cholesterol, Total (mg/dL)
LABA66



HDL-cholesterol (mg/dL)
LABA68



Bronx=BLACK, Chicago=RED, Miami=GREEN, San Diego=BLUE

Created by HC325315 (uccpxs) on 07JUN24 12:09
Based on analysis files created on June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Trend Analysis

LDL-cholesterol (mg/dL)
LABA69



Glycosylated Hemoglobin (%)
LABA72



Glucose, fasting (mg/dL)
LABA70



Average Systolic
SBP5



Bronx=BLACK, Chicago=RED, Miami=GREEN, San Diego=BLUE

Created by HC325315 (uccpxs) on 07JUN24 12:09
Based on analysis files created on June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Trend Analysis

Average Diastolic
SBP6



Average Pulse Rate
SBP7



Blocks forming neighborhood
NDE35



Years in neighborhood
NDE36



Bronx=BLACK, Chicago=RED, Miami=GREEN, San Diego=BLUE

Created by HC325315 (uccpxs) on 07JUN24 12:09
Based on analysis files created on June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Trend Analysis

Months in neighborhood
NDE36a



Number of alcohol drinks per week past 12 months
BFE56



Days drank 4/5 or more drinks per day past 30 days
BFE57



Times drank 4/5 or more drinks in 2 hours past 30 days
BFE58



Bronx=BLACK, Chicago=RED, Miami=GREEN, San Diego=BLUE

Created by HC325315 (uccpxs) on 07JUN24 12:09
Based on analysis files created on June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Trend Analysis

Vigorous exercise at least 10 minutes how many days per week
BFE59



Minutes of vigorous exercise each time
BFE60



Moderate exercise at least 10 minutes how many days per week
BFE61



Minutes of moderate exercise each time
BFE62



Bronx=BLACK, Chicago=RED, Miami=GREEN, San Diego=BLUE

Created by HC325315 (uccpxs) on 07JUN24 12:09
Based on analysis files created on June 4, 2024

HCHS/SOL Quality Control Report, May 2024

Trend Analysis

Age identify current gender
SME105



Age attracted to same sex
SME107a



Bronx=BLACK, Chicago=RED, Miami=GREEN, San Diego=BLUE

Created by HC325315 (uccpxs) on 07JUN24 12:09
Based on analysis files created on June 4, 2024

Table 6.2. Number of anthropometries performed by staff id (ANT0B) and month

		2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2401	Total
Center	**Staff ID**																								
Bronx	**102**	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	116	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	19	14	21	17	9	11	100
	137	4	60	46	28	29	6	0	0	0	0	0	0	40	21	24	14	9	3	15	18	17	12	6	352
	138	41	6	20	25	15	16	27	30	36	21	26	25	13	12	8	6	8	10	4	11	10	4	0	374
	139	5	1	0	7	0	0	2	4	5	0	12	2	0	0	0	0	0	0	0	0	0	0	0	38
	154	0	0	0	16	35	15	12	19	14	19	5	10	3	0	0	0	0	0	0	0	0	0	0	148
	159	0	0	0	0	0	34	25	49	29	31	24	37	29	18	16	24	18	10	11	23	15	22	16	431
	Total	50	67	66	76	79	71	66	102	85	71	67	74	85	51	48	44	44	42	44	73	59	47	33	1444
Chicago	**Staff ID**																								
	205	13	6	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	21
	215	5	5	5	4	5	2	0	4	0	3	0	0	1	0	0	0	0	0	0	0	0	0	0	34
	218	20	15	16	11	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67
	224	0	0	0	12	17	16	16	20	15	15	8	15	16	7	14	3	4	2	3	2	1	4	8	198
	225	12	10	20	14	7	13	7	10	7	13	11	11	8	11	8	5	15	11	10	15	9	7	8	242
	233	0	0	0	10	11	8	8	9	8	7	12	5	11	12	5	8	0	0	0	0	0	0	0	114
	234	0	0	0	0	3	2	9	5	6	4	3	5	5	8	9	5	0	4	4	5	4	5	7	93
	236	7	10	7	9	8	6	10	13	12	9	9	9	8	10	5	8	2	3	6	8	5	3	6	173
	241	14	16	14	14	14	9	11	15	12	8	14	16	10	13	5	7	5	8	0	0	0	0	0	205
	245	13	15	14	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60
	246	16	10	15	8	16	17	9	19	15	4	0	0	0	0	0	0	0	0	0	0	0	0	0	129
	250	0	0	0	0	11	14	11	22	15	12	12	12	8	12	10	6	5	2	3	3	3	4	5	170
	261	0	0	0	0	0	0	0	0	0	0	0	0	4	11	9	8	10	11	7	10	7	6	4	87
	266	0	0	0	0	0	0	0	0	0	0	0	10	10	17	9	11	10	5	8	3	1	3	12	99
	274	0	0	0	0	0	0	0	0	0	0	0	0	2	7	3	7	8	6	5	4	4	5	0	51
	Total	100	87	93	91	106	87	81	117	90	75	69	83	83	108	77	68	59	52	46	50	34	37	50	1743

Table 6.2. Number of anthropometries performed by staff id (ANT0B) and month

		2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2401	Total
Miami	**Staff ID**																								
	302	5	4	3	1	5	5	4	7	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	38
	309	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	311	2	14	5	13	16	6	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
	316	17	16	14	16	13	15	8	8	6	7	3	2	3	2	6	2	2	2	1	0	2	1	0	146
	317	11	8	2	0	3	4	5	5	4	0	1	0	0	0	1	0	0	5	0	0	1	0	0	50
	318	11	14	13	11	16	12	12	8	2	5	4	5	6	7	2	2	4	4	3	2	2	1	1	147
	320	21	21	17	17	6	14	13	7	8	4	2	2	1	2	2	1	10	5	4	2	1	0	0	160
	325	8	4	2	5	6	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	27
	333	0	0	0	0	0	0	0	0	0	5	11	10	14	14	13	7	5	4	9	5	5	3	1	106
	336	18	15	13	18	17	13	11	8	5	3	2	2	0	2	2	2	0	0	0	0	1	0	0	132
	338	10	7	8	8	13	5	7	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62
	348	0	0	0	0	0	0	0	0	8	6	8	11	6	11	8	12	0	0	5	2	1	0	1	79
	350	0	0	0	0	0	0	0	0	0	12	8	13	12	14	12	10	10	6	5	5	4	4	0	115
	352	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	3	6	3	3	1	20
	354	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	8	6	5	11	0	4	39
	356	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	374	0	0	0	0	0	1	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	4
	377	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	398	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2
	Total	103	103	77	89	95	77	67	49	37	42	40	45	42	52	46	36	36	38	36	29	32	12	8	1191

Table 6.2. Number of anthropometries performed by staff id (ANT0B) and month

		2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2401	Total
San Diego	Staff ID																								
	137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	402	1	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
	405	0	0	0	0	0	0	0	0	1	3	2	4	10	5	3	2	1	2	3	0	1	0	2	39
	406	0	0	2	5	7	7	4	7	4	3	6	3	6	1	1	2	0	0	0	0	0	0	0	58
	409	0	0	0	0	1	8	11	10	11	6	6	8	9	4	4	6	4	5	4	7	14	8	4	130
	411	0	2	3	1	2	1	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	12
	412	1	4	4	10	15	6	7	9	8	6	6	4	7	3	5	4	4	0	0	0	0	0	0	103
	413	0	0	0	0	0	0	7	7	7	6	5	6	7	1	3	4	8	1	3	2	2	0	0	69
	414	13	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26
	416	0	0	1	3	4	6	7	7	6	5	3	8	6	6	3	6	5	5	3	4	6	3	3	100
	420	8	16	12	14	6	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60
	422	13	12	8	10	8	8	4	5	5	2	0	0	0	0	0	0	0	0	0	0	0	0	0	75
	424	0	0	3	1	9	8	5	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	29
	425	0	0	0	0	4	19	13	12	5	9	9	5	7	10	6	5	6	4	4	2	5	2	6	133
	435	11	20	15	7	14	5	5	6	1	2	0	4	2	3	0	2	0	1	0	0	0	1	5	104
	438	7	10	6	9	3	9	12	7	8	6	8	7	0	0	0	0	0	0	0	0	0	0	0	92
	458	0	0	0	0	0	0	0	15	13	8	6	9	18	13	4	10	9	7	5	4	6	8	7	142
	462	16	19	17	20	10	8	9	5	2	0	3	3	7	4	4	2	2	2	1	0	0	1	6	141
	463	10	10	7	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	35
	465	0	0	0	0	0	0	0	0	3	2	1	2	1	0	0	0	1	0	0	0	0	0	0	10
	474	0	0	0	0	0	0	0	0	1	4	6	2	0	0	0	0	0	0	0	0	0	0	0	13
	476	0	0	0	0	0	0	0	11	7	2	5	6	6	9	5	4	3	3	4	5	4	4	4	82
	487	0	0	0	0	0	0	0	0	0	0	1	8	19	12	5	6	3	0	2	2	1	2	2	63
	488	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	8	1	4	3	0	2	1	0	22
	490	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	4	2	6	6	4	6	31
	Total	80	106	79	89	84	89	85	103	85	64	67	79	105	71	46	61	50	39	34	32	47	34	46	1575

Table 6.2. Number of anthropometries performed by staff id (ANT0B) and month

	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2401	Total
Grand Total	333	363	315	345	364	324	299	371	297	252	243	281	315	282	217	209	189	171	160	184	172	130	137	5953

Table 6.3. Number of SBP performed by staff id (SBP0B) and month

		2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2401	Total
Center	**Staff ID**																								
Bronx	**116**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8	21	15	26	17	9	9	105
	137	3	50	41	29	28	3	0	0	0	0	0	0	35	19	20	15	10	3	13	19	14	15	5	322
	138	43	15	25	31	13	20	24	30	28	20	21	23	15	10	9	5	6	6	7	11	9	4	0	375
	139	4	3	1	7	5	0	1	7	3	2	8	3	1	2	0	0	0	0	0	0	0	0	0	47
	154	0	0	0	11	30	9	14	16	10	18	7	10	3	0	0	0	0	0	0	0	0	0	0	128
	156	0	0	0	0	0	6	3	13	17	2	11	7	1	1	1	1	5	3	0	3	4	3	7	88
	159	0	0	0	0	2	33	24	36	27	30	19	31	30	19	18	23	15	10	11	14	15	17	14	388
	Total	50	68	67	78	78	71	66	102	85	72	66	74	85	51	48	44	44	43	46	73	59	48	35	1453
Chicago	**Staff ID**																								
	205	11	6	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	19
	215	6	5	5	4	5	2	0	4	0	3	0	0	1	0	0	0	0	0	0	0	0	0	0	35
	218	20	15	16	11	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67
	223	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	224	0	0	0	12	17	16	16	19	15	15	8	17	16	7	14	3	4	2	3	2	1	4	8	199
	225	12	10	20	14	7	13	7	10	7	13	11	11	8	11	8	4	15	11	10	15	9	7	8	241
	233	0	0	0	10	11	8	8	9	8	7	12	5	10	11	5	8	0	0	0	0	0	0	0	112
	234	0	0	0	0	3	2	9	5	6	4	3	5	5	8	9	5	0	4	4	5	4	5	7	93
	236	7	10	7	9	8	6	10	13	12	9	9	9	8	10	5	8	2	3	6	8	5	3	6	173
	241	14	17	14	14	14	9	11	15	12	8	14	16	11	13	5	7	5	9	0	0	0	0	0	208
	245	13	14	14	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
	246	16	10	15	7	17	17	9	19	15	4	0	0	0	0	0	0	0	0	0	0	0	0	0	129
	250	0	0	0	0	11	14	11	22	15	12	12	12	8	12	10	6	5	2	3	3	3	4	5	170
	261	0	0	0	0	0	0	0	0	0	0	0	0	4	11	9	9	10	11	7	10	7	6	4	88
	266	0	0	0	0	0	0	0	0	0	0	1	10	10	16	9	11	10	5	8	3	1	3	12	99
	274	0	0	0	0	0	0	0	0	0	0	0	0	2	7	3	7	8	6	5	4	4	5	0	51
	Total	99	87	93	90	107	87	81	116	90	75	70	85	83	107	77	68	59	53	46	50	34	37	50	1744

Table 6.3. Number of SBP performed by staff id (SBP0B) and month

		2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2401	Total
Miami	**Staff ID**																								
	302	6	5	3	1	4	5	4	7	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	39
	309	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	311	2	14	5	13	16	6	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
	316	17	16	14	16	15	15	8	7	6	7	3	2	3	2	6	2	2	2	2	0	2	1	0	148
	317	11	8	2	0	2	3	4	5	4	0	1	0	0	0	1	0	0	5	0	1	2	0	0	49
	318	11	15	13	11	17	12	12	8	2	5	4	4	6	7	2	2	4	5	3	2	3	1	1	150
	320	21	21	17	17	6	14	13	7	8	4	2	2	1	2	2	1	9	5	2	2	1	0	0	157
	325	8	4	2	5	6	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	27
	333	0	0	0	0	0	0	0	0	0	5	11	11	14	14	13	7	6	4	7	4	4	3	1	104
	336	18	14	13	18	17	13	11	8	5	3	2	2	0	2	2	2	0	0	0	0	1	0	0	131
	338	10	6	8	7	14	5	8	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62
	348	0	0	0	0	0	0	0	0	8	6	8	11	5	11	8	12	0	0	7	2	1	0	1	80
	350	0	0	0	0	0	0	0	0	0	12	8	13	13	14	12	10	9	6	5	5	2	4	0	113
	352	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	3	6	3	3	1	20
	354	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	7	6	5	12	0	4	40
	356	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	374	0	0	0	0	0	1	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	4
	377	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
	398	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	3
	Total	104	103	77	88	97	76	67	49	37	42	40	45	42	52	46	36	36	38	36	29	32	12	8	1192

Table 6.3. Number of SBP performed by staff id (SBP0B) and month

		2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2401	Total
San Diego	Staff ID																								
	402	0	0	3	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
	405	0	0	0	0	0	0	0	11	1	4	2	5	9	2	3	2	2	3	2	0	1	0	3	50
	406	0	6	7	8	9	8	4	6	4	3	6	3	6	0	1	2	0	0	0	0	0	0	0	73
	409	0	0	0	0	1	4	10	11	11	7	8	7	10	3	4	5	4	5	4	7	13	8	4	126
	411	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
	412	0	10	8	11	12	5	4	5	8	5	6	5	7	3	3	4	5	0	0	0	0	0	0	101
	413	0	0	0	0	0	5	8	6	6	6	5	6	7	1	3	5	8	1	3	3	2	0	0	75
	414	13	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	27
	416	1	4	3	4	4	5	8	5	4	5	3	6	6	7	3	7	5	4	3	4	5	3	3	102
	417	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	420	8	16	13	14	8	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64
	422	11	11	8	8	8	8	4	3	5	2	0	0	0	0	0	0	0	0	0	0	0	0	0	68
	424	0	3	6	2	10	7	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	32
	425	0	0	0	0	0	13	16	8	5	6	7	5	7	8	6	4	4	3	4	2	4	3	6	111
	435	11	11	11	4	8	4	7	0	0	0	0	1	2	1	0	1	0	1	0	0	0	1	1	64
	438	7	9	4	9	2	9	10	6	8	5	8	7	0	0	0	0	0	0	0	0	0	0	0	84
	458	0	0	0	0	0	0	0	17	15	9	6	10	16	12	3	10	8	8	6	6	7	8	10	151
	460	0	0	2	6	12	5	1	3	0	3	2	2	0	2	0	0	0	0	0	0	0	0	0	38
	462	18	13	8	13	8	7	4	1	1	0	3	2	6	1	2	2	2	0	2	0	0	1	4	98
	463	11	9	5	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	33
	465	0	0	0	0	0	0	0	6	4	1	1	2	1	0	0	0	0	0	0	0	1	0	0	16
	474	0	0	0	0	0	0	0	0	3	5	4	3	0	0	0	0	0	0	0	0	0	0	0	15
	476	0	0	0	0	0	0	5	15	9	2	6	4	8	8	3	4	3	4	3	2	4	3	5	88
	487	0	0	0	0	0	0	0	0	0	0	0	10	20	15	5	6	3	0	1	2	1	2	5	70
	488	0	0	0	0	0	0	0	0	0	0	0	0	0	6	4	7	1	3	4	0	1	1	0	27
	490	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	2	6	6	2	6	7	4	6	44

Table 6.3. Number of SBP performed by staff id (SBP0B) and month

	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2401	Total
Total	80	106	79	88	83	87	85	104	84	63	67	78	105	70	44	61	51	38	34	32	46	34	47	1566
Grand Total	333	364	316	344	365	321	299	371	296	252	243	282	315	280	215	209	190	172	162	184	171	131	140	5955

Table 6.4. Number of blood draws performed by staff id (BIO13) and month

Center	Staff ID	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2401	Date Missing	Total
Bronx	**116**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	14	22	22	26	20	13	23	0	142
	137	0	19	45	47	47	11	1	0	0	0	0	0	22	21	21	17	10	8	11	23	18	16	9	8	354
	138	54	43	31	41	38	28	48	68	52	35	48	50	32	16	19	8	13	12	9	20	14	11	0	8	698
	152	5	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	19
	154	0	0	0	0	4	18	10	16	12	16	4	6	2	0	0	0	0	0	0	0	0	0	0	1	89
	159	0	0	0	0	0	24	16	32	27	23	19	25	28	16	9	16	9	4	4	6	7	9	4	0	278
	Total	59	76	76	88	89	81	75	116	91	74	71	81	84	53	49	43	46	46	46	75	59	49	36	17	1580
Chicago	**Staff ID**																									
	205	17	34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51
	208	86	42	82	79	56	32	40	53	46	33	14	29	30	39	17	22	17	8	14	8	9	10	18	0	784
	210	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
	228	0	0	4	1	20	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	27
	230	0	0	0	8	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	21
	234	11	21	20	16	36	36	30	29	23	20	24	18	19	32	15	22	13	13	12	8	2	4	12	0	436
	236	0	0	0	0	0	0	0	0	0	0	5	3	3	4	5	0	19	5	7	9	4	1	3	0	68
	265	0	0	0	0	0	33	22	48	35	36	36	49	33	34	39	26	12	25	14	22	20	23	17	0	524
	Total	114	97	106	104	125	102	94	130	104	89	79	99	85	109	76	70	61	51	47	48	35	38	50	0	1913

Table 6.4. Number of blood draws performed by staff id (BIO13) and month

		2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2401	Date Missing	Total
Miami	**Staff ID**																									
	311	50	32	15	22	35	13	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	176
	317	0	0	0	0	0	0	0	0	0	0	4	6	4	1	6	7	5	10	7	3	4	0	3	0	60
	318	0	0	0	0	0	0	0	0	0	0	1	5	6	4	3	3	4	4	3	2	2	2	1	0	40
	320	9	16	20	28	20	18	17	17	11	19	7	7	8	14	14	5	17	9	8	9	9	0	1	0	283
	333	0	0	0	0	0	0	0	0	0	0	8	6	9	8	10	5	4	4	6	7	8	5	0	0	80
	338	34	30	36	24	19	31	17	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	194
	340	0	0	0	0	0	0	0	0	0	0	5	5	3	1	0	0	0	0	0	0	0	0	0	0	14
	348	0	0	0	0	0	0	0	0	0	0	9	8	4	7	6	8	0	3	3	6	4	1	3	0	62
	350	0	0	0	0	0	0	0	0	0	0	7	11	10	11	13	10	7	9	9	2	7	4	0	0	100
	377	23	38	17	27	34	25	33	37	30	27	5	0	0	0	0	0	0	0	0	0	0	0	0	0	296
	Total	116	116	88	101	108	87	76	57	41	46	46	48	44	46	52	38	37	39	36	29	34	12	8	0	1305
San Diego	**Staff ID**																									
	431	56	58	38	45	43	6	0	0	39	32	26	52	53	29	22	28	25	16	14	18	16	0	0	1	617
	447	28	49	20	19	11	46	47	60	27	14	5	0	17	21	12	12	5	10	10	6	12	15	30	1	477
	473	0	8	30	33	38	34	41	51	27	27	35	38	39	23	15	21	21	13	11	9	19	21	18	1	573
	Missing	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	Total	84	115	88	97	92	86	88	111	93	73	66	90	109	73	49	61	51	39	35	33	47	36	49	3	1668
Grand Total		373	404	358	390	414	356	333	414	329	282	262	318	322	281	226	212	195	175	164	185	175	135	143	20	6466