



HCHS/SOL Codebook for Visit 2 Examination

July 2020

**Prepared by the Collaborative Studies Coordinating Center
UNC Chapel Hill, Department of Biostatistics**

Version 3.1 – Visit 2 Investigator Use Data Sets (V2_INV3)

Table of Contents

Chapter 1. Visit 2 Examination.....	3
Section A: Administrative/Safety.....	3
Informed Consent Tracking (ICT).....	3
Participant Disability Inventory (PDE)	5
Participant Feedback on Visit 2 (PFE)	7
Section B: Procedures.....	14
Anthropometry (ANT)	14
Sitting Blood Pressure (SBP)	17
Biospecimen Collection and Processing (BIO)	21
Section C: Questionnaire Forms	42
Acculturation (ACE)	42
Alcohol Use (ALE)	46
Family Cohesion (FCE).....	49
Health Care (HCE)	61
Personal Medical History (MHE)	96
Medical Use (MUE)	121
Pregnancy Complications (PCE).....	138
Reproductive Medical History (RME)	152
Socio Economic Status (SEE)	166
Social Support (SSE)	174
Chronic Stress (STE)	178
Tobacco Use (TBE)	184
Well-being (WBE).....	192
Chapter 2. Laboratory and Reading Centers.....	197
Section A: Laboratory Reading Centers.....	197
Echocardiogram (ECH)	197
Lab Measurements (LAB_DERV)	204
Chapter 3. Derived Variables.....	211
Participant Derive File (PART_DERV)	211
Pregnancy Complications-Derived File (PCE_DERV).....	245

Section A: Administrative/Safety

Informed Consent Tracking: FORM CODE=ICT VERSION=1

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11639	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11623	1	
16	2	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11639	ICT	

<i>ICT0A</i>		<i>completion date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11638	Range	10/10/2013 - 02/27/2018
1		Missing

<i>ICT1</i>		<i>yearly contact</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18	0	0 = No
11618	1	1 = Yes
3		Missing

<i>ICT2</i>		<i>release findings</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3729	0	0 = No
7898	1	1 = Yes
12		Missing

<i>ICT3</i>		<i>hchs sample research</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9	0	0 = No
11616	1	1 = Yes
14		Missing

Section A: Administrative/Safety

<i>ICT4</i>		<i>nonhchs sample research</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1208	0	0 = No
10414	1	1 = Yes
17		Missing

<i>ICT5</i>		<i>hchs genetic research</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
152	0	0 = No
11470	1	1 = Yes
17		Missing

<i>ICT6</i>		<i>nonhchs genetic research</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1390	0	0 = No
10236	1	1 = Yes
13		Missing

<i>ICT7</i>		<i>commercial samples and genetic research</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2575	0	0 = No
9051	1	1 = Yes
13		Missing

<i>ICT8</i>		<i>hchs contact future study</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
93	0	0 = No
11541	1	1 = Yes
5		Missing

<i>ICT9</i>		<i>hchs contact family future study</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
910	0	0 = No
10713	1	1 = Yes
16		Missing

Section A: Administrative/Safety

Participant Disability Inventory: FORM CODE=PDE VERSION=1

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11453	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11453	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2223	PDE	
9230	PDS	

<i>PDE0A</i>		<i>completion date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11450	Range	10/01/2014 - 12/29/2017
3		Missing

<i>PDE1</i>		<i>Difficulty Hearing</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10576	0	0=No
874	1	1=Yes
3		Missing

<i>PDE2</i>		<i>Difficulty Seeing</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10282	0	0=No
1163	1	1=Yes
8		Missing

<i>PDE3</i>		<i>Difficulty Concentrating</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10345	0	0=No
1102	1	1=Yes
6		Missing

Section A: Administrative/Safety

<i>PDE4</i>		<i>Difficulty walking</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9199	0	0=No
2252	1	1=Yes
2		Missing

<i>PDE5</i>		<i>Difficulty walking half mile</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9480	0	0=No
1964	1	1=Yes
9		Missing

<i>PDE6</i>		<i>Difficulty climbing 10 steps</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9430	0	0=No
2019	1	1=Yes
4		Missing

<i>PDE7</i>		<i>Difficulty dressing-bathing</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10986	0	0=No
460	1	1=Yes
7		Missing

<i>PDE8</i>		<i>Difficulty doing errands</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10777	0	0=No
665	1	1=Yes
11		Missing

Section A: Administrative/Safety**Participant Feedback on Visit 2: FORM CODE=PFE VERSION=1**

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8707	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8707	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1677	PFE	
7030	PFS	

<i>PFE0A</i>		<i>completion date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8695	Range	10/01/2014 - 12/29/2017
12		Missing

<i>PFE1A</i>		<i>participation reason - help community</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
651	0	0 = No
8016	1	1 = Yes
40		Missing

<i>PFE1B</i>		<i>participation reason - learn about health</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
658	0	0 = No
8006	1	1 = Yes
43		Missing

<i>PFE1C</i>		<i>participation reason - monetary incentive</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4495	0	0 = No
4158	1	1 = Yes
54		Missing

Section A: Administrative/Safety

<i>PFE1D</i>		<i>participation reason - free tests-referrals</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1899	0	0 = No
6755	1	1 = Yes
53		Missing

<i>PFE1E</i>		<i>participation reason - other study participation opportunities</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1434	0	0 = No
7213	1	1 = Yes
60		Missing

<i>PFE1F</i>		<i>participation reason - other reasons</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7479	0	0 = No
888	1	1 = Yes
340		Missing

<i>PFE1F1</i>		<i>participation reason - other participation reasons</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
826	Present	Text suppressed
7819	~	Legitimately skipped
62		Missing

<i>PFE2</i>		<i>motivation to participate</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
51	1	1 = Not Motivated
3492	2	2 = Motivated
5120	3	3 = Very Motivated
44		Missing

Section A: Administrative/Safety

<i>PFE3A</i>		<i>satisfaction-English/Spanish interview</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6	1	1 = Not Satisfied
2999	2	2 = Satisfied
5662	3	3 = Very Satisfied
40		Missing

<i>PFE3B</i>		<i>satisfaction-staff respect</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	1	1 = Not Satisfied
1888	2	2 = Satisfied
6779	3	3 = Very Satisfied
35		Missing

<i>PFE3C</i>		<i>satisfaction-health info</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
38	1	1 = Not Satisfied
3121	2	2 = Satisfied
5458	3	3 = Very Satisfied
90		Missing

<i>PFE3D</i>		<i>satisfaction-duration of interview</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
47	1	1 = Not Satisfied
3593	2	2 = Satisfied
5023	3	3 = Very Satisfied
44		Missing

<i>PFE4A</i>		<i>experienced - staff communication problems</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8635	0	0 = No
39	1	1 = Yes
33		Missing

Section A: Administrative/Safety

<i>PFE4B</i>		<i>experienced - transportation difficulty</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8474	0	0 = No
126	1	1 = Yes
107		Missing

<i>PFE4C</i>		<i>experienced - discomfort with visits-tests</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8584	0	0 = No
91	1	1 = Yes
32		Missing

<i>PFE4D</i>		<i>experienced - unfriendly/disrespectful staff</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8644	0	0 = No
22	1	1 = Yes
41		Missing

<i>PFE5A</i>		<i>contact difficulty - contact info change</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7457	0	0 = No
1200	1	1 = Yes
50		Missing

<i>PFE5B</i>		<i>contact difficulty - family obligations</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7277	0	0 = No
1378	1	1 = Yes
52		Missing

<i>PFE5C</i>		<i>contact difficulty - not interested in the study</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8516	0	0 = No
141	1	1 = Yes
50		Missing

Section A: Administrative/Safety

<i>PFE5D</i>		<i>contact difficulty - study is time consuming</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8030	0	0 = No
626	1	1 = Yes
51		Missing

<i>PFE5E</i>		<i>contact difficulty - busy work schedule</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6852	0	0 = No
1800	1	1 = Yes
55		Missing

<i>PFE5F</i>		<i>contact difficulty - other difficulties</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8070	0	0 = No
221	1	1 = Yes
416		Missing

<i>PFE5F1</i>		<i>contact difficulty - specify other difficulty</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
213	Present	Text suppressed
8486	~	Legitimately skipped
8		Missing

<i>PFE6A</i>		<i>like - newsletters</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
452	1	1 = Very Little
2850	2	2 = Somewhat
5279	3	3 = Very Much
126		Missing

Section A: Administrative/Safety

<i>PFE6B</i>		<i>like - cards</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
510	1	1 = Very Little
2000	2	2 = Somewhat
6078	3	3 = Very Much
119		Missing

<i>PFE6C</i>		<i>like - AFU reminder letter</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
332	1	1 = Very Little
2321	2	2 = Somewhat
5892	3	3 = Very Much
162		Missing

<i>PFE6D</i>		<i>like - health materials</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
348	1	1 = Very Little
2058	2	2 = Somewhat
6133	3	3 = Very Much
168		Missing

<i>PFE6E</i>		<i>like - other updates</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
686	1	1 = Very Little
71	2	2 = Somewhat
304	3	3 = Very Much
7646		Missing

<i>PFE6E1</i>		<i>like - specify other update</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
556	Present	Text suppressed
7646	~	Legitimately skipped
505		Missing

Section A: Administrative/Safety

<i>PFE7</i>		<i>additional comments</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6123	0	0 = No
2485	1	1 = Yes
99		Missing

<i>PFE7A</i>		<i>comments</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2460	Present	Text suppressed
6222	~	Legitimately skipped
25		Missing

Section B: Procedures

Anthropometry: FORM CODE=ANT VERSION=1

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11609	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11609	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11609	ANT	

<i>ANT0A</i>		<i>completion date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11602	Range	10/01/2014 - 12/29/2017
7		Missing

<i>ANT1</i>		<i>able to stand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11349	1	1 = Can stand erectly on both feet
238	2	2 = Can stand on both feet, but posture not erect
22	3	3 = Cannot stand on both feet

<i>ANT2</i>		<i>standing height</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11256	Range	131 - 210 (median=160 mean=161.2 std=9.3)
22	.S	Legitimately skipped
331		Missing

<i>ANT3A</i>		<i>self-reported weight</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11469	Range	0 - 630 (median=168 mean=170.6 std=42.6)
22	.S	Legitimately skipped
118		Missing

Section B: Procedures

<i>ANT3B</i>		<i>self-reported weight units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11047	1	1 = lb
399	2	2 = kg
22	.S	Legitimately skipped
141		Missing

<i>ANT4</i>		<i>weight</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11574	Range	35.1 - 195.5 (median=76.2 mean=78.44 std=17.88)
22	.S	Legitimately skipped
1	.H	Too Large to Measure
13		Missing

<i>ANT5</i>		<i>fat (%)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10512	Range	0 - 65.4 (median=36.4 mean=35.56 std=9.09)
22	.S	Legitimately skipped
1075		Missing

<i>ANT6</i>		<i>impedance</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10515	Range	0 - 889 (median=513 mean=514.8 std=85.8)
22	.S	Legitimately skipped
1072		Missing

<i>ANT7</i>		<i>fat mass</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10512	Range	0 - 106 (median=26.5 mean=28.56 std=12.14)
22	.S	Legitimately skipped
1075		Missing

Section B: Procedures

<i>ANT8</i>		<i>FFM</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10512	Range	0 - 111.4 (median=47 mean=49.4 std=9.9)
22	.S	Legitimately skipped
1075		Missing

<i>ANT9</i>		<i>TBW</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10511	Range	0 - 81.5 (median=34.4 mean=36.21 std=7.30)
22	.S	Legitimately skipped
1076		Missing

<i>ANT10A</i>		<i>waist</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11218	Range	41 - 212 (median=98 mean=99.9 std=14.0)
391		Missing

<i>ANT10B</i>		<i>hip</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11218	Range	42 - 217 (median=105 mean=107.1 std=12.1)
391		Missing

<i>ANT3A_KG</i>		<i>Self reported weight (kg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11437	Range	11.3398 - 285.76296 (median=77.11064 mean=78.917921 std=18.207843)
172		Missing

Section B: Procedures

Sitting Blood Pressure: FORM CODE=SBP VERSION=1

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11614	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11614	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11614	SBP	

<i>SBP0A</i>		<i>completion date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11606	Range	10/01/2014 - 12/29/2017
8		Missing

<i>SBP1</i>		<i>sbp arm measurement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11336	1	1 = Right (preferred)
246	2	2 = Left
28	3	3 = Other (note log)
4		Missing

<i>SBP2</i>		<i>arm circumference</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11600	Range	18 - 65 (median=32 mean=32.8 std=4.6)
14		Missing

Section B: Procedures

<i>SBP3</i>		<i>cuff size</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
86	1	1 = Small CS19
5034	2	2 = Adult CR19
6057	3	3 = Large CL19
429	4	4 = X Large CX19
8		Missing

<i>SBP4</i>		<i>time of measurement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11604	Range	3:47:00 - 18:52:00
10		Missing

<i>SBP4HR</i>		<i>Hour of time of measurement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11604	Range	3 - 18 (median=9 mean=9.0 std=1.0)
10		Missing

<i>SBP4MN</i>		<i>Minute of time of measurement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11604	Range	0 - 59 (median=28 mean=28.4 std=16.9)
10		Missing

<i>SBP4SC</i>		<i>Second of time of measurement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11604	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

<i>SBP5</i>		<i>average systolic</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11591	Range	71 - 230 (median=121 mean=123.6 std=18.7)
23		Missing

Section B: Procedures

<i>SBP6</i>		<i>average diastolic</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11595	Range	38 - 150 (median=72 mean=72.3 std=10.7)
19		Missing

<i>SBP7</i>		<i>average pulse</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11583	Range	35 - 162 (median=64 mean=64.7 std=9.7)
31		Missing

<i>SBP8</i>		<i>systolic: 1st measure</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	76 - 243 (median=121 mean=124.0 std=19.1)
22		Missing

<i>SBP9</i>		<i>diastolic: 1st measure</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	39 - 146 (median=73 mean=73.4 std=11.1)
22		Missing

<i>SBP10</i>		<i>pulse: 1st measure</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11588	Range	35 - 694 (median=64 mean=64.5 std=11.5)
26		Missing

<i>SBP11</i>		<i>systolic: 2nd measure</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11590	Range	53 - 234 (median=121 mean=123.7 std=19.2)
24		Missing

<i>SBP12</i>		<i>diastolic: 2nd measure</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11589	Range	35 - 150 (median=71 mean=72.1 std=11.0)
25		Missing

Section B: Procedures

<i>SBP13</i>		<i>pulse: 2nd measure</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11589	Range	34 - 172 (median=64 mean=64.7 std=9.9)
25		Missing

<i>SBP14</i>		<i>systolic: 3rd measure</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11586	Range	57 - 217 (median=121 mean=123.2 std=18.9)
28		Missing

<i>SBP15</i>		<i>diastolic: 3rd measure</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11586	Range	32 - 154 (median=71 mean=71.5 std=10.9)
28		Missing

<i>SBP16</i>		<i>pulse: 3rd measure</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11585	Range	35 - 161 (median=64 mean=65.1 std=9.9)
29		Missing

Section B: Procedures**Biospecimen Collection and Processing: FORM CODE=BIO VERSION=1 2**

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6158	1	
5434	2	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	BIO	

<i>BIO1</i>		<i>radical mastectomy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11362	0	0 = No
204	1	1 = Yes
26		Missing

<i>BIO2</i>		<i>bleeding disorders</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11345	0	0 = No
218	1	1 = Yes
29		Missing

<i>BIO3</i>		<i>graft or shunt</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11509	0	0 = No
56	1	1 = Yes
27		Missing

Section B: Procedures

<i>BIO4</i>		<i>diabetes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9197	0	0 = No
2367	1	1 = Yes
28		Missing

<i>BIO5</i>		<i>part of stomach/intestines removed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10004	0	0 = No
212	1	1 = Yes
1259	.S	Legitimately skipped
117		Missing

<i>BIO6</i>		<i>glucose meter reading</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9799	Range	41 - 482 (median=91 mean=96.9 std=29.6)
1365	.S	Legitimately skipped
428		Missing

<i>BIO6A</i>		<i>hyperglycemia symptoms</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
147	0	0 = No
50	1	1 = Yes
11390	.S	Legitimately skipped
5		Missing

<i>BIO6B</i>		<i>ketone dipstick</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	1	1 = Not Applicable
146	2	2 = Negative
46	3	3 = Positive
11390	.S	Legitimately skipped
7		Missing

Section B: Procedures

<i>BIO7</i>		<i>day last ate/drunk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
159	1	1 = Today
11399	2	2 = Yesterday
1	3	3 = Before Yesterday
33		Missing

<i>BIO8</i>		<i>time last ate/drunk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11559	Range	0:00:00 - 23:59:00
33		Missing

<i>BIO8HR</i>		<i>Hour of time last ate/drunk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11559	Range	0 - 23 (median=20 mean=19.7 std=3.1)
33		Missing

<i>BIO8MN</i>		<i>Minute of time last ate/drunk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11559	Range	0 - 59 (median=0 mean=9.5 std=14.7)
33		Missing

<i>BIO8SC</i>		<i>Second of time last ate/drunk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11559	Range	0 - 0 (median=0 mean=0.0 std=0.0)
33		Missing

<i>BIO9</i>		<i>date - blood collection</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11547	Range	10/01/2014 - 12/29/2017
45		Missing

<i>BIO9Y</i>		<i>Year of date - blood collection</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11547	Range	2014 - 2017 (median=2016 mean=2015.6 std=0.9)
45		Missing

Section B: Procedures

<i>BIO9M</i>		<i>Month of date - blood collection</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11547	Range	1 - 12 (median=7 mean=6.6 std=3.5)
45		Missing

<i>BIO9D</i>		<i>Day of date - blood collection</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11547	Range	1 - 31 (median=16 mean=15.7 std=8.6)
45		Missing

<i>BIO10</i>		<i>blood collection time</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11533	Range	6:36:00 - 22:00:00
59		Missing

<i>BIO10HR</i>		<i>Hour of blood collection time</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11533	Range	6 - 22 (median=9 mean=9.2 std=0.9)
59		Missing

<i>BIO10MN</i>		<i>Minute of blood collection time</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11533	Range	0 - 59 (median=30 mean=29.6 std=17.2)
59		Missing

<i>BIO10SC</i>		<i>Second of blood collection time</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11533	Range	0 - 0 (median=0 mean=0.0 std=0.0)
59		Missing

<i>BIO11</i>		<i>fasting blood collected before snack</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
29	0	0 = No
11513	1	1 = Yes
50		Missing

Section B: Procedures

<i>BIO12</i>		<i>number of venipuncture attempts</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
28	0	
10379	1	
872	2	
188	3	
58	4	
15	5	
3	6	
1	7	
48		Missing

<i>BIO13</i>		<i>blood drawing incidents/problems</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10297	0	0 = No
1270	1	1 = Yes
25		Missing

<i>BIO17</i>		<i>time tubes 5-7 centrifuged</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11508	Range	7:21:00 - 16:33:00
84		Missing

<i>BIO17HR</i>		<i>Hour of time tubes 5-7 centrifuged</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11508	Range	7 - 16 (median=9 mean=9.4 std=0.9)
84		Missing

<i>BIO17MN</i>		<i>Minute of time tubes 5-7 centrifuged</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11508	Range	0 - 59 (median=30 mean=29.3 std=17.3)
84		Missing

Section B: Procedures

<i>BIO17SC</i>		<i>Second of time tubes 5-7 centrifuged</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11508	Range	0 - 0 (median=0 mean=0.0 std=0.0)
84		Missing

<i>BIO18</i>		<i>time tubes 1-3 centrifuged</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11533	Range	7:38:00 - 17:05:00
59		Missing

<i>BIO18HR</i>		<i>Hour of time tubes 1-3 centrifuged</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11533	Range	7 - 17 (median=10 mean=9.9 std=0.9)
59		Missing

<i>BIO18MN</i>		<i>Minute of time tubes 1-3 centrifuged</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11533	Range	0 - 59 (median=29 mean=28.8 std=17.4)
59		Missing

<i>BIO18SC</i>		<i>Second of time tubes 1-3 centrifuged</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11533	Range	0 - 8 (median=0 mean=0.0 std=0.1)
59		Missing

<i>BIO19</i>		<i>time aliquot tray 1 in freezer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11531	Range	8:00:00 - 17:20:00
61		Missing

<i>BIO19HR</i>		<i>Hour of time aliquot tray 1 in freezer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11531	Range	8 - 17 (median=10 mean=10.3 std=1.0)
61		Missing

Section B: Procedures

<i>BIO19MN</i>		<i>Minute of time aliquot tray 1 in freezer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11531	Range	0 - 59 (median=30 mean=29.4 std=17.2)
61		Missing

<i>BIO19SC</i>		<i>Second of time aliquot tray 1 in freezer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11531	Range	0 - 26 (median=0 mean=0.0 std=0.2)
61		Missing

<i>BIO20</i>		<i>blood processor number</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11532	Range	101 - 490 (median=302 mean=276.3 std=110.5)
60		Missing

<i>BIO21</i>		<i>blood processing incidents</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10016	0	0 = No
1513	1	1 = Yes
63		Missing

<i>BIO24</i>		<i>post-glucola sample</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
397	0	0 = No
8186	1	1 = Yes
3005	.S	Legitimately skipped
4		Missing

<i>BIO25</i>		<i>time glucola given</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8185	Range	7:20:00 - 14:57:00
3406	.S	Legitimately skipped
1		Missing

Section B: Procedures

<i>BIO25HR</i>		<i>Hour of time glucola given</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8185	Range	7 - 14 (median=9 mean=9.3 std=0.9)
3407		Missing

<i>BIO25MN</i>		<i>Minute of time glucola given</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8185	Range	0 - 59 (median=30 mean=29.5 std=17.2)
3407		Missing

<i>BIO25SC</i>		<i>Second of time glucola given</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8185	Range	0 - 0 (median=0 mean=0.0 std=0.0)
3407		Missing

<i>BIO26</i>		<i>time collection post-glucola</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8181	Range	0:17:00 - 16:15:00
3406	.S	Legitimately skipped
5		Missing

<i>BIO26HR</i>		<i>Hour of time collection post-glucola</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8181	Range	0 - 16 (median=11 mean=11.2 std=0.9)
3411		Missing

<i>BIO26MN</i>		<i>Minute of time collection post-glucola</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8181	Range	0 - 59 (median=30 mean=29.4 std=17.4)
3411		Missing

<i>BIO26SC</i>		<i>Second of time collection post-glucola</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8181	Range	0 - 58 (median=0 mean=0.0 std=0.6)
3411		Missing

Section B: Procedures

<i>BIO27</i>		<i>blood processor number</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8174	Range	106 - 460 (median=302 mean=279.3 std=109.8)
3406	.S	Legitimately skipped
12		Missing

<i>BIO28</i>		<i>urine sample</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
26	0	0 = No
11562	1	1 = Yes
4		Missing

<i>BIO29</i>		<i>date of urine sample</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11561	Range	10/01/2014 - 12/29/2017
30	.S	Legitimately skipped
1		Missing

<i>BIO29Y</i>		<i>Year of date of urine sample</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11561	Range	2014 - 2017 (median=2016 mean=2015.6 std=0.9)
31		Missing

<i>BIO29M</i>		<i>Month of date of urine sample</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11561	Range	1 - 12 (median=7 mean=6.6 std=3.5)
31		Missing

<i>BIO29D</i>		<i>Day of date of urine sample</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11561	Range	1 - 31 (median=16 mean=15.7 std=8.6)
31		Missing

Section B: Procedures

<i>BIO30</i>		<i>time urine collected</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11560	Range	5:53:00 - 17:22:00
30	.S	Legitimately skipped
2		Missing

<i>BIO30HR</i>		<i>Hour of time urine collected</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11560	Range	5 - 17 (median=9 mean=8.8 std=1.0)
32		Missing

<i>BIO30MN</i>		<i>Minute of time urine collected</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11560	Range	0 - 59 (median=30 mean=29.2 std=17.8)
32		Missing

<i>BIO30SC</i>		<i>Second of time urine collected</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11560	Range	0 - 0 (median=0 mean=0.0 std=0.0)
32		Missing

<i>BIO31</i>		<i>time urine sample was processed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11554	Range	1:50:00 - 17:28:00
30	.S	Legitimately skipped
8		Missing

<i>BIO31HR</i>		<i>Hour of time urine sample was processed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11554	Range	1 - 17 (median=10 mean=10.5 std=1.3)
38		Missing

<i>BIO31MN</i>		<i>Minute of time urine sample was processed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11554	Range	0 - 59 (median=30 mean=29.3 std=17.5)
38		Missing

Section B: Procedures

<i>BIO31SC</i>		<i>Second of time urine sample was processed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11554	Range	0 - 0 (median=0 mean=0.0 std=0.0)
38		Missing

<i>BIO32</i>		<i>urine processor code</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11559	Range	101 - 460 (median=302 mean=275.3 std=109.3)
30	.S	Legitimately skipped
3		Missing

<i>BIO14A1</i>		<i>sample not drawn - tube 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO14A2</i>		<i>sample not drawn - tube 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO14A3</i>		<i>sample not drawn - tube 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14A4</i>		<i>sample not drawn - tube 4</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14A5</i>		<i>sample not drawn - tube 5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14A6</i>		<i>sample not drawn - tube 6</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

Section B: Procedures

<i>BIO14A7</i>		<i>sample not drawn - tube 7</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14A8</i>		<i>sample not drawn - tube 8</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14B1</i>		<i>partial sample drawn - tube 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO14B2</i>		<i>partial sample drawn - tube 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO14B3</i>		<i>partial sample drawn - tube 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO14B4</i>		<i>partial sample drawn - tube 4</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO14B5</i>		<i>partial sample drawn - tube 5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14B6</i>		<i>partial sample drawn - tube 6</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14B7</i>		<i>partial sample drawn - tube 7</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

Section B: Procedures

<i>BIO14B8</i>		<i>partial sample drawn - tube 8</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO14C1</i>		<i>tourniquet reapplied - tube 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14C2</i>		<i>tourniquet reapplied - tube 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14C3</i>		<i>tourniquet reapplied - tube 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14C4</i>		<i>tourniquet reapplied - tube 4</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14C5</i>		<i>tourniquet reapplied - tube 5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.2)

<i>BIO14C6</i>		<i>tourniquet reapplied - tube 6</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.2)

<i>BIO14C7</i>		<i>tourniquet reapplied - tube 7</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14C8</i>		<i>tourniquet reapplied - tube 8</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

Section B: Procedures

<i>BIO14D1</i>		<i>fist clenching - tube 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14D2</i>		<i>fist clenching - tube 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14D3</i>		<i>fist clenching - tube 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14D4</i>		<i>fist clenching - tube 4</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14D5</i>		<i>fist clenching - tube 5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14D6</i>		<i>fist clenching - tube 6</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14D7</i>		<i>fist clenching - tube 7</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14D8</i>		<i>fist clenching - tube 8</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO14E1</i>		<i>needle movement - tube 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

Section B: Procedures

<i>BIO14E2</i>		<i>needle movement - tube 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14E3</i>		<i>needle movement - tube 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14E4</i>		<i>needle movement - tube 4</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14E5</i>		<i>needle movement - tube 5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14E6</i>		<i>needle movement - tube 6</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14E7</i>		<i>needle movement - tube 7</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO14E8</i>		<i>needle movement - tube 8</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO14F1</i>		<i>participant reclining - tube 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO14F2</i>		<i>participant reclining - tube 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

Section B: Procedures

<i>BIO14F3</i>		<i>participant reclining - tube 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO14F4</i>		<i>participant reclining - tube 4</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO14F5</i>		<i>participant reclining - tube 5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO14F6</i>		<i>participant reclining - tube 6</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO14F7</i>		<i>participant reclining - tube 7</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO14F8</i>		<i>participant reclining - tube 8</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO22A1</i>		<i>broken tube - tube 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO22A2</i>		<i>broken tube - tube 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 0 (median=0 mean=0.0 std=0.0)

<i>BIO22A3</i>		<i>broken tube - tube 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Section B: Procedures

<i>BIO22A4</i>		<i>broken tube - tube 4</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 0 (median=0 mean=0.0 std=0.0)

<i>BIO22A5</i>		<i>broken tube - tube 5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 0 (median=0 mean=0.0 std=0.0)

<i>BIO22A6</i>		<i>broken tube - tube 6</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 0 (median=0 mean=0.0 std=0.0)

<i>BIO22A7</i>		<i>broken tube - tube 7</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO22A8</i>		<i>broken tube - tube 8</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO22B1</i>		<i>sample re-centrifuged - tube 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO22B2</i>		<i>sample re-centrifuged - tube 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO22B3</i>		<i>sample re-centrifuged - tube 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO22B4</i>		<i>sample re-centrifuged - tube 4</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

Section B: Procedures

<i>BIO22B5</i>		<i>sample re-centrifuged - tube 5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO22B6</i>		<i>sample re-centrifuged - tube 6</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO22B7</i>		<i>sample re-centrifuged - tube 7</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO22B8</i>		<i>sample re-centrifuged - tube 8</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO22C1</i>		<i>clotted - tube 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO22C2</i>		<i>clotted - tube 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 0 (median=0 mean=0.0 std=0.0)

<i>BIO22C3</i>		<i>clotted - tube 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 0 (median=0 mean=0.0 std=0.0)

<i>BIO22C4</i>		<i>clotted - tube 4</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 0 (median=0 mean=0.0 std=0.0)

<i>BIO22C5</i>		<i>clotted - tube 5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

Section B: Procedures

<i>BIO22C6</i>		<i>clotted - tube 6</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 0 (median=0 mean=0.0 std=0.0)

<i>BIO22C7</i>		<i>clotted - tube 7</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO22C8</i>		<i>clotted - tube 8</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 0 (median=0 mean=0.0 std=0.0)

<i>BIO22D1</i>		<i>hemolyzed - tube 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO22D2</i>		<i>hemolyzed - tube 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO22D3</i>		<i>hemolyzed - tube 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO22D4</i>		<i>hemolyzed - tube 4</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO22D5</i>		<i>hemolyzed - tube 5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO22D6</i>		<i>hemolyzed - tube 6</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

Section B: Procedures

<i>BIO22D7</i>		<i>hemolyzed - tube 7</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO22D8</i>		<i>hemolyzed - tube 8</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO22E1</i>		<i>lipemic - tube 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO22E2</i>		<i>lipemic - tube 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO22E3</i>		<i>lipemic - tube 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO22E4</i>		<i>lipemic - tube 4</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

<i>BIO22E5</i>		<i>lipemic - tube 5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO22E6</i>		<i>lipemic - tube 6</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>BIO22E7</i>		<i>lipemic - tube 7</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.1)

Section B: Procedures

<i>BIO22E8</i>		<i>lipemic - tube 8</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11592	Range	0 - 1 (median=0 mean=0.0 std=0.0)

Section C: Questionnaire Forms

Acculturation: FORM CODE=ACE VERSION=1

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11191	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11191	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2173	ACE	
9018	ACS	

<i>ACE0A</i>		<i>completion date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11183	Range	10/01/2014 - 12/29/2017
8		Missing

<i>ACE1</i>		<i>languages: read/speak</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4579	1	1 = Only Spanish
3324	2	2 = Spanish better than English
1830	3	3 = Both equally
1099	4	4 = English better than Spanish
356	5	5 = Only English
3		Missing

<i>ACE2</i>		<i>languages: as child</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9342	1	1 = Only Spanish
552	2	2 = More Spanish than English
649	3	3 = Both equally
323	4	4 = More English than Spanish
306	5	5 = Only English
19		Missing

Section C: Questionnaire Forms

ACE3		<i>languages: at home</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6307	1	1 = Only Spanish
1888	2	2 = More Spanish than English
1582	3	3 = Both equally
726	4	4 = More English than Spanish
679	5	5 = Only English
9		Missing

ACE4		<i>languages: think</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6716	1	1 = Only Spanish
1394	2	2 = More Spanish than English
1463	3	3 = Both equally
625	4	4 = More English than Spanish
980	5	5 = Only English
13		Missing

ACE5		<i>languages: with friends</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5794	1	1 = Only Spanish
1912	2	2 = More Spanish than English
1842	3	3 = Both equally
835	4	4 = More English than Spanish
797	5	5 = Only English
11		Missing

ACE6		<i>languages: movies, tv, radio</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4304	1	1 = Only Spanish
1713	2	2 = More Spanish than English
2360	3	3 = Both equally
1333	4	4 = More English than Spanish
1472	5	5 = Only English
9		Missing

Section C: Questionnaire Forms

<i>ACE7</i>		<i>close friends choice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3731	1	1 = All Hispanic/Latino
4356	2	2 = More Hispanic/Latino than non-Hispanic/non-Latino
2844	3	3 = About half and half
213	4	4 = More non-Hispanic/non-Latino than Hispanic/Latino
33	5	5 = All non-Hispanic/non-Latino
14		Missing

<i>ACE8</i>		<i>social gatherings preference</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3190	1	1 = All Hispanic/Latino
2523	2	2 = More Hispanic/Latino than non-Hispanic/non-Latino
5270	3	3 = About half and half
105	4	4 = More non-Hispanic/non-Latino than Hispanic/Latino
25	5	5 = All non-Hispanic/non-Latino
78		Missing

<i>ACE9</i>		<i>people: visit or visited</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5070	1	1 = All Hispanic/Latino
3695	2	2 = More Hispanic/Latino than non-Hispanic/non-Latino
2227	3	3 = About half and half
142	4	4 = More non-Hispanic/non-Latino than Hispanic/Latino
33	5	5 = All non-Hispanic/non-Latino
24		Missing

<i>ACE10</i>		<i>choice of children's friends</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
713	1	1 = All Hispanic/Latino
537	2	2 = More Hispanic/Latino than non-Hispanic/non-Latino
9598	3	3 = About half and half
96	4	4 = More non-Hispanic/non-Latino than Hispanic/Latino
41	5	5 = All non-Hispanic/non-Latino
206		Missing

Section C: Questionnaire Forms

<i>ACE11</i>		<i>returned country of origin</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11020	Range	0 - 365 (median=0 mean=8.6 std=36.4)
171		Missing

<i>ACE12A</i>		<i>length visit country of origin</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4439	Range	0 - 365 (median=8 mean=16.2 std=32.4)
6705	.S	Legitimately skipped
47		Missing

<i>ACE12A1</i>		<i>unit length visits country origin</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3447	1	1 = Days
996	3	3 = Months
6705	.S	Legitimately skipped
43		Missing

<i>ACE12A_DAYS</i>		<i>Length visit country of origin (days)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4413	Range	1 - 365 (median=15 mean=37.1 std=60.4)
6778		Missing

Section C: Questionnaire Forms

Alcohol Use: FORM CODE=ALE VERSION=1

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11611	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11611	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2252	ALE	
9359	ALS	

<i>ALE0A</i>		<i>completion date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11610	Range	09/24/2014 - 12/29/2017
1		Missing

<i>ALE1</i>		<i>presently drink alcoholic beverages</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5122	0	0 = No
6489	1	1 = Yes

<i>ALE2</i>		<i>glass red wine week</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6486	Range	0 - 20 (median=0 mean=0.5 std=1.5)
5122	.S	Legitimately skipped
3		Missing

<i>ALE3</i>		<i>glass white wine week</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6485	Range	0 - 28 (median=0 mean=0.1 std=0.8)
5122	.S	Legitimately skipped
4		Missing

Section C: Questionnaire Forms

<i>ALE4</i>		<i>drink beer week</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6479	Range	0 - 91 (median=0 mean=2.2 std=5.6)
5122	.S	Legitimately skipped
10		Missing

<i>ALE5</i>		<i>drinks of liquor, mixed alcohol week</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6484	Range	0 - 45 (median=0 mean=0.6 std=2.2)
5122	.S	Legitimately skipped
5		Missing

<i>ALE6</i>		<i>drinks per 2hr - weekly (4+F) (5+M)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
26	1	1 = Every day
20	2	2 = 5 to 6 days a week
64	3	3 = 3 to 4 days a week
125	4	4 = 2 days a week
300	5	5 = 1 day a week
357	6	6 = 2 to 3 days a month
531	7	7 = 1 day a month
1010	8	8 = Less than once a month
4052	9	9 = Never
5122	.S	Legitimately skipped
4		Missing

<i>ALE7</i>		<i>ever drink alcohol</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2044	0	0 = No
3068	1	1 = Yes
6489	.S	Legitimately skipped
10		Missing

Section C: Questionnaire Forms

<i>ALE8</i>		<i>stopped drinking</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
515	1	1 = Less than 1 year ago
280	2	2 = 1 - 2 years ago
2263	3	3 = More than 2 years ago
8543	.S	Legitimately skipped
10		Missing

<i>ALE9</i>		<i>stopped drinking health reasons</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2234	0	0 = No
822	1	1 = Yes
8543	.S	Legitimately skipped
12		Missing

<i>ALE10</i>		<i>stopped drinking doctor advice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2744	0	0 = No
315	1	1 = Yes
8543	.S	Legitimately skipped
9		Missing

Section C: Questionnaire Forms

Family Cohesion: FORM CODE=FCE VERSION=1

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11182	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11182	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2170	FCE	
9012	FCS	

<i>FCE0A</i>		<i>completion date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11180	Range	10/01/2014 - 12/29/2017
2		Missing

<i>FCE1</i>		<i>Family Support each other</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1212	0	0 = False
9946	1	1 = True
24		Missing

<i>FCE2</i>		<i>Kill time at home</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7400	0	0 = False
3617	1	1 = True
165		Missing

<i>FCE3</i>		<i>Put energy into home</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1695	0	0 = False
9336	1	1 = True
151		Missing

Section C: Questionnaire Forms

<i>FCE4</i>		<i>Togetherness</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1216	0	0 = False
9939	1	1 = True
27		Missing

<i>FCE5</i>		<i>Rarely volunteer at home</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6841	0	0 = False
4167	1	1 = True
174		Missing

<i>FCE6</i>		<i>Back each other up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1145	0	0 = False
9992	1	1 = True
45		Missing

<i>FCE7</i>		<i>Little group spirit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8598	0	0 = False
2534	1	1 = True
50		Missing

<i>FCE8</i>		<i>Family Get along</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1425	0	0 = False
9704	1	1 = True
53		Missing

<i>FCE9</i>		<i>Attention for everyone</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2384	0	0 = False
8697	1	1 = True
101		Missing

Section C: Questionnaire Forms

<i>FCE10</i>		<i>People in house</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	0	
1455	1	
27	10	
15	11	
4	12	
5	13	
1	15	
1	19	
2737	2	
2283	3	
2047	4	
1310	5	
700	6	
334	7	
164	8	
59	9	
38		Missing

Section C: Questionnaire Forms

<i>FCE10A</i>		<i>Relationship 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5320	1	1 = Spouse
36	10	10 = Son-in-Law
9	11	11 = Daughter-in-Law
17	12	12 = Mother-in-Law
10	13	13 = Father-in-Law
865	14	14 = Other
1101	2	2 = Daughter
1044	3	3 = Son
660	4	4 = Mother
179	5	5 = Father
319	6	6 = Sibling
38	7	7 = Cousin
27	8	8 = Niece
40	9	9 = Nephew
1493	.S	Legitimately skipped
24		Missing

<i>FCE10A1</i>		<i>relationship 1 age</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9626	Range	1 - 99 (median=50 mean=47.6 std=17.6)
1493	.S	Legitimately skipped
63		Missing

<i>FCE10A2</i>		<i>relationship 1 specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
854	Present	Text suppressed
10317	~	Legitimately skipped
11		Missing

Section C: Questionnaire Forms

<i>FCE10B</i>		<i>Relationship 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
164	1	1 = Spouse
172	10	10 = Son-in-Law
115	11	11 = Daughter-in-Law
52	12	12 = Mother-in-Law
18	13	13 = Father-in-Law
1143	14	14 = Other
2025	2	2 = Daughter
2339	3	3 = Son
252	4	4 = Mother
167	5	5 = Father
333	6	6 = Sibling
32	7	7 = Cousin
59	8	8 = Niece
69	9	9 = Nephew
4230	.S	Legitimately skipped
12		Missing

<i>FCE10B1</i>		<i>Relationship 2 Age</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6876	Range	0 - 99 (median=24 mean=28.6 std=18.0)
4230	.S	Legitimately skipped
76		Missing

<i>FCE10B2</i>		<i>relationship 2 specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1122	Present	Text suppressed
10039	~	Legitimately skipped
21		Missing

Section C: Questionnaire Forms

<i>FCE10C</i>		<i>Relationship 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
135	1	1 = Spouse
136	10	10 = Son-in-Law
115	11	11 = Daughter-in-Law
29	12	12 = Mother-in-Law
11	13	13 = Father-in-Law
1200	14	14 = Other
1172	2	2 = Daughter
1320	3	3 = Son
61	4	4 = Mother
32	5	5 = Father
279	6	6 = Sibling
22	7	7 = Cousin
79	8	8 = Niece
71	9	9 = Nephew
6513	.S	Legitimately skipped
7		Missing

<i>FCE10C1</i>		<i>Relationship 3 Age</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4608	Range	0 - 97 (median=18 mean=21.9 std=16.2)
6513	.S	Legitimately skipped
61		Missing

<i>FCE10C2</i>		<i>relationship 3 specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1178	Present	Text suppressed
9982	~	Legitimately skipped
22		Missing

Section C: Questionnaire Forms

<i>FCE10D</i>		<i>Relationship 4</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
56	1	1 = Spouse
47	10	10 = Son-in-Law
32	11	11 = Daughter-in-Law
26	12	12 = Mother-in-Law
18	13	13 = Father-in-Law
963	14	14 = Other
526	2	2 = Daughter
591	3	3 = Son
39	4	4 = Mother
24	5	5 = Father
149	6	6 = Sibling
15	7	7 = Cousin
61	8	8 = Niece
70	9	9 = Nephew
8560	.S	Legitimately skipped
5		Missing

<i>FCE10D1</i>		<i>Relationship 4 Age</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2580	Range	0 - 96 (median=14 mean=18.9 std=17.1)
8560	.S	Legitimately skipped
42		Missing

<i>FCE10D2</i>		<i>relationship 4 specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
954	Present	Text suppressed
10219	~	Legitimately skipped
9		Missing

Section C: Questionnaire Forms

<i>FCE10E</i>		<i>Relationship 5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
39	1	1 = Spouse
38	10	10 = Son-in-Law
18	11	11 = Daughter-in-Law
11	12	12 = Mother-in-Law
5	13	13 = Father-in-Law
592	14	14 = Other
208	2	2 = Daughter
188	3	3 = Son
27	4	4 = Mother
15	5	5 = Father
58	6	6 = Sibling
8	7	7 = Cousin
50	8	8 = Niece
51	9	9 = Nephew
9870	.S	Legitimately skipped
4		Missing

<i>FCE10E1</i>		<i>Relationship 5 Age</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1276	Range	0 - 93 (median=11 mean=17.2 std=17.8)
9870	.S	Legitimately skipped
36		Missing

<i>FCE10E2</i>		<i>relationship 5 specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
590	Present	Text suppressed
10590	~	Legitimately skipped
2		Missing

Section C: Questionnaire Forms

<i>FCE10F</i>		<i>Relationship 6</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
21	1	1 = Spouse
7	10	10 = Son-in-Law
15	11	11 = Daughter-in-Law
5	12	12 = Mother-in-Law
5	13	13 = Father-in-Law
306	14	14 = Other
73	2	2 = Daughter
70	3	3 = Son
8	4	4 = Mother
8	5	5 = Father
28	6	6 = Sibling
3	7	7 = Cousin
32	8	8 = Niece
28	9	9 = Nephew
10570	.S	Legitimately skipped
3		Missing

<i>FCE10F1</i>		<i>Relationship 6 Age</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
594	Range	0 - 91 (median=10 mean=16.2 std=17.5)
10570	.S	Legitimately skipped
18		Missing

<i>FCE10F2</i>		<i>relationship 6 specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
304	Present	Text suppressed
10876	~	Legitimately skipped
2		Missing

Section C: Questionnaire Forms

<i>FCE10G</i>		<i>Relationship 7</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	1	1 = Spouse
6	10	10 = Son-in-Law
3	11	11 = Daughter-in-Law
2	12	12 = Mother-in-Law
3	13	13 = Father-in-Law
144	14	14 = Other
30	2	2 = Daughter
29	3	3 = Son
3	4	4 = Mother
1	5	5 = Father
11	6	6 = Sibling
2	7	7 = Cousin
20	8	8 = Niece
15	9	9 = Nephew
10904	.S	Legitimately skipped
2		Missing

<i>FCE10G1</i>		<i>Relationship 7 Age</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
267	Range	0 - 91 (median=10 mean=17.1 std=18.7)
10904	.S	Legitimately skipped
11		Missing

<i>FCE10G2</i>		<i>relationship 7 specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
143	Present	Text suppressed
11038	~	Legitimately skipped
1		Missing

Section C: Questionnaire Forms

<i>FCE10H</i>		<i>Relationship 8</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	1	1 = Spouse
2	10	10 = Son-in-Law
1	11	11 = Daughter-in-Law
1	12	12 = Mother-in-Law
69	14	14 = Other
3	2	2 = Daughter
13	3	3 = Son
1	4	4 = Mother
1	5	5 = Father
5	6	6 = Sibling
8	8	8 = Niece
4	9	9 = Nephew
11068	.S	Legitimately skipped
3		Missing

<i>FCE10H1</i>		<i>Relationship 8 Age</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
107	Range	1 - 92 (median=10 mean=16.6 std=19.1)
11068	.S	Legitimately skipped
7		Missing

<i>FCE10H2</i>		<i>relationship 8 specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
69	Present	Text suppressed
11113	~	Legitimately skipped

Section C: Questionnaire Forms

<i>FCE10I</i>		<i>Relationship 9</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	10	10 = Son-in-Law
32	14	14 = Other
3	2	2 = Daughter
2	3	3 = Son
2	5	5 = Father
1	7	7 = Cousin
4	8	8 = Niece
7	9	9 = Nephew
11127	.S	Legitimately skipped
3		Missing

<i>FCE10I1</i>		<i>Relationship 9 Age</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
49	Range	1 - 92 (median=10 mean=15.1 std=16.3)
11127	.S	Legitimately skipped
6		Missing

<i>FCE10I2</i>		<i>relationship 9 specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32	Present	Text suppressed
11150	~	Legitimately skipped

Section C: Questionnaire Forms

Health Care: FORM CODE=HCE VERSION=1

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11191	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11191	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2169	HCE	
9022	HCS	

<i>HCE0A</i>		<i>Completion Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11183	Range	10/26/2013 - 12/29/2017
8		Missing

<i>HCE1</i>		<i>Healthcare past 12 months</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	U	
2047	0	0=No
9143	1	1=Yes

<i>HCE2A</i>		<i>Healthcare: annual checkup</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1212	0	0=No
7925	1	1=Yes
2048	.S	Legitimately skipped
6		Missing

Section C: Questionnaire Forms

<i>HCE2B</i>		<i>Healthcare: pregnancy care</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8031	0	0=No
183	1	1=Yes
2048	.S	Legitimately skipped
929		Missing

<i>HCE2C</i>		<i>Healthcare: acute care</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7185	0	0=No
1947	1	1=Yes
2048	.S	Legitimately skipped
11		Missing

<i>HCE2D</i>		<i>Healthcare: injury or accident</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8293	0	0=No
842	1	1=Yes
2048	.S	Legitimately skipped
8		Missing

<i>HCE2E</i>		<i>Healthcare: emergency</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6708	0	0=No
2423	1	1=Yes
2048	.S	Legitimately skipped
12		Missing

<i>HCE2F</i>		<i>Healthcare: chronic disease</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4853	0	0=No
4284	1	1=Yes
2048	.S	Legitimately skipped
6		Missing

Section C: Questionnaire Forms

<i>HCE2G</i>		<i>Healthcare: prescription</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3725	0	0=No
5412	1	1=Yes
2048	.S	Legitimately skipped
6		Missing

<i>HCE2H</i>		<i>Healthcare: hospitalization</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7783	0	0=No
1348	1	1=Yes
2048	.S	Legitimately skipped
12		Missing

<i>HCE2I</i>		<i>Healthcare: other</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8267	0	0=No
828	1	1=Yes
2048	.S	Legitimately skipped
48		Missing

<i>HCE2I1</i>		<i>Healthcare: other specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
819	Present	Text suppressed
10363	~	Legitimately skipped
9		Missing

<i>HCE2J</i>		<i>Healthcare: Refused</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
42	0	0=No
11141	.S	Legitimately skipped
8		Missing

Section C: Questionnaire Forms

<i>HCE2K</i>		<i>Healthcare: Don't know</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
42	0	0=No
11141	.S	Legitimately skipped
8		Missing

<i>HCE3A</i>		<i>Healthcare: in US Mainland</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8236	1	1= All the time
218	2	2=Most of the time
182	3	3=Some of the time
491	4	4=None of the time
2048	.S	Legitimately skipped
16		Missing

<i>HCE3B</i>		<i>Healthcare: in Puerto Rico</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16	1	1=All of the time
3	2	2=Most of the time
14	3	3=Some of the time
850	4	4=None of the time
10300	.S	Legitimately skipped
8		Missing

<i>HCE3C</i>		<i>Healthcare: in Mexico</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
351	1	1=All of the time
78	2	2=Most of the time
181	3	3=Some of the time
255	4	4=None of the time
10324	.S	Legitimately skipped
2		Missing

Section C: Questionnaire Forms

<i>HCE3D</i>		<i>Healthcare: in Canada</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	1	1=All the time
1	2	2=Most of the time
509	4	4=None of the time
10677	.S	Legitimately skipped
2		Missing

<i>HCE3E</i>		<i>Healthcare: other country</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
96	1	1=All the time
26	2	2=Most of the time
69	3	3=Some of the time
314	4	4=None of the time
10681	.S	Legitimately skipped
5		Missing

<i>HCE3E1</i>		<i>Healthcare other: Specify country</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
191	Present	Text suppressed
11000	~	Legitimately skipped

<i>HCE4A</i>		<i>Dentalcare: in US Mainland</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5541	1	1=All the time
100	2	2=Most of the time
127	3	3=Some of the time
3186	4	4=None of the time
2048	.S	Legitimately skipped
189		Missing

Section C: Questionnaire Forms

<i>HCE4B</i>		<i>Dentalcare: in Puerto Rico</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
24	1	1=All the time
1	2	2=Most of the time
16	3	3=Some of the time
3320	4	4=None of the time
7778	.S	Legitimately skipped
52		Missing

<i>HCE4C</i>		<i>Dentalcare: in Mexico</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
799	1	1=All the time
71	2	2=Most of the time
106	3	3=Some of the time
2355	4	4=None of the time
7854	.S	Legitimately skipped
6		Missing

<i>HCE4D</i>		<i>Dentalcare: in Canada</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	1	1=All the time
1	2	2=Most of the time
4	3	3=Some of the time
2522	4	4=None of the time
8659	.S	Legitimately skipped
2		Missing

<i>HCE4E</i>		<i>Dentalcare: other country</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
236	1	1=All the time
18	2	2=Most of the time
52	3	3=Some of the time
2211	4	4=None of the time
8664	.S	Legitimately skipped
10		Missing

Section C: Questionnaire Forms

<i>HCE4E1</i>		<i>Dentalcare other: Specify country</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
304	Present	Text suppressed
10885	~	Legitimately skipped
2		Missing

<i>HCE5</i>		<i>Needed healthcare, could not get</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	Q	
1	U	
10445	0	0=No
666	1	1=Yes
78		Missing

<i>HCE6A</i>		<i>Not afford: Prescription meds</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
377	0	0=No
288	1	1=Yes
10524	.S	Legitimately skipped
2		Missing

<i>HCE6B</i>		<i>Not afford: General doctor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
277	0	0=No
388	1	1=Yes
10524	.S	Legitimately skipped
2		Missing

<i>HCE6C</i>		<i>Not afford: Specialist</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
327	0	0=No
338	1	1=Yes
10524	.S	Legitimately skipped
2		Missing

Section C: Questionnaire Forms

<i>HCE6D</i>		<i>Not afford: Surgical proc</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
592	0	0=No
73	1	1=Yes
10524	.S	Legitimately skipped
2		Missing

<i>HCE6E</i>		<i>Not afford: Clinical proc</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
515	0	0=No
149	1	1=Yes
10524	.S	Legitimately skipped
3		Missing

<i>HCE6F</i>		<i>Not afford: Therapy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
563	0	0=No
102	1	1=Yes
10524	.S	Legitimately skipped
2		Missing

<i>HCE6G</i>		<i>Not afford: Dental</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
306	0	0=No
359	1	1=Yes
10524	.S	Legitimately skipped
2		Missing

<i>HCE6H</i>		<i>Not afford: Glasses</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
444	0	0=No
221	1	1=Yes
10524	.S	Legitimately skipped
2		Missing

Section C: Questionnaire Forms

<i>HCE6I</i>		<i>Not afford: Other</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
560	0	0=No
105	1	1=Yes
10524	.S	Legitimately skipped
2		Missing

<i>HCE6I1</i>		<i>Not afford: Other specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
99	Present	Text suppressed
11086	~	Legitimately skipped
6		Missing

<i>HCE6J</i>		<i>Not afford: Refused</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
56	0	0=No
1	1	1=Yes
11130	.S	Legitimately skipped
4		Missing

<i>HCE6K</i>		<i>Not afford: Don't know</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
57	0	0=No
11131	.S	Legitimately skipped
3		Missing

Section C: Questionnaire Forms

<i>HCE7</i>		<i>Visits ER past year</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
423	0	
150	1	
3	10	
1	15	
45	2	
24	3	
6	4	
3	5	
4	6	
1	8	
10524	.S	Legitimately skipped
7		Missing

<i>HCE7A</i>		<i>ER visits US mainland</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
198	1	1=All
1	2	2=Most
3	3	3=Some
10	4	4=None
10954	.S	Legitimately skipped
25		Missing

<i>HCE8</i>		<i>Visits to doctor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
658	Range	0 - 70 (median=1 mean=2.7 std=5.4)
10524	.S	Legitimately skipped
9		Missing

Section C: Questionnaire Forms

<i>HCE8A</i>		<i>Visits to doctor: US mainland</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
298	1	1=All
5	2	2=Most
6	3	3=Some
25	4	4=None
10806	.S	Legitimately skipped
51		Missing

<i>HCE9</i>		<i>Have personal doctor?</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13	U	
2982	0	0=No
7351	1	1=Yes, only one
828	2	2=More than one
17		Missing

<i>HCE10A</i>		<i>Usual checkup: no care anywhere</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10263	0	0=No
905	1	1=Yes
23		Missing

<i>HCE10B</i>		<i>Usual checkup: no place most often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10646	0	0=No
510	1	1=Yes
35		Missing

<i>HCE10C</i>		<i>Usual checkup: hospital ER</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10829	0	0=No
332	1	1=Yes
30		Missing

Section C: Questionnaire Forms

<i>HCE11A</i>		<i>Usual checkup: clinic/health center</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3335	0	0=No
6630	1	1=Yes
1214	.S	Legitimately skipped
12		Missing

<i>HCE11B</i>		<i>Usual checkup: Dr office or HMO</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6282	0	0=No
3683	1	1=Yes
1214	.S	Legitimately skipped
12		Missing

<i>HCE11C</i>		<i>Usual checkup: Hosp outpatient dept</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8836	0	0=No
1120	1	1=Yes
1214	.S	Legitimately skipped
21		Missing

<i>HCE11D</i>		<i>Usual checkup: Other</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9808	0	0=No
135	1	1=Yes
1214	.S	Legitimately skipped
34		Missing

<i>HCE11D1</i>		<i>Usual checkup: Other Specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
126	Present	Text suppressed
11056	~	Legitimately skipped
9		Missing

Section C: Questionnaire Forms

<i>HCE12A</i>		<i>Reason no med care: Doesn't need doctor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
494	0	0=No
651	1	1=Yes
10001	.S	Legitimately skipped
45		Missing

<i>HCE12B</i>		<i>Reason no med care: Doesn't like doctor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1027	0	0=No
118	1	1=Yes
10001	.S	Legitimately skipped
45		Missing

<i>HCE12C</i>		<i>Reason no med care: Doesn't know where to go</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
940	0	0=No
205	1	1=Yes
10001	.S	Legitimately skipped
45		Missing

<i>HCE12D</i>		<i>Reason no med care: Previous doctor unavailable</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1055	0	0=No
86	1	1=Yes
10001	.S	Legitimately skipped
49		Missing

<i>HCE12E</i>		<i>Reason no med care: Too expensive</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
528	0	0=No
617	1	1=Yes
10001	.S	Legitimately skipped
45		Missing

Section C: Questionnaire Forms

<i>HCE12F</i>		<i>Reason no med care: Speak different language</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1113	0	0=No
31	1	1=Yes
10001	.S	Legitimately skipped
46		Missing

<i>HCE12G</i>		<i>Reason no med care: No care nearby</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1076	0	0=No
68	1	1=Yes
10001	.S	Legitimately skipped
46		Missing

<i>HCE12H</i>		<i>Reason no med care: Put it off</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
914	0	0=No
230	1	1=Yes
10001	.S	Legitimately skipped
46		Missing

<i>HCE12I</i>		<i>Reason no med care: Other</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1050	0	0=No
96	1	1=Yes
10001	.S	Legitimately skipped
44		Missing

<i>HCE12I1</i>		<i>Reason no med care: Other specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95	Present	Text suppressed
11095	~	Legitimately skipped
1		Missing

Section C: Questionnaire Forms

<i>HCE12J</i>		<i>Reason no med care: Refused</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
41	0	0=No
11106	.S	Legitimately skipped
44		Missing

<i>HCE12K</i>		<i>Reason no med care: Don't know</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
41	0	0=No
1	1	1=Yes
11106	.S	Legitimately skipped
43		Missing

<i>HCE13</i>		<i>Last routine checkup</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
60	U	
8141	1	1=Within past year (anytime less than 12 months ago)
1320	2	2=Within past 2 years (1 year but less than 2 years ago)
501	3	3=Within past 3 years (2 years but less than 3 years ago)
266	4	4=Within past 5 years (3 years but less than 5 years ago)
702	5	5=5 or more years ago
188	6	6=Never
13		Missing

<i>HCE14</i>		<i>Last time flu shot</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	Q	
200	U	
4436	1	1=Within past year (anytime less than 12 months ago)
1361	2	2=Within past 2 years (1 year but less than 2 years ago)
547	3	3=Within past 3 years (2 years but less than 3 years ago)
328	4	4=Within past 5 years (3 years but less than 5 years ago)
708	5	5=5 or more years ago
3592	6	6=Never
12		Missing

Section C: Questionnaire Forms

<i>HCE15</i>		<i>Pneumonia shot</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13	Q	
1329	U	
7607	0	0=No
2225	1	1=Yes
17		Missing

<i>HCE16</i>		<i>Last time tetanus vaccine</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	Q	
2647	U	
1171	1	1=Within past year (anytime less than 12 months ago)
792	2	2=Within past 2 years (1 year but less than 2 years ago)
640	3	3=Within past 3 years (2 years but less than 3 years ago)
726	4	4=Within past 5 years (3 years but less than 5 years ago)
3971	5	5=5 or more years ago
1225	6	6=Never
15		Missing

<i>HCE16A</i>		<i>Tetanus vaccine type</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
687	1	1=Yes, received the tetanus vaccine combined with the pertussis or whooping cough vaccine
1091	2	2=Received the tetanus vaccine, but it was not combined with the pertussis vaccine
5491	3	3=Received the tetanus vaccine, but do not know what type
3891	.S	Legitimately skipped
31		Missing

Section C: Questionnaire Forms

<i>HCE17</i>		<i>Last vision check</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	Q	
98	U	
252	0	0=Not medically indicated
5523	1	1=Within past year (anytime less than 12 months ago)
1907	2	2=Within past 2 years (1 year but less than 2 years ago)
881	3	3=Within past 3 years (2 years but less than 3 years ago)
557	4	4=Within past 5 years (3 years but less than 5 years ago)
1157	5	5=5 or more years ago
790	6	6=Never
24		Missing

<i>HCE18</i>		<i>Aspirin recommended by DR</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12	U	
7578	0	0=No
3297	1	1=Yes
304		Missing

<i>HCE18A</i>		<i>Following aspirin advice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	Q	
5	U	
969	0	0=No
2240	1	1=Yes
75	2	2=No, because I do not tolerate aspirin or have experienced an adverse reaction to it
7894	.S	Legitimately skipped
7		Missing

Section C: Questionnaire Forms

<i>HCE19</i>		<i>Tested for colorectal cancer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	Q	
50	U	
6447	0	0=No
4443	1	1=Yes
250		Missing

<i>HCE19A1</i>		<i>Colon cancer test: Blood/DNA stool kit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3197	0	0=No
1214	1	1=Yes
6698	.S	Legitimately skipped
82		Missing

<i>HCE19A1A</i>		<i>Colon cancer test: Blood/DNA stool kit: Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
305	Range	01/02/2000 - 10/01/2017
9977	.S	Legitimately skipped
909		Missing

<i>HCE19A1AY</i>		<i>Year of Colon cancer test: Blood/DNA stool kit: Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1140	Range	1996 - 2017 (median=2014 mean=2013.9 std=2.5)
10051		Missing

<i>HCE19A1AM</i>		<i>Month of Colon cancer test: Blood/DNA stool kit: Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
454	Range	1 - 12 (median=6 mean=6.2 std=3.4)
10737		Missing

<i>HCE19A1AD</i>		<i>Day of Colon cancer test: Blood/DNA stool kit: Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
311	Range	1 - 30 (median=14 mean=11.8 std=7.9)
10880		Missing

Section C: Questionnaire Forms

<i>HCE19A2</i>		<i>Colon cancer test: Sigmoidoscopy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4130	0	0=No
255	1	1=Yes
6698	.S	Legitimately skipped
108		Missing

<i>HCE19A2A</i>		<i>Colon cancer test: Sigmoidoscopy: Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
63	Range	01/01/2005 - 10/20/2016
10936	.S	Legitimately skipped
192		Missing

<i>HCE19A2AY</i>		<i>Year of Colon cancer test: Sigmoidoscopy: Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
223	Range	1995 - 2017 (median=2013 mean=2012.4 std=3.4)
10968		Missing

<i>HCE19A2AM</i>		<i>Month of Colon cancer test: Sigmoidoscopy: Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
93	Range	1 - 12 (median=6 mean=6.0 std=3.5)
11098		Missing

<i>HCE19A2AD</i>		<i>Day of Colon cancer test: Sigmoidoscopy: Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
63	Range	1 - 29 (median=12 mean=11.1 std=7.3)
11128		Missing

<i>HCE19A3</i>		<i>Colon cancer test: Colonoscopy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
513	0	0=No
3928	1	1=Yes
6698	.S	Legitimately skipped
52		Missing

Section C: Questionnaire Forms

<i>HCE19A3A</i>		<i>Colon cancer test: Colonoscopy: Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
673	Range	01/01/1976 - 12/04/2017
7263	.S	Legitimately skipped
3255		Missing

<i>HCE19A3AY</i>		<i>Year of Colon cancer test: Colonoscopy: Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3743	Range	1976 - 2017 (median=2013 mean=2012.5 std=3.3)
7448		Missing

<i>HCE19A3AM</i>		<i>Month of Colon cancer test: Colonoscopy: Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1068	Range	1 - 12 (median=6 mean=6.4 std=3.4)
10123		Missing

<i>HCE19A3AD</i>		<i>Day of Colon cancer test: Colonoscopy: Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
681	Range	1 - 31 (median=11 mean=11.3 std=8.0)
10510		Missing

<i>HCE20</i>		<i>HPV vaccination</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	Q	
556	U	
9297	0	0=No
430	1	1=Yes
47	2	2=Not recommended by a doctor or health professional
860		Missing

<i>HCE20A</i>		<i>HPV shots received</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
371	Range	0 - 5 (median=3 mean=2.3 std=0.9)
10761	.S	Legitimately skipped
59		Missing

Section C: Questionnaire Forms

<i>HCE21</i>		<i>Last mammogram</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	Q	
22	U	
502	0	0=Not medically indicated
3417	1	1=Within past year (anytime less than 12 months ago)
1202	2	2=Within past 2 years (1 year but less than 2 years ago)
458	3	3=Within past 3 years (2 years but less than 3 years ago)
285	4	4=Within past 5 years (3 years but less than 5 years ago)
374	5	5=5 or more years ago
659	6	6=Never
4128	.S	Legitimately skipped
142		Missing

<i>HCE22</i>		<i>Last Pap Test</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
73	U	
299	0	0=Not medically indicated
2946	1	1=Within past year (anytime less than 12 months ago)
1574	2	2=Within past 2 years (1 year but less than 2 years ago)
721	3	3=Within past 3 years (2 years but less than 3 years ago)
421	4	4=Within past 5 years (3 years but less than 5 years ago)
789	5	5=5 or more years ago
123	6	6=Never
4128	.S	Legitimately skipped
117		Missing

<i>HCE23</i>		<i>Test for osteoporosis</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
63	U	
478	0	0=No
866	1	1=Yes
9758	.S	Legitimately skipped
26		Missing

Section C: Questionnaire Forms

<i>HCE24</i>		<i>Last test pupils dilated, check diabetes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
22	U	
64	0	0=Not medically indicated
1437	1	1=Within past year (anytime less than 12 months ago)
295	2	2=Within past 2 years (1 year but less than 2 years ago)
89	3	3=Within past 3 years (2 years but less than 3 years ago)
50	4	4=Within past 5 years (3 years but less than 5 years ago)
61	5	5=5 or more years ago
229	6	6=Never
8928	.S	Legitimately skipped
16		Missing

<i>HCE25</i>		<i>Last urine test for diabetes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
106	U	
63	0	0=Not medically indicated
1768	1	1=Within past year (anytime less than 12 months ago)
129	2	2=Within past 2 years (1 year but less than 2 years ago)
32	3	3=Within past 3 years (2 years but less than 3 years ago)
16	4	4=Within past 5 years (3 years but less than 5 years ago)
16	5	5=5 or more years ago
117	6	6=Never
8928	.S	Legitimately skipped
16		Missing

<i>HCE26</i>		<i>Feet checked for sores for diabetics</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	U	
1471	1	1=Yes
1	2	2=Has no feet
765	3	3=Never
8928	.S	Legitimately skipped
16		Missing

Section C: Questionnaire Forms

<i>HCE26A</i>		<i>Feet checked for sores: frequency</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
812	1	1=Every day
195	2	2=Three or four times per week
233	3	3=Once a week
227	4	4=Once or twice a month
9720	.S	Legitimately skipped
4		Missing

<i>HCE27</i>		<i>Feet checked for sores by Dr.</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	Q	
17	U	
1446	1	1=Yes
776	3	3=Never
8945	.S	Legitimately skipped
6		Missing

<i>HCE27A</i>		<i>Times Dr. checked feet for sores</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1424	Range	0 - 99 (median=2 mean=3.1 std=4.1)
9745	.S	Legitimately skipped
22		Missing

<i>HCE28</i>		<i>Glucose checked</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16	U	
1852	1	1=Yes
376	3	3=Never
8928	.S	Legitimately skipped
19		Missing

Section C: Questionnaire Forms

<i>HCE28A1</i>		<i>Times Glucose checked per day</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1813	Range	0 - 7 (median=1 mean=1.4 std=1.0)
9339	.S	Legitimately skipped
39		Missing

<i>HCE28A2</i>		<i>Times Glucose checked: days per week</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1811	Range	0 - 21 (median=7 mean=4.8 std=2.8)
9339	.S	Legitimately skipped
41		Missing

<i>HCE28A3</i>		<i>Times Glucose checked: days per month</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
220	Range	0 - 5 (median=0 mean=0.6 std=1.0)
10968	.S	Legitimately skipped
3		Missing

<i>HCE29</i>		<i>Dr. check A1C?</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	Q	
262	U	
507	0	0=No
1313	1	1=Yes
131	3	3=Had never heard of the hemoglobin A1C test
8928	.S	Legitimately skipped
49		Missing

<i>HCE29A</i>		<i>Times A1C checked by Dr.</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1258	Range	1 - 24 (median=2 mean=2.7 std=1.9)
9878	.S	Legitimately skipped
55		Missing

Section C: Questionnaire Forms

<i>HCE30</i>		<i>Know A1C level</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
78	U	
514	0	0=No
716	1	1=Yes
9878	.S	Legitimately skipped
5		Missing

<i>HCE31</i>		<i>Have health insurance</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	Q	
13	U	
2680	0	0=No
8478	1	1=Yes
19		Missing

<i>HCE32A</i>		<i>Current insurance: Insured by employer, union</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5942	0	0=No
2534	1	1=Yes
2700	.S	Legitimately skipped
15		Missing

<i>HCE32B</i>		<i>Current insurance: Personally purchased</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7486	0	0=No
986	1	1=Yes
2700	.S	Legitimately skipped
19		Missing

<i>HCE32C</i>		<i>Current insurance: Medicare elders or disabled</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6154	0	0=No
2326	1	1=Yes
2700	.S	Legitimately skipped
11		Missing

Section C: Questionnaire Forms

<i>HCE32D</i>		<i>Current insurance: Medicaid, Medi-Cal, gov asstn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4806	0	0=No
3674	1	1=Yes
2700	.S	Legitimately skipped
11		Missing

<i>HCE32E</i>		<i>Current insurance: Vet Admin, VA</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8407	0	0=No
66	1	1=Yes
2700	.S	Legitimately skipped
18		Missing

<i>HCE32F</i>		<i>Current insurance: TRICARE, CHAMPUS, military</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8418	0	0=No
57	1	1=Yes
2700	.S	Legitimately skipped
16		Missing

<i>HCE32G</i>		<i>Current insurance: Indian health service</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8452	0	0=No
9	1	1=Yes
2700	.S	Legitimately skipped
30		Missing

<i>HCE32H</i>		<i>Current insurance: Other insurance</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7204	0	0=No
1257	1	1=Yes
2700	.S	Legitimately skipped
30		Missing

Section C: Questionnaire Forms

<i>HCE32H1</i>		<i>Current insurance: Other insurance specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1244	Present	Text suppressed
9934	~	Legitimately skipped
13		Missing

<i>HCE32I</i>		<i>Refused insurance status</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
147	0	0=No
1	1	1=Yes
11035	.S	Legitimately skipped
8		Missing

<i>HCE32J</i>		<i>Don't Know insurance status</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128	0	0=No
18	1	1=Yes
11036	.S	Legitimately skipped
9		Missing

<i>HCE33</i>		<i>Affordable Care Act Obamacare</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	Q	
41	U	
7155	0	0=No
1250	1	1=Yes
2700	.S	Legitimately skipped
43		Missing

Section C: Questionnaire Forms

<i>HCE34</i>		<i>Insured Emergency Medicaid</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	Q	
31	U	
8104	0	0=No
333	1	1=Yes
2700	.S	Legitimately skipped
22		Missing

<i>HCE35</i>		<i>Insured Catastrophic health</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	Q	
10	U	
8390	0	0=No
45	1	1=Yes
2700	.S	Legitimately skipped
44		Missing

<i>HCE36</i>		<i>Time since last health insurance</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	Q	
8	U	
241	1	1=6 months or less
165	2	2=More than 6 months, but not more than 1 year
295	3	3=More than 1 year, but not more than 3 years
645	4	4=More than 3 years
1322	5	5=Never had insurance
8510	.S	Legitimately skipped
3		Missing

<i>HCE37A</i>		<i>Why No Health Ins: Expensive</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
688	0	0=No
1976	1	1=Yes
8510	.S	Legitimately skipped
17		Missing

Section C: Questionnaire Forms

<i>HCE37B</i>		<i>Why No Health Ins:Ineligible, employer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1957	0	0=No
681	1	1=Yes
8510	.S	Legitimately skipped
43		Missing

<i>HCE37C</i>		<i>Why No Health Ins:Partner's employer doesn't offer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1995	0	0=No
653	1	1=Yes
8510	.S	Legitimately skipped
33		Missing

<i>HCE37D</i>		<i>Why No Health Ins: Denied, Medical condition</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2612	0	0=No
47	1	1=Yes
8510	.S	Legitimately skipped
22		Missing

<i>HCE37E</i>		<i>Why No Health Ins: Ineligible or recetnly lost Medicaid</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1965	0	0=No
689	1	1=Yes
8510	.S	Legitimately skipped
27		Missing

<i>HCE37F</i>		<i>Why No Health Ins: Cannot purchase partner's employer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2468	0	0=No
189	1	1=Yes
8510	.S	Legitimately skipped
24		Missing

Section C: Questionnaire Forms

<i>HCE37G</i>		<i>Why No Health Ins: Ineligible, premium tax credits</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2418	0	0=No
223	1	1=Yes
8510	.S	Legitimately skipped
40		Missing

<i>HCE37H</i>		<i>Why No Health Ins: Ineligible citizenship status</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1645	0	0=No
1019	1	1=Yes
8510	.S	Legitimately skipped
17		Missing

<i>HCE37I</i>		<i>Why No Health Ins: No need</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2346	0	0=No
317	1	1=Yes
8510	.S	Legitimately skipped
18		Missing

<i>HCE37J</i>		<i>Why No Health Ins: Don't know how to get</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2280	0	0=No
382	1	1=Yes
8510	.S	Legitimately skipped
19		Missing

<i>HCE37K</i>		<i>Why No Health Ins: Other</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2448	0	0=No
201	1	1=Yes
8510	.S	Legitimately skipped
32		Missing

Section C: Questionnaire Forms

<i>HCE37K1</i>		<i>Why No Health Ins: Other Specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
199	Present	Text suppressed
10990	~	Legitimately skipped
2		Missing

<i>HCE37L</i>		<i>Why No Health Ins: Refused</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
24	0	0=No
4	1	1=Yes
11153	.S	Legitimately skipped
10		Missing

<i>HCE37M</i>		<i>Why No Health Ins: Don't know</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
22	0	0=No
2	1	1=Yes
11157	.S	Legitimately skipped
10		Missing

<i>HCE38</i>		<i>Emergency Medicaid coverage</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	Q	
6	U	
2541	0	0=No
108	1	1=Yes
8510	.S	Legitimately skipped
25		Missing

<i>HCE39</i>		<i>Place of birth</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2144	1	1=In the U.S.
9014	2	2=Outside of the U.S.
33		Missing

Section C: Questionnaire Forms

HCE39A		US born: State-Territory of birth
N	Value	Description
7	03	03--AZ-Â Arizona
575	05	05--CA-Â California
2	06	06--CO-Â Colorado
3	07	07--CT-Â Connecticut
67	09	09--FL-Â Florida
2	11	11--HI-Â Hawaii
1	12	12--ID-Â Idaho
327	13	13--IL-Â Illinois
4	14	14--IN-Â Indiana
1	15	15--IA-Â Iowa
1	16	16--KS-Â Kansas
2	18	18--LA-Â Louisiana
1	19	19--ME-Â Maine
8	21	21--MA-Â Massachusetts
1	24	24--MS-Â Mississippi
2	25	25--MO-Â Missouri
2	28	28--NV-Â Nevada
25	30	30--NJ-Â New Jersey
4	31	31--NM-Â New Mexico
625	32	32--NY-Â New York
3	33	33--NC-Â North Carolina
1	35	35--OH-Â Ohio
1	36	36--OK-Â Oklahoma
1	37	37--OR-Â Oregon
4	38	38--PA-Â Pennsylvania
1	39	39--RI-Â Rhode Island
43	43	43--TX-Â Texas
1	44	44--UT-Â Utah
2	47	47--WA-Â Washington
1	49	49--WI-Â Wisconsin
1	54	54--MP-Â Northern Mariana Islands
401	55	55--PR-Â Puerto Rico
1	56	56--VI-Â U.S. Virgin Islands
9047	~	Legitimately skipped
23		Missing

Section C: Questionnaire Forms

Section C: Questionnaire Forms

HCE39B		Outside US: Country of birth
N	Value	Description
47	04	04--Argentina::Argentina
1	10	10--Belize::Belice
7	11	11--Bolivia::Bolivia
10	12	12--Brazil::Brasil
19	14	14--Chile::Chile
234	16	16--Colombia::Colombia
28	17	17--Costa Rica::Costa Rica
1513	18	18--Cuba::Cuba
960	21	21--Dominican Republic::Rep�blica Dominicana
261	22	22--Ecuador::Ecuador
101	23	23--El Salvador::El Salvador
1	27	27--Great Britain::Gran Breta�a
1	28	28--Greece::Grecia
1	29	29--Guam::Guam
228	30	30--Guatemala::Guatemala
308	33	33--Honduras::Honduras
1	40	40--Israel::Israel
4	41	41--Italy::Italia
1	42	42--Japan::Jap�n
4	45	45--Malaya::Malaya
3977	46	46--Mexico::M�xico
2	47	47--New Zealand::Nueva Zelanda
392	48	48--Nicaragua::Nicaragua
1	49	49--Norway::Noruega
12	51	51--Panama::Panam�
3	52	52--Paraguay::Paraguay
122	53	53--Peru::Per�
1	55	55--Poland::Polonia
5	56	56--Portugal::Portugal
647	57	57--Puerto Rico::Puerto Rico
1	58	58--Russia::Rusia
9	60	60--Spain::Espa�a
20	63	63--United States::Estados Unidos
13	64	64--Uruguay::Uruguay
69	65	65--Venezuela::Venezuela

Section C: Questionnaire Forms

<i>HCE39B</i>		<i>Outside US: Country of birth</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	66	66--Virgin Islands::Islas VÃ-rgenes
3	67	67--Other::Otro
2177	~	Legitimately skipped
6		Missing

<i>HCE39C</i>		<i>Outside US: Province/State of birth</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8408	Present	Text suppressed
2177	~	Legitimately skipped
606		Missing

<i>HCE39D</i>		<i>Outside US: City/Town of birth</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7891	Present	Text suppressed
2177	~	Legitimately skipped
1123		Missing

Section C: Questionnaire Forms

Personal Medical History: FORM CODE=MHE VERSION=1

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11610	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11610	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2249	MHE	
9361	MHS	

<i>MHE0A</i>		<i>completion date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11607	Range	10/01/2014 - 12/29/2017
3		Missing

<i>MHE1</i>		<i>heart attack</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35	U	
11382	0	0 = No
193	1	1 = Yes

<i>MHE2</i>		<i>blood flow surgery</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15	U	
11393	0	0 = No
200	1	1 = Yes
2		Missing

Section C: Questionnaire Forms

<i>MHE3</i>		<i>angina</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
29	U	
11227	0	0 = No
353	1	1 = Yes
1		Missing

<i>MHE4</i>		<i>heart failure</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
36	U	
11393	0	0 = No
179	1	1 = Yes
2		Missing

<i>MHE5</i>		<i>stroke</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
17	U	
11488	0	0 = No
100	1	1 = Yes
5		Missing

<i>MHE6</i>		<i>mini stroke</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33	U	
11428	0	0 = No
145	1	1 = Yes
4		Missing

<i>MHE7</i>		<i>stroke surgery</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8	U	
11569	0	0 = No
30	1	1 = Yes
3		Missing

Section C: Questionnaire Forms

<i>MHE8</i>		<i>aorta aneurysm</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
20	U	
11552	0	0 = No
33	1	1 = Yes
5		Missing

<i>MHE9</i>		<i>blood clot</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
30	U	
11388	0	0 = No
186	1	1 = Yes
6		Missing

<i>MHE10</i>		<i>p arterial disease</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
59	U	
11186	0	0 = No
357	1	1 = Yes
8		Missing

<i>MHE10A</i>		<i>PAD treatment</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	U	
315	0	0 = No
30	1	1 = Yes
11253	.S	Legitimately skipped
7		Missing

<i>MHE11</i>		<i>liver disease</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
42	U	
11197	0	0 = No
355	1	1 = Yes
16		Missing

Section C: Questionnaire Forms

<i>MHE11A</i>		<i>hepatitis</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
193	0	0 = No
155	1	1 = Yes
11255	.S	Legitimately skipped
7		Missing

<i>MHE11B</i>		<i>hepatitis type</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
24	U	
19	1	1 = Type A
23	2	2 = Type B
88	3	3 = Type C
11455	.S	Legitimately skipped
1		Missing

<i>MHE11C</i>		<i>cirrhosis</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
284	0	0 = No
60	1	1 = Yes
11255	.S	Legitimately skipped
11		Missing

<i>MHE12</i>		<i>emphysema</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
26	U	
11323	0	0 = No
255	1	1 = Yes
6		Missing

Section C: Questionnaire Forms

<i>MHE12A</i>		<i>emphysema prescription</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	U	
85	0	0 = No
163	1	1 = Yes
11355	.S	Legitimately skipped
2		Missing

<i>MHE13</i>		<i>asthma</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15	U	
10960	0	0 = No
618	1	1 = Yes
17		Missing

<i>MHE13A</i>		<i>asthma prescription</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	U	
324	0	0 = No
287	1	1 = Yes
10992	.S	Legitimately skipped
4		Missing

<i>MHE14</i>		<i>diabetes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
39	U	
10104	0	0 = No
1461	1	1 = Yes
6		Missing

Section C: Questionnaire Forms

<i>MHE14A</i>		<i>diabetes treatment</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	U	
955	0	0 = No
496	1	1 = Yes
10149	.S	Legitimately skipped
5		Missing

<i>MHE14B1</i>		<i>diabetes pills</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
156	0	0 = No
338	1	1 = Yes
11114	.S	Legitimately skipped
2		Missing

<i>MHE14B2</i>		<i>diabetes insulin</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
443	0	0 = No
47	1	1 = Yes
11114	.S	Legitimately skipped
6		Missing

<i>MHE14B3</i>		<i>diabetes insulin + pills</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
416	0	0 = No
75	1	1 = Yes
11114	.S	Legitimately skipped
5		Missing

<i>MHE14B4</i>		<i>diabetes eye exam</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
331	0	0 = No
161	1	1 = Yes
11114	.S	Legitimately skipped
4		Missing

Section C: Questionnaire Forms

<i>MHE14B5</i>		<i>diabetes diet</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
190	0	0 = No
303	1	1 = Yes
11114	.S	Legitimately skipped
3		Missing

<i>MHE14B6</i>		<i>diabetes smoking</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
392	0	0 = No
81	1	1 = Yes
11114	.S	Legitimately skipped
23		Missing

<i>MHE14B7</i>		<i>diabetes exercise</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
210	0	0 = No
281	1	1 = Yes
11114	.S	Legitimately skipped
5		Missing

<i>MHE14B8</i>		<i>diabetes other</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
455	0	0 = No
32	1	1 = Yes
11114	.S	Legitimately skipped
9		Missing

<i>MHE14B8A</i>		<i>specify diabetes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32	Present	Text suppressed
11578	~	Legitimately skipped

Section C: Questionnaire Forms

<i>MHE15</i>		<i>HBP</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
47	U	
9197	0	0 = No
2355	1	1 = Yes
11		Missing

<i>MHE15A</i>		<i>HBP treatment</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	U	
1552	0	0 = No
782	1	1 = Yes
9255	.S	Legitimately skipped
17		Missing

<i>MHE15B1</i>		<i>HBP new medicine</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
177	0	0 = No
602	1	1 = Yes
10828	.S	Legitimately skipped
3		Missing

<i>MHE15B2</i>		<i>HBP increase medicine</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
620	0	0 = No
145	1	1 = Yes
10828	.S	Legitimately skipped
17		Missing

<i>MHE15B3</i>		<i>HBP weight</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
449	0	0 = No
318	1	1 = Yes
10828	.S	Legitimately skipped
15		Missing

Section C: Questionnaire Forms

<i>MHE15B4</i>		<i>HBP diet</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
391	0	0 = No
377	1	1 = Yes
10828	.S	Legitimately skipped
14		Missing

<i>MHE15B5</i>		<i>HBP smoking</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
646	0	0 = No
93	1	1 = Yes
10828	.S	Legitimately skipped
43		Missing

<i>MHE15B6</i>		<i>HBP exercise</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
397	0	0 = No
372	1	1 = Yes
10828	.S	Legitimately skipped
13		Missing

<i>MHE15B7</i>		<i>HBP other</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
740	0	0 = No
24	1	1 = Yes
10828	.S	Legitimately skipped
18		Missing

<i>MHE15B7A</i>		<i>specify HBP</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
24	Present	Text suppressed
11586	~	Legitimately skipped

Section C: Questionnaire Forms

<i>MHE16</i>		<i>HB cholesterol</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
155	U	
9013	0	0 = No
2435	1	1 = Yes
7		Missing

<i>MHE16A</i>		<i>HBC treatment</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11	U	
1303	0	0 = No
1110	1	1 = Yes
9175	.S	Legitimately skipped
11		Missing

<i>MHE16B1</i>		<i>HBC new medicine</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
383	0	0 = No
719	1	1 = Yes
10500	.S	Legitimately skipped
8		Missing

<i>MHE16B2</i>		<i>HBC increase medicine</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1037	0	0 = No
48	1	1 = Yes
10500	.S	Legitimately skipped
25		Missing

<i>MHE16B3</i>		<i>HBC weight loss advice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
629	0	0 = No
459	1	1 = Yes
10500	.S	Legitimately skipped
22		Missing

Section C: Questionnaire Forms

<i>MHE16B4</i>		<i>HBC diet change advice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
337	0	0 = No
761	1	1 = Yes
10500	.S	Legitimately skipped
12		Missing

<i>MHE16B5</i>		<i>HBC stop smoking</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
935	0	0 = No
101	1	1 = Yes
10500	.S	Legitimately skipped
74		Missing

<i>MHE16B6</i>		<i>HBC exercise advice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
478	0	0 = No
607	1	1 = Yes
10500	.S	Legitimately skipped
25		Missing

<i>MHE16B7</i>		<i>HBC other advice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1054	0	0 = No
29	1	1 = Yes
10500	.S	Legitimately skipped
27		Missing

<i>MHE16B7A</i>		<i>specify HBC other advice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
28	Present	Text suppressed
11581	~	Legitimately skipped
1		Missing

Section C: Questionnaire Forms

<i>MHE17</i>		<i>malignant tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11019	0	0 = No
582	1	1 = Yes
9		Missing

<i>MHE17A1</i>		<i>lung tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
558	0	0 = No
24	1	1 = Yes
11028	.S	Legitimately skipped

<i>MHE17A2</i>		<i>breast tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
430	0	0 = No
152	1	1 = Yes
11028	.S	Legitimately skipped

<i>MHE17A3</i>		<i>cervical tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
501	0	0 = No
68	1	1 = Yes
11028	.S	Legitimately skipped
13		Missing

<i>MHE17A4</i>		<i>blood lymph tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
555	0	0 = No
27	1	1 = Yes
11028	.S	Legitimately skipped

Section C: Questionnaire Forms

<i>MHE17A5</i>		<i>testes scrotum type</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
540	0	0 = No
5	1	1 = Yes
11028	.S	Legitimately skipped
37		Missing

<i>MHE17A6</i>		<i>bone type</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
572	0	0 = No
10	1	1 = Yes
11028	.S	Legitimately skipped

<i>MHE17A7</i>		<i>melanoma type</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
566	0	0 = No
16	1	1 = Yes
11028	.S	Legitimately skipped

<i>MHE17A8</i>		<i>skin tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
536	0	0 = No
45	1	1 = Yes
11028	.S	Legitimately skipped
1		Missing

<i>MHE17A9</i>		<i>brain tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
571	0	0 = No
10	1	1 = Yes
11028	.S	Legitimately skipped
1		Missing

Section C: Questionnaire Forms

<i>MHE17A10</i>		<i>stomach tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
569	0	0 = No
12	1	1 = Yes
11028	.S	Legitimately skipped
1		Missing

<i>MHE17A11</i>		<i>colon tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
543	0	0 = No
38	1	1 = Yes
11028	.S	Legitimately skipped
1		Missing

<i>MHE17A12</i>		<i>uterine tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
515	0	0 = No
53	1	1 = Yes
11028	.S	Legitimately skipped
14		Missing

<i>MHE17A13</i>		<i>prostate tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
477	0	0 = No
67	1	1 = Yes
11028	.S	Legitimately skipped
38		Missing

<i>MHE17A14</i>		<i>liver tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
567	0	0 = No
14	1	1 = Yes
11028	.S	Legitimately skipped
1		Missing

Section C: Questionnaire Forms

<i>MHE17A15</i>		<i>kidney tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
564	0	0 = No
17	1	1 = Yes
11028	.S	Legitimately skipped
1		Missing

<i>MHE17A16</i>		<i>other tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
472	0	0 = No
107	1	1 = Yes
11028	.S	Legitimately skipped
3		Missing

<i>MHE17A16A</i>		<i>specify tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
107	Present	Text suppressed
11503	~	Legitimately skipped

<i>MHE18</i>		<i>pacemaker or AICD</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6	U	
11456	0	0 = No
59	1	1 = Yes, pacemaker
21	2	2 = Yes, automatic defibrillator (AICD)
7	3	3 = Yes, both pacemaker, and automatic defibrillator (AICD)
61		Missing

<i>MHE19</i>		<i>swelling feet day end</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32	U	
9150	0	0 = No
2420	1	1 = Yes
8		Missing

Section C: Questionnaire Forms

<i>MHE20</i>		<i>night difficulty breathing</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
19	U	
10317	0	0 = No
1263	1	1 = Yes
11		Missing

<i>MHE21</i>		<i>stop for breath soft walk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13	U	
9913	0	0 = No
1665	1	1 = Yes
19		Missing

<i>MHE22</i>		<i>difficult breathe stationary</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	U	
10697	0	0 = No
890	1	1 = Yes
16		Missing

<i>MHE23A</i>		<i>dementia</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11532	0	0 = No
67	1	1 = Yes
11		Missing

<i>MHE23B</i>		<i>alzheimer's disease</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11558	0	0 = No
44	1	1 = Yes
8		Missing

Section C: Questionnaire Forms

<i>MHE23C</i>		<i>vascular dementia</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11587	0	0 = No
13	1	1 = Yes
10		Missing

<i>MHE23D</i>		<i>MCI</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11495	0	0 = No
106	1	1 = Yes
9		Missing

<i>MHE23E</i>		<i>parkinson's disease</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11574	0	0 = No
29	1	1 = Yes
7		Missing

<i>MHE23F</i>		<i>brain tumor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11558	0	0 = No
35	1	1 = Yes
17		Missing

<i>MHE24</i>		<i>urinary: leakage</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
45	U	
7957	1	1 = Never
1321	2	2 = Less than once a month
868	3	3 = A few times a month
535	4	4 = A few times a week
625	5	5 = Every day and/or night
259		Missing

Section C: Questionnaire Forms

<i>MHE25</i>		<i>urine lost</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13	U	
1870	1	1 = Drops
1177	2	2 = Small splashes
283	3	3 = More
8261	.S	Legitimately skipped
6		Missing

<i>MHE26</i>		<i>lost urine w activity</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	U	
8214	0	0 = No
3129	1	1 = Yes
257		Missing

<i>MHE26A</i>		<i>frequency of occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
29	U	
1524	1	1 = Less than once a month
771	2	2 = A few times a month
460	3	3 = A few times a week
335	4	4 = Every day and/or night
8481	.S	Legitimately skipped
10		Missing

<i>MHE27</i>		<i>lost control w urge to urinate</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9	U	
8160	0	0 = No
3193	1	1 = Yes
248		Missing

Section C: Questionnaire Forms

<i>MHE27A</i>		<i>frequency of occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
19	U	
1556	1	1 = Less than once a month
804	2	2 = A few times a month
472	3	3 = A few times a week
327	4	4 = Every day and/or night
8417	.S	Legitimately skipped
15		Missing

<i>MHE28</i>		<i>lost urine w/o activity</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
14	U	
10383	0	0 = No
954	1	1 = Yes
259		Missing

<i>MHE28A</i>		<i>frequency of occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8	U	
304	1	1 = Less than once a month
232	2	2 = A few times a month
199	3	3 = A few times a week
206	4	4 = Every day and/or night
10656	.S	Legitimately skipped
5		Missing

Section C: Questionnaire Forms

<i>MHE29</i>		<i>leakage bothered 12 month</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	U	
154	1	1 = Not at all
323	2	2 = Only a little
113	3	3 = Somewhat
241	4	4 = Very much
116	5	5 = Greatly
10656	.S	Legitimately skipped
4		Missing

<i>MHE30</i>		<i>leakage affect activities 12 month</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	U	
313	1	1 = Not at all
292	2	2 = Only a little
112	3	3 = Somewhat
173	4	4 = Very much
59	5	5 = Greatly
10656	.S	Legitimately skipped
4		Missing

<i>MHE31</i>		<i>times urinate night past 30 days</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11	U	
2849	0	0 = Never
3990	1	1 = 1 time
2408	2	2 = 2 times
1300	3	3 = 3 times
457	4	4 = 4 times
345	5	5 = 5 or more times
250		Missing

Section C: Questionnaire Forms

<i>MHE32</i>		<i>failing kidneys</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
37	U	
10974	0	0 = No
326	1	1 = Yes
273		Missing

<i>MHE33</i>		<i>received dialysis</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
293	0	0 = No
32	1	1 = Yes
11284	.S	Legitimately skipped
1		Missing

<i>MHE34</i>		<i>had kidney stones</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
28	U	
10235	0	0 = No
1053	1	1 = Yes
294		Missing

<i>MHE34A</i>		<i>no kidney stones</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
987	Range	0 - 99 (median=1 mean=1.9 std=4.8)
10557	.S	Legitimately skipped
66		Missing

<i>MHE35</i>		<i>had tuberculosis or TB</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
20	U	
11232	0	0 = No
81	1	1 = Yes
277		Missing

Section C: Questionnaire Forms

<i>MHE35A</i>		<i>prescribed TB medicine</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
38	0	0 = No
38	1	1 = Yes
11529	.S	Legitimately skipped
5		Missing

<i>MHE36</i>		<i>TB skin test</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
324	U	
6619	0	0 = No
4371	1	1 = Yes
296		Missing

<i>MHE36A</i>		<i>TB skin test result</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
70	U	
704	1	1 = Positive
3588	2	2 = Negative
7239	.S	Legitimately skipped
9		Missing

<i>MHE36B</i>		<i>TB medicine after skin test</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	U	
469	0	0 = No
225	1	1 = Yes
10906	.S	Legitimately skipped
3		Missing

Section C: Questionnaire Forms

<i>MHE37</i>		<i>trouble urinating</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	U	
3073	0	0 = No
307	1	1 = Yes
8113	.S	Legitimately skipped
114		Missing

<i>MHE38</i>		<i>bladder feel empty</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
48	U	
726	0	0 = No
2603	1	1 = Yes
8113	.S	Legitimately skipped
120		Missing

<i>MHE39</i>		<i>prostate disease</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12	U	
3667	0	0 = No
505	1	1 = Yes
7334	.S	Legitimately skipped
92		Missing

<i>MHE40</i>		<i>enlarged prostate</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
21	U	
3604	0	0 = No
557	1	1 = Yes
7334	.S	Legitimately skipped
94		Missing

Section C: Questionnaire Forms

<i>MHE40A</i>		<i>benign enlargement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
27	U	
154	0	0 = No
374	1	1 = Yes
11053	.S	Legitimately skipped
2		Missing

<i>MHE40B</i>		<i>age of diagnosis</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
545	Range	14 - 80 (median=59 mean=57.5 std=9.6)
11053	.S	Legitimately skipped
12		Missing

<i>MHE40C</i>		<i>enlargement because cancer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
14	U	
485	0	0 = No
54	1	1 = Yes
11053	.S	Legitimately skipped
4		Missing

<i>MHE41</i>		<i>had PSA done</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
190	U	
2693	0	0 = No
1304	1	1 = Yes
7334	.S	Legitimately skipped
89		Missing

Section C: Questionnaire Forms

<i>MHE42</i>		<i>had rectal exam</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
20	U	
2339	0	0 = No
1824	1	1 = Yes
7334	.S	Legitimately skipped
93		Missing

<i>MHE42A</i>		<i>exam for prostate cancer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
120	U	
360	0	0 = No
1334	1	1 = Yes
9786	.S	Legitimately skipped
10		Missing

<i>MHE42B</i>		<i>exam checking blood</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
190	U	
846	0	0 = No
774	1	1 = Yes
9786	.S	Legitimately skipped
14		Missing

<i>MHE43</i>		<i>able to sustain erection</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
91	U	
224	0	0 = Never able
609	1	1 = Sometimes able
827	2	2 = Usually able
2433	3	3 = Always or almost always able
7334	.S	Legitimately skipped
92		Missing

Section C: Questionnaire Forms

Medical Use: FORM CODE=MUE VERSION=1

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11608	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11608	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2248	MUE	
9360	MUS	

<i>MUE0A</i>		<i>completion date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11605	Range	09/16/2014 - 12/29/2017
3		Missing

<i>MUE1</i>		<i>bring all meds?</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7542	1	1 = Yes, all of them
108	2	2 = No, some of them
3956	3	3 = No, none of them
2		Missing

<i>MUE2</i>		<i>forgot-haven't taken-couldn't bring meds</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3645	1	1 = Took no medication
295	2	2 = Forgot or was unable to bring medication
7652	.S	Legitimately skipped
16		Missing

Section C: Questionnaire Forms

<i>MUE3</i>		<i>may we follow-up</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
22	0	0 = No or not applicable
378	1	1 = Yes
11205	.S	Legitimately skipped
3		Missing

<i>MUE5B</i>		<i>5. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7310	Present	Text suppressed
3688	~	Legitimately skipped
610		Missing

<i>MUE5C</i>		<i>5. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7081	Present	Text suppressed
3688	~	Legitimately skipped
839		Missing

<i>MUE5A</i>		<i>5. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7829	Present	Text suppressed
3688	~	Legitimately skipped
91		Missing

<i>MUE6B</i>		<i>6. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5838	Present	Text suppressed
3688	~	Legitimately skipped
2082		Missing

<i>MUE6C</i>		<i>6. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5647	Present	Text suppressed
3688	~	Legitimately skipped
2273		Missing

Section C: Questionnaire Forms

<i>MUE6A</i>		<i>6. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6316	Present	Text suppressed
3688	~	Legitimately skipped
1604		Missing

<i>MUE7B</i>		<i>7. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4663	Present	Text suppressed
3688	~	Legitimately skipped
3257		Missing

<i>MUE7C</i>		<i>7. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4480	Present	Text suppressed
3688	~	Legitimately skipped
3440		Missing

<i>MUE7A</i>		<i>7. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5080	Present	Text suppressed
3688	~	Legitimately skipped
2840		Missing

<i>MUE8B</i>		<i>8. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3677	Present	Text suppressed
3688	~	Legitimately skipped
4243		Missing

<i>MUE8C</i>		<i>8. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3524	Present	Text suppressed
3688	~	Legitimately skipped
4396		Missing

Section C: Questionnaire Forms

<i>MUE8A</i>		<i>8. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4040	Present	Text suppressed
3688	~	Legitimately skipped
3880		Missing

<i>MUE9B</i>		<i>9. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
3688	~	Legitimately skipped
5035		Missing

<i>MUE9C</i>		<i>9. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2764	Present	Text suppressed
3688	~	Legitimately skipped
5156		Missing

<i>MUE9A</i>		<i>9. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3168	Present	Text suppressed
3688	~	Legitimately skipped
4752		Missing

<i>MUE10B</i>		<i>10. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2256	Present	Text suppressed
3688	~	Legitimately skipped
5664		Missing

<i>MUE10C</i>		<i>10. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2154	Present	Text suppressed
3688	~	Legitimately skipped
5766		Missing

Section C: Questionnaire Forms

<i>MUE10A</i>		<i>10. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2457	Present	Text suppressed
3688	~	Legitimately skipped
5463		Missing

<i>MUE11B</i>		<i>11. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1709	Present	Text suppressed
3688	~	Legitimately skipped
6211		Missing

<i>MUE11C</i>		<i>11. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1629	Present	Text suppressed
3688	~	Legitimately skipped
6291		Missing

<i>MUE11A</i>		<i>11. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1891	Present	Text suppressed
3688	~	Legitimately skipped
6029		Missing

<i>MUE12B</i>		<i>12. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1290	Present	Text suppressed
3688	~	Legitimately skipped
6630		Missing

<i>MUE12C</i>		<i>12. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1231	Present	Text suppressed
3688	~	Legitimately skipped
6689		Missing

Section C: Questionnaire Forms

<i>MUE12A</i>		<i>12. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1448	Present	Text suppressed
3688	~	Legitimately skipped
6472		Missing

<i>MUE13B</i>		<i>13. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
956	Present	Text suppressed
3688	~	Legitimately skipped
6964		Missing

<i>MUE13C</i>		<i>13. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
904	Present	Text suppressed
3688	~	Legitimately skipped
7016		Missing

<i>MUE13A</i>		<i>13. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1080	Present	Text suppressed
3688	~	Legitimately skipped
6840		Missing

<i>MUE14B</i>		<i>14. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
721	Present	Text suppressed
3688	~	Legitimately skipped
7199		Missing

<i>MUE14C</i>		<i>14. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
680	Present	Text suppressed
3688	~	Legitimately skipped
7240		Missing

Section C: Questionnaire Forms

<i>MUE14A</i>		<i>14. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
821	Present	Text suppressed
3688	~	Legitimately skipped
7099		Missing

<i>MUE15B</i>		<i>15. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
561	Present	Text suppressed
3688	~	Legitimately skipped
7359		Missing

<i>MUE15C</i>		<i>15. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
533	Present	Text suppressed
3688	~	Legitimately skipped
7387		Missing

<i>MUE15A</i>		<i>15. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
631	Present	Text suppressed
3688	~	Legitimately skipped
7289		Missing

<i>MUE16B</i>		<i>16. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
423	Present	Text suppressed
3688	~	Legitimately skipped
7497		Missing

<i>MUE16C</i>		<i>16. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
407	Present	Text suppressed
3688	~	Legitimately skipped
7513		Missing

Section C: Questionnaire Forms

<i>MUE16A</i>		<i>16. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
466	Present	Text suppressed
3688	~	Legitimately skipped
7454		Missing

<i>MUE17B</i>		<i>17. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
342	Present	Text suppressed
3688	~	Legitimately skipped
7578		Missing

<i>MUE17C</i>		<i>17. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
323	Present	Text suppressed
3688	~	Legitimately skipped
7597		Missing

<i>MUE17A</i>		<i>17. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
373	Present	Text suppressed
3688	~	Legitimately skipped
7547		Missing

<i>MUE18B</i>		<i>18. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
265	Present	Text suppressed
3688	~	Legitimately skipped
7655		Missing

<i>MUE18C</i>		<i>18. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
253	Present	Text suppressed
3688	~	Legitimately skipped
7667		Missing

Section C: Questionnaire Forms

<i>MUE18A</i>		<i>18. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
294	Present	Text suppressed
3688	~	Legitimately skipped
7626		Missing

<i>MUE19B</i>		<i>19. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
212	Present	Text suppressed
3688	~	Legitimately skipped
7708		Missing

<i>MUE19C</i>		<i>19. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
203	Present	Text suppressed
3688	~	Legitimately skipped
7717		Missing

<i>MUE19A</i>		<i>19. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
236	Present	Text suppressed
3688	~	Legitimately skipped
7684		Missing

<i>MUE20B</i>		<i>20. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
186	Present	Text suppressed
3688	~	Legitimately skipped
7734		Missing

<i>MUE20C</i>		<i>20. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
184	Present	Text suppressed
3688	~	Legitimately skipped
7736		Missing

Section C: Questionnaire Forms

<i>MUE20A</i>		<i>20. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
200	Present	Text suppressed
3688	~	Legitimately skipped
7720		Missing

<i>MUE21B</i>		<i>21. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
164	Present	Text suppressed
3688	~	Legitimately skipped
7756		Missing

<i>MUE21C</i>		<i>21. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
159	Present	Text suppressed
3688	~	Legitimately skipped
7761		Missing

<i>MUE21A</i>		<i>21. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
174	Present	Text suppressed
3688	~	Legitimately skipped
7746		Missing

<i>MUE22B</i>		<i>22. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
136	Present	Text suppressed
3688	~	Legitimately skipped
7784		Missing

Section C: Questionnaire Forms

<i>MUE22C</i>		<i>22. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	%	
82	0	
1	00	
1	CAP	
2	G	
4	MCG	
32	MG	
4	ML	
3	NONE	
1	U/GM	
1	none	
3688	~	Legitimately skipped
7787		Missing

<i>MUE22A</i>		<i>22. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
146	Present	Text suppressed
3688	~	Legitimately skipped
7774		Missing

<i>MUE23B</i>		<i>23. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
124	Present	Text suppressed
3688	~	Legitimately skipped
7796		Missing

Section C: Questionnaire Forms

<i>MUE23C</i>		<i>23. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	%	
81	0	
2	00	
1	DROP	
2	MCG	
29	MG	
1	NON	
2	NONE	
1	none	
3688	~	Legitimately skipped
7797		Missing

<i>MUE23A</i>		<i>23. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
129	Present	Text suppressed
3688	~	Legitimately skipped
7791		Missing

<i>MUE24B</i>		<i>24. strength</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
112	Present	Text suppressed
3688	~	Legitimately skipped
7808		Missing

<i>MUE24C</i>		<i>24. units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
110	Present	Text suppressed
3688	~	Legitimately skipped
7810		Missing

Section C: Questionnaire Forms

<i>MUE24A</i>		<i>24. med name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
114	Present	Text suppressed
3688	~	Legitimately skipped
7806		Missing

<i>MUE25</i>		<i># meds in bag</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7426	Range	0 - 34 (median=4 mean=4.6 std=3.6)
3688	.S	Legitimately skipped
494		Missing

<i>MUE26A</i>		<i>meds last 4 weeks: asthma</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	U	
6992	0	0 = No
803	1	1 = Yes
3663	.S	Legitimately skipped
148		Missing

<i>MUE26B</i>		<i>meds last 4 weeks: bronchitis</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6	U	
7589	0	0 = No
202	1	1 = Yes
3663	.S	Legitimately skipped
148		Missing

<i>MUE26C</i>		<i>meds last 4 weeks: diabetes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	U	
5557	0	0 = No
2237	1	1 = Yes
3663	.S	Legitimately skipped
150		Missing

Section C: Questionnaire Forms

<i>MUE26D</i>		<i>meds last 4 weeks: hypertension</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9	U	
3944	0	0 = No
3844	1	1 = Yes
3663	.S	Legitimately skipped
148		Missing

<i>MUE26E</i>		<i>meds last 4 weeks: high cholesterol</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
20	U	
5279	0	0 = No
2498	1	1 = Yes
3663	.S	Legitimately skipped
148		Missing

<i>MUE26F</i>		<i>meds last 4 weeks: chest pain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11	U	
7548	0	0 = No
237	1	1 = Yes
3663	.S	Legitimately skipped
149		Missing

<i>MUE26G</i>		<i>meds last 4 weeks: heart rhythm</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18	U	
7483	0	0 = No
295	1	1 = Yes
3663	.S	Legitimately skipped
149		Missing

Section C: Questionnaire Forms

<i>MUE26H</i>		<i>meds last 4 weeks: heart failure</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
21	U	
7634	0	0 = No
135	1	1 = Yes
3663	.S	Legitimately skipped
155		Missing

<i>MUE26I</i>		<i>meds last 4 weeks: blood thinning</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15	U	
6082	0	0 = No
1695	1	1 = Yes
3663	.S	Legitimately skipped
153		Missing

<i>MUE26J</i>		<i>meds last 4 weeks: stroke</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	U	
7677	0	0 = No
106	1	1 = Yes
3663	.S	Legitimately skipped
155		Missing

<i>MUE26K</i>		<i>meds last 4 weeks: mini-stroke</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	U	
7693	0	0 = No
86	1	1 = Yes
3663	.S	Legitimately skipped
156		Missing

Section C: Questionnaire Forms

<i>MUE26L</i>		<i>meds last 4 weeks: leg pain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8	U	
7060	0	0 = No
721	1	1 = Yes
3663	.S	Legitimately skipped
156		Missing

<i>MUE26M</i>		<i>meds last 4 weeks: depression</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	U	
6765	0	0 = No
1021	1	1 = Yes
3663	.S	Legitimately skipped
156		Missing

<i>MUE26N</i>		<i>meds last 4 weeks: anxiety</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6	U	
6834	0	0 = No
951	1	1 = Yes
3663	.S	Legitimately skipped
154		Missing

<i>MUE26O</i>		<i>meds last 4 weeks: glaucoma</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	U	
7579	0	0 = No
210	1	1 = Yes
3663	.S	Legitimately skipped
154		Missing

Section C: Questionnaire Forms

<i>MUE26P</i>		<i>meds last 4 weeks: thyroid</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	U	
7015	0	0 = No
771	1	1 = Yes
3663	.S	Legitimately skipped
157		Missing

Section C: Questionnaire Forms**Pregnancy Complications: FORM CODE=PCE VERSION=1**

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
555	1	
121	2	
16	3	
1	4	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
232	PCE	
461	PCS	

<i>PCE0A</i>		<i>Completion Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	Range	10/10/2014 - 12/29/2017

<i>PCE1A</i>		<i>Pregnancy Number</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	Range	1 - 4 (median=1 mean=1.2 std=0.5)

<i>PCE1BY</i>		<i>Year of Date of Birth</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
692	Range	2004 - 2017 (median=2013 mean=2012.9 std=2.0)
1		Missing

<i>PCE1C</i>		<i>Received care in the US</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	0	0=No prenatal care
10	1	1=Both in and out of US
669	2	2=Only in the US
10	3	3=Only outside of the US

Section C: Questionnaire Forms

<i>PCE1D</i>		<i>Hypertension-HBP in this pregnancy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	U	
615	0	0=No
76	1	1=Yes

<i>PCE1D1</i>		<i>Hypertension-HBP before this pregnancy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	U	
668	0	0=No
19	1	1=Yes
5		Missing

<i>PCE1E</i>		<i>Preeclampsia-toxemia in this pregnancy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	U	
654	0	0=No
35	1	1=Yes

<i>PCE1F</i>		<i>Eclampsia during this pregnancy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	U	
690	0	0=No
1	1	1=Yes
1		Missing

<i>PCE1G</i>		<i>Diabetes during this pregnancy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
591	0	0=No
101	1	1=Yes
1		Missing

Section C: Questionnaire Forms

<i>PCE1G1</i>		<i>Took meds for blood sugar during this pregnancy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	U	
53	0	0=No
24	1	1=Yes, pills only
19	2	2=Yes, insulin only
3	3	3=Yes, pills and insulin
592	.S	Legitimately skipped

<i>PCE1G2</i>		<i>Had Diabetes Before</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
667	0	0=No
21	1	1=Yes
5		Missing

<i>PCE1H</i>		<i>Smoked during last 3 months of pregnancy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
674	0	0=Not at all
10	1	1=Occasionally
9	2	2=Daily

<i>PCE1I</i>		<i>Smoked 3 months before pregnancy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
618	0	0=Not at all
38	1	1=Occasionally
37	2	2=Daily

<i>PCE1J</i>		<i>Weight gained during pregnancy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
630	Range	0 - 150 (median=25 mean=28.2 std=17.0)
2	.U	Unsure
63		Missing

Section C: Questionnaire Forms

<i>PCE1J1</i>		<i>Weight gained units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
610	1	1=lbs
9	2	2=kgs
61	.S	Legitimately skipped
13		Missing

<i>PCE2A</i>		<i>Pregnancy Length</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
690	Range	6 - 42 (median=38 mean=31.4 std=12.8)
3		Missing

<i>PCE2A1</i>		<i>Pregnancy length units</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
526	2	2=Weeks
164	3	3=Month
3	.S	Legitimately skipped

<i>PCE3</i>		<i>Pregnancy Result</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	0	0=Miscarriage
680	1	1=Live birth (or at least one live birth if multiples)
5	2	2=Stillbirth(s)
1	3	3=Tubal or Ectopic pregnancy
3	4	4=Other

<i>PCE3A</i>		<i>Number of Babies</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
680	Range	1 - 2 (median=1 mean=1.0 std=0.1)
13	.S	Legitimately skipped

Section C: Questionnaire Forms

<i>PCE4</i>		<i>Delivery type</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
419	1	1=Vaginal Delivery
265	2	2=C-section
8	.S	Legitimately skipped
1		Missing

<i>PCE5</i>		<i>Birth Location</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
678	1	1=In a hospital
4	2	2=In a birthing center
2	3	3=In your home or other place
8	.S	Legitimately skipped
1		Missing

<i>PCE6</i>		<i>number of babies in pregnancy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
673	1	
7	2	
13	.S	Legitimately skipped

<i>PCE7A</i>		<i>Baby 1 Birth</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	0	0=Stillbirth
669	1	1=Live
13	.S	Legitimately skipped
10		Missing

<i>PCE7B</i>		<i>Baby 1 gender</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
341	1	1=Male
329	2	2=Female
13	.S	Legitimately skipped
10		Missing

Section C: Questionnaire Forms

<i>PCE7C</i>		<i>Baby 1 Weight lbs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
648	Range	1 - 11 (median=7 mean=6.9 std=1.4)
13	.S	Legitimately skipped
32		Missing

<i>PCE7C1</i>		<i>Baby 1 Weight oz</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
606	Range	0 - 21 (median=6 mean=6.6 std=4.6)
13	.S	Legitimately skipped
74		Missing

<i>PCE7C2</i>		<i>Baby 1 Weight g</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	Range	200 - 3400 (median=1800 mean=1800.0 std=2262.7)
661	.S	Legitimately skipped
30		Missing

<i>PCE7D</i>		<i>Baby 1 approx weight</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	U	
1	1	1=Less than 5 1/2 lbs (2500g)?
16	2	2=Between 5 1/2 and 9 lbs?
663	.S	Legitimately skipped
12		Missing

<i>PCE7E</i>		<i>Baby 1 currently breastfeeding</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
94	0	0=No, never breastfed this baby
504	1	1=No, I stopped breastfeeding this baby
70	2	2=Yes, I am still breastfeeding this baby
1	9	9=Unsure/don't know
24	.S	Legitimately skipped

Section C: Questionnaire Forms

<i>PCE7E1</i>		<i>Baby 1 age stopped bf</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
474	Range	1 - 42 (median=5 mean=7.0 std=6.6)
189	.S	Legitimately skipped
14	.U	Unsure
30		Missing

<i>PCE7E2</i>		<i>Baby 1 units age stopped bf</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	1	1=Days
19	2	2=Weeks
446	3	3=Months
205	.S	Legitimately skipped
13		Missing

<i>PCE7E3</i>		<i>Baby 1 bf long as wanted</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12	U	
293	0	0=No
281	1	1=Yes
95	.S	Legitimately skipped
12		Missing

<i>PCE7E4</i>		<i>Baby 1 age solid foods</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
540	Range	0 - 30 (median=4 mean=4.3 std=3.3)
119	.S	Legitimately skipped
34		Missing

<i>PCE7E5</i>		<i>Baby 1 units age solid foods</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
107	1	1=Days
22	2	2=Weeks
411	3	3=Months
153	.S	Legitimately skipped

Section C: Questionnaire Forms

<i>PCE8A</i>		<i>Baby 2 Birth</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	1	1=Live
686	.S	Legitimately skipped

<i>PCE8B</i>		<i>Baby 2 gender</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	1	1=Male
2	2	2=Female
686	.S	Legitimately skipped

<i>PCE8C</i>		<i>Baby 2 Weight lbs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6	Range	2 - 6 (median=4.5 mean=4.33 std=1.37)
686	.S	Legitimately skipped
1		Missing

<i>PCE8C1</i>		<i>Baby 2 Weight oz</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6	Range	0 - 9 (median=0.5 mean=2.00 std=3.52)
686	.S	Legitimately skipped
1		Missing

<i>PCE8C2</i>		<i>Baby 2 Weight g</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
692	.S	Legitimately skipped
1		Missing

<i>PCE8D</i>		<i>Baby 2 approx weight</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	U	
692	.S	Legitimately skipped

Section C: Questionnaire Forms

<i>PCE8E</i>		<i>Baby 2 currently breastfeeding</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	0	0=No, never breastfed this baby
3	1	1=No, I stopped breastfeeding this baby
686	.S	Legitimately skipped

<i>PCE8E1</i>		<i>Baby 2 age stopped bf</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	Range	3 - 6 (median=4.5 mean=4.50 std=2.12)
690	.S	Legitimately skipped
1		Missing

<i>PCE8E2</i>		<i>Baby 2 units age stopped bf</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	3	3=Months
691	.S	Legitimately skipped
1		Missing

<i>PCE8E3</i>		<i>Baby 2 bf long as wanted</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	0	0=No
2	1	1=Yes
686	.S	Legitimately skipped
2		Missing

<i>PCE8E4</i>		<i>Baby 2 age solid foods</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	Range	1 - 6 (median=3.5 mean=3.50 std=3.54)
690	.S	Legitimately skipped
1		Missing

<i>PCE8E5</i>		<i>Baby 2 Units age solid foods</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	1	1=Days
1	3	3=Months
691	.S	Legitimately skipped

Section C: Questionnaire Forms

<i>PCE9A</i>		<i>Baby 3 Birth</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE9B</i>		<i>Baby 3 gender</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE9C</i>		<i>Baby 3 Weight lbs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE9C1</i>		<i>Baby 3 Weight oz</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE9C2</i>		<i>Baby 3 Weight g</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE9D</i>		<i>Baby 3 approx weight</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE9E</i>		<i>Baby 3 currently breastfeeding</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE9E1</i>		<i>Baby 3 age stopped bf</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE9E2</i>		<i>Baby 3 units age stopped bf</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

Section C: Questionnaire Forms

<i>PCE9E3</i>		<i>Baby 3 bf long as wanted</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE9E4</i>		<i>Baby 3 age solid foods</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE9E5</i>		<i>Baby 3 units age solid foods</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE10A</i>		<i>Baby 4 Birth</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE10B</i>		<i>Baby 4 gender</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE10C</i>		<i>Baby 4 Weight lbs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE10C1</i>		<i>Baby 4 Weight oz</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE10C2</i>		<i>Baby 4 Weight g</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE10D</i>		<i>Baby 4 approx weight</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

Section C: Questionnaire Forms

<i>PCE10E</i>		<i>Baby 4 currently breastfeeding</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE10E1</i>		<i>Baby 4 age stopped bf</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE10E2</i>		<i>Baby 4 units age stopped bf</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE10E3</i>		<i>Baby 4 bf long as wanted</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE10E4</i>		<i>Baby 4 age solid foods</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE10E5</i>		<i>Baby 4 units age solid foods</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693	.S	Legitimately skipped

<i>PCE1J_KG</i>		<i>Weight gained during pregnancy (kg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
617	Range	0 - 68.0388 (median=11.3398 mean=12.88634 std=7.62270)
76		Missing

<i>PCE7C_G</i>		<i>Baby 1 Weight (g,calculated)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
650	Range	200 - 5243.7575 (median=3316.3915 mean=3315.66661 std=635.39966)
43		Missing

Section C: Questionnaire Forms

<i>PCE8C_G</i>		<i>Baby 2 Weight (g,calculated)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6	Range	907.184 - 2749.8015 (median=2069.4135 mean=2022.06433 std=655.61632)
687		Missing

<i>PCE9C_G</i>		<i>Baby 3 Weight (g,calculated)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693		Missing

<i>PCE10C_G</i>		<i>Baby 4 Weight (g,calculated)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693		Missing

<i>PCE7E1_DAYS</i>		<i>Baby 1 age stopped bf (days)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
461	Range	1 - 1080 (median=120 mean=193.2 std=187.0)
232		Missing

<i>PCE8E1_DAYS</i>		<i>Baby 2 age stopped bf (days)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	Range	90 - 90 (median=90 mean=90.0 std=)
692		Missing

<i>PCE9E1_DAYS</i>		<i>Baby 3 age stopped bf (days)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693		Missing

<i>PCE10E1_DAYS</i>		<i>Baby 4 age stopped bf (days)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693		Missing

<i>PCE7E4_DAYS</i>		<i>Baby 1 age solid foods (days)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
540	Range	0 - 540 (median=120 mean=115.9 std=94.6)
153		Missing

Section C: Questionnaire Forms

<i>PCE8E4_DAYS</i>		<i>Baby 2 age solid foods (days)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	Range	1 - 180 (median=90.5 mean=90.50 std=126.57)
691		Missing

<i>PCE9E4_DAYS</i>		<i>Baby 3 age solid foods (days)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693		Missing

<i>PCE10E4_DAYS</i>		<i>Baby 4 age solid foods (days)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
693		Missing

<i>PCE2A_WEEKS</i>		<i>Pregnancy Length (weeks)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
690	Range	24 - 42 (median=40 mean=38.7 std=2.3)
3		Missing

Section C: Questionnaire Forms**Reproductive Medical History: FORM CODE=RME VERSION=1**

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7204	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7204	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1290	RME	
5914	RMS	

<i>RME0A</i>		<i>Completion Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7195	Range	08/08/2014 - 01/12/2018
9		Missing

<i>RME1</i>		<i>Ever used birth control</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15	U	
2629	1	1=No
4548	2	2=Yes
3	7	7=Refused
9		Missing

<i>RME2A</i>		<i>Birth Control Pills</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16	U	
863	0	0=Never
3535	1	1=Ever
145	2	2=Current
2641	.S	Legitimately skipped
4		Missing

Section C: Questionnaire Forms

<i>RME2B</i>		<i>Birth Control Ring</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32	U	
4019	0	0=Never
489	1	1=Ever
19	2	2=Current
2641	.S	Legitimately skipped
4		Missing

<i>RME2C</i>		<i>Birth Control Shot</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25	U	
3515	0	0=Never
979	1	1=Ever
39	2	2=Current
2641	.S	Legitimately skipped
5		Missing

<i>RME2D</i>		<i>Birth Control Implant</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18	U	
4309	0	0=Never
184	1	1=Ever
49	2	2=Current
2641	.S	Legitimately skipped
3		Missing

<i>RME2E</i>		<i>Birth Control IUD</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
58	U	
3204	0	0=Never
1087	1	1=Ever
209	2	2=Current
2641	.S	Legitimately skipped
5		Missing

Section C: Questionnaire Forms

<i>RME3A</i>		<i>Hormonal Birth Control</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
221	0	0=No
4264	1	1=Yes
2717	.S	Legitimately skipped
2		Missing

<i>RME3B</i>		<i>Hormonal Acne</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	U	
4429	0	0=No
54	1	1=Yes
2717	.S	Legitimately skipped
2		Missing

<i>RME3C</i>		<i>Hormonal Cramps</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	U	
4278	0	0=No
206	1	1=Yes
2717	.S	Legitimately skipped
2		Missing

<i>RME3D</i>		<i>Hormonal Periods</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	U	
4013	0	0=No
470	1	1=Yes
2717	.S	Legitimately skipped
2		Missing

Section C: Questionnaire Forms

<i>RME3E</i>		<i>Hormonal Bleeding</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	U	
4278	0	0=No
205	1	1=Yes
2717	.S	Legitimately skipped
2		Missing

<i>RME3F</i>		<i>Hormonal Other</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	U	
4393	0	0=No
77	1	1=Yes
2717	.S	Legitimately skipped
15		Missing

<i>RME3F1</i>		<i>Hormonal Specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
76	Present	Text suppressed
7127	~	Legitimately skipped
1		Missing

<i>RME4</i>		<i>Infertility>1 year</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	U	
6442	0	0=No
725	1	1=Yes
1	7	7=Refused
32		Missing

Section C: Questionnaire Forms

<i>RME4A</i>		<i>Infertility Cause</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
384	U	
270	0	0=Medical problem with you?
49	1	1=Medical problem with your partner?
16	2	2=Medical problems with both you and your partner?
4	7	7=Refused
6479	.S	Legitimately skipped
2		Missing

<i>RME5</i>		<i>Periods Stopped</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25	U	
2346	0	0=No
4800	1	1=Yes, I have no menstrual periods
17	2	2=Yes, but I have periods induced by hormones
16		Missing

<i>RME5A</i>		<i>Most Recent Period</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2246	Range	01/20/2000 - 12/19/2017
4833	.S	Legitimately skipped
125		Missing

<i>RME5AY</i>		<i>Year of Most Recent Period</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2307	Range	1986 - 2017 (median=2016 mean=2015.6 std=1.3)
4897		Missing

<i>RME5AM</i>		<i>Month of Most Recent Period</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2295	Range	1 - 12 (median=7 mean=6.6 std=3.4)
4909		Missing

Section C: Questionnaire Forms

<i>RME5AD</i>		<i>Day of Most Recent Period</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2247	Range	1 - 31 (median=15 mean=14.9 std=8.6)
4957		Missing

<i>RME6</i>		<i>Age Periods Stopped</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4687	Range	14 - 73 (median=48 mean=46.8 std=6.7)
2387	.S	Legitimately skipped
130		Missing

<i>RME7</i>		<i>Why Periods Stopped</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16	U	
3438	1	1=They stopped naturally
1217	2	2=Surgery to remove ovaries or uterus
15	3	3=Endometrial ablation
27	4	4=Radiation/chemotherapy
102	5	5=Other
2387	.S	Legitimately skipped
2		Missing

<i>RME7A</i>		<i>Why Periods Stopped-other specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
101	Present	Text suppressed
7102	~	Legitimately skipped
1		Missing

<i>RME8</i>		<i>Had Hysterectomy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15	U	
5716	0	0=No
1437	1	1=Yes
1	7	7=Refused
35		Missing

Section C: Questionnaire Forms

<i>RME8A</i>		<i>Age Hysterectomy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1406	Range	18 - 75 (median=43 mean=43.2 std=8.9)
5767	.S	Legitimately skipped
31		Missing

<i>RME9</i>		<i>Ovaries Removed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
81	U	
6133	0	0=No
401	1	1=Yes, one removed
539	2	2=Yes, both removed
23	3	3=Yes, unsure if one or both removed
27		Missing

<i>RME9A</i>		<i>Age Ovaries Removed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
940	Range	11 - 75 (median=42 mean=42.3 std=10.6)
6241	.S	Legitimately skipped
23		Missing

<i>RME10</i>		<i>Days Menstrual Cycle Lasts</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
104	U	
452	0	0=Less than 24 days
5766	1	1=24-35 days
137	2	2=More than 35 days
718	3	3=Too variable or irregular to say
2	7	7=Refused
25		Missing

Section C: Questionnaire Forms

<i>RME11</i>		<i>PCOS</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
53	U	
6779	0	0=No
350	1	1=Yes
22		Missing

<i>RME12A</i>		<i>Times Pregnant Before V1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7188	Range	0 - 25 (median=3 mean=3.4 std=2.4)
16		Missing

<i>RME12B</i>		<i>Times Pregnant After V1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7171	Range	0 - 6 (median=0 mean=0.1 std=0.5)
33		Missing

<i>RME13A</i>		<i># Pregs of 6+ months-before V1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6464	Range	0 - 20 (median=3 mean=2.9 std=1.7)
739	.S	Legitimately skipped
1		Missing

<i>RME13B</i>		<i># Pregs of 6+ months-after V1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
682	Range	0 - 4 (median=1 mean=1.0 std=0.7)
6517	.S	Legitimately skipped
5		Missing

<i>RME14A</i>		<i># Miscarriages</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6453	Range	0 - 20 (median=0 mean=0.7 std=1.2)
739	.S	Legitimately skipped
12		Missing

Section C: Questionnaire Forms

<i>RME15A</i>		<i># Tubal/Ectopics Pregnancies</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6453	Range	0 - 9 (median=0 mean=0.1 std=0.3)
739	.S	Legitimately skipped
12		Missing

<i>RME16A</i>		<i># C-Sections</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6461	Range	0 - 10 (median=0 mean=0.6 std=1.0)
739	.S	Legitimately skipped
4		Missing

<i>RME17</i>		<i>Depression during any Pregnancy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
75	U	
4753	0	0=No
1810	1	1=Yes
545	.S	Legitimately skipped
21		Missing

<i>RME18</i>		<i>Post-partum Depression</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
57	U	
4958	0	0=No
1601	1	1=Yes
545	.S	Legitimately skipped
43		Missing

Section C: Questionnaire Forms

<i>RME19</i>		<i># Babies born alive-before V1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
209	0	
996	1	
23	10	
5	11	
9	12	
1	13	
2	14	
1	15	
1857	2	
1	25	
1710	3	
849	4	
403	5	
189	6	
112	7	
63	8	
23	9	
739	.S	Legitimately skipped
12		Missing

<i>RME19A</i>		<i># Babies stillborn-before V1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6442	Range	0 - 10 (median=0 mean=0.1 std=0.5)
739	.S	Legitimately skipped
23		Missing

<i>RME20A</i>		<i>Hypertension</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
60	U	
5626	0	0=No
757	1	1=Yes
1	7	7=Refused
739	.S	Legitimately skipped
21		Missing

Section C: Questionnaire Forms

<i>RME20B</i>		<i>Preeclampsia</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
47	U	
6055	0	0=No
341	1	1=Yes
1	7	7=Refused
739	.S	Legitimately skipped
21		Missing

<i>RME20C</i>		<i>Seizures</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25	U	
6343	0	0=No
78	1	1=Yes
1	7	7=Refused
739	.S	Legitimately skipped
18		Missing

<i>RME20D</i>		<i>Diabetes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
27	U	
5846	0	0=No
571	1	1=Yes
1	7	7=Refused
739	.S	Legitimately skipped
20		Missing

<i>RME20E</i>		<i>Underweight infant</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
43	U	
5636	0	0=No
754	1	1=Yes
1	7	7=Refused
739	.S	Legitimately skipped
31		Missing

Section C: Questionnaire Forms

<i>RME20F</i>		<i>Overweight Infant</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
42	U	
5029	0	0=No
1359	1	1=Yes
3	7	7=Refused
739	.S	Legitimately skipped
32		Missing

<i>RME20G</i>		<i>Premature infant</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16	U	
5621	0	0=No
800	1	1=Yes
1	7	7=Refused
739	.S	Legitimately skipped
27		Missing

<i>RME20H</i>		<i>Multiple Birth</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8	U	
6217	0	0=No
212	1	1=Yes
1	7	7=Refused
739	.S	Legitimately skipped
27		Missing

<i>RME21A</i>		<i>#preg <6 mos-no PNC</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5776	Range	0 - 20 (median=0 mean=0.4 std=1.0)
739	.S	Legitimately skipped
689		Missing

Section C: Questionnaire Forms

<i>RME21B</i>		<i>#preg <6 mos-PNC in and out of US</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5648	Range	0 - 10 (median=0 mean=0.0 std=0.3)
739	.S	Legitimately skipped
817		Missing

<i>RME21C</i>		<i>#preg<6 mos-PNC only in the US</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5708	Range	0 - 13 (median=0 mean=0.2 std=0.7)
739	.S	Legitimately skipped
757		Missing

<i>RME21D</i>		<i>#preg<6 mos-PNC only outside US</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5683	Range	0 - 12 (median=0 mean=0.2 std=0.7)
739	.S	Legitimately skipped
782		Missing

<i>RME22A</i>		<i>#preg>=6 mos-no PNC</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6090	Range	0 - 18 (median=0 mean=0.2 std=1.0)
739	.S	Legitimately skipped
375		Missing

<i>RME22B</i>		<i>#preg>=6 mos-PNC in and out of US</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6070	Range	0 - 7 (median=0 mean=0.1 std=0.6)
739	.S	Legitimately skipped
395		Missing

<i>RME22C</i>		<i>#preg>=6 mos-PNC only in US</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6320	Range	0 - 12 (median=1 mean=1.4 std=1.5)
739	.S	Legitimately skipped
145		Missing

Section C: Questionnaire Forms

<i>RME22D</i>		<i>#preg>=6 mos-PNC only outside US</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6215	Range	0 - 14 (median=0 mean=1.2 std=1.7)
739	.S	Legitimately skipped
250		Missing

Section C: Questionnaire Forms**Socio Economic Status: FORM CODE=SEE VERSION=1**

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11212	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11212	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2173	SEE	
9039	SES	

<i>SEE0A</i>		<i>Completion date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11209	Range	10/01/2014 - 12/29/2017
3		Missing

<i>SEE1</i>		<i>Home Ownership</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1044	1	1=Owned by you or someone in the household free and clear without a mortgage or loan
2615	2	2=Owned by you or someone in the household with a mortgage or loan
7321	3	3=Rented
151	4	4=Occupied without payment
69	5	5=Other arrangement
12		Missing

Section C: Questionnaire Forms

<i>SEE1A</i>		<i>Other Living Arrangement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	1	1=Motel/Hotel
1	2	2=Residential drug/alcohol treatment facility
9	3	3=Senior Assisted Living Facility
3	4	4=Nursing home
9	5	5=Homeless shelter
3	6	6=Emergency shelter
3	7	7=Living in the streets (Abandoned building, park, train station, car)
5	8	8=Recreational Vehicle (RV) campgrounds
35	9	9=Other
11143	.S	Legitimately skipped

<i>SEE1B</i>		<i>Other Living Arrangement Specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35	Present	Text suppressed
11177	~	Legitimately skipped

<i>SEE2</i>		<i>Bank Account</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	U	
2568	0	0=No
8616	1	1=Yes
7	9	9=Refused
11		Missing

<i>SEE3</i>		<i>Low or High Income</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6317	1	1=Less than \$30,000
4441	2	2=\$30,000 or more
454		Missing

Section C: Questionnaire Forms

<i>SEE4</i>		<i>Lower Income Amount</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1296	1	1=Less than \$10,000
1726	2	2=\$10,001-\$15,000
1234	3	3=\$15,001-\$20,000
995	4	4=\$20,001-\$25,000
918	5	5=\$25,001-\$29,999
4895	.S	Legitimately skipped
148		Missing

<i>SEE5</i>		<i>Higher Income Amount</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1681	1	1=\$30,000-\$40,000
973	2	2=\$40,001-\$50,000
968	3	3=\$50,001-\$75,000
442	4	4=\$75,001-\$100,000
319	5	5=More than \$100,000
6771	.S	Legitimately skipped
58		Missing

Section C: Questionnaire Forms

<i>SEE6</i>		<i>Income People Supported</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	0	
2160	1	
14	10	
5	11	
4	12	
2	13	
1	14	
1	19	
3177	2	
2184	3	
1794	4	
1017	5	
455	6	
181	7	
90	8	
31	9	
95		Missing

<i>SEE7</i>		<i>Retired</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8805	0	0=No
2366	1	1=Yes
41		Missing

<i>SEE7A</i>		<i>Year Retired</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8846	.S	Legitimately skipped
2366		Missing

<i>SEE7AY</i>		<i>Year of Year Retired</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2259	Range	1961 - 2017 (median=2009 mean=2007.2 std=7.9)
8953		Missing

Section C: Questionnaire Forms

<i>SEE8</i>		<i>Employed in past year</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4422	0	0=No
6771	1	1=Yes
19		Missing

<i>SEE9</i>		<i>No. of months worked</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6765	Range	1 - 12 (median=12 mean=10.7 std=2.6)
4441	.S	Legitimately skipped
6		Missing

<i>SEE10</i>		<i>No. of Full time jobs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6747	Range	0 - 80 (median=1 mean=0.8 std=1.3)
4441	.S	Legitimately skipped
24		Missing

<i>SEE10A</i>		<i>No. of full hours worked</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5146	Range	0 - 99 (median=40 mean=42.3 std=9.0)
6044	.S	Legitimately skipped
22		Missing

<i>SEE10B</i>		<i>Type of PRIMARY employer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
768	1	1=I am self-employed and have no full-time employees.
2125	2	2=Under 50. I work for a small business
2238	3	3=50 or more. I work for a large company
6044	.S	Legitimately skipped
37		Missing

Section C: Questionnaire Forms

<i>SEE11</i>		<i>No. of Part time jobs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4572	0	
1908	1	
1	10	
194	2	
53	3	
1	30	
9	4	
10	5	
1	6	
2	7	
2	8	
4441	.S	Legitimately skipped
18		Missing

<i>SEE11A</i>		<i>No. of part hours worked</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2112	Range	0 - 70 (median=20 mean=19.6 std=9.7)
9031	.S	Legitimately skipped
69		Missing

<i>SEE12</i>		<i>Looked for work</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3926	0	0=No
478	1	1=Yes
6790	.S	Legitimately skipped
18		Missing

<i>SEE12A</i>		<i>Time looked for work</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
470	Range	1 - 100 (median=7 mean=9.6 std=9.8)
10734	.S	Legitimately skipped
8		Missing

Section C: Questionnaire Forms

<i>SEE12A1</i>		<i>Days or Months</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
31	1	1=Days
442	3	3=Months
10734	.S	Legitimately skipped
5		Missing

<i>SEE13</i>		<i>Reason not working</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1302	1	1=Retired
67	2	2=Going to school
925	3	3=Homemaker
595	4	4=Unable to work for health reasons
1057	5	5=Disabled
197	6	6=On layoff/unemployed
257	7	7=Other
6790	.S	Legitimately skipped
22		Missing

<i>SEE13A</i>		<i>Specify Not Working</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
254	Present	Text suppressed
10955	~	Legitimately skipped
3		Missing

<i>SEE14</i>		<i>Ed. Program Since V1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9146	0	0=No
2033	1	1=Yes
33		Missing

Section C: Questionnaire Forms

<i>SEE15</i>		<i>Highest Education</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
38	1	1=Elementary/primary school (includes grades 1 - 5)
64	2	2=Middle school/junior high (includes grades 6 - 8)
239	3	3=High School/preparatory school/GED
477	4	4=Trade school/vocational school
758	5	5=University/college
446	6	6=Other
9179	.S	Legitimately skipped
11		Missing

<i>SEE15A</i>		<i>Specify Highest Education</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
445	Present	Text suppressed
10766	~	Legitimately skipped
1		Missing

<i>SEE12A_DAYS</i>		<i>Time looked for work (days)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
468	Range	1 - 2880 (median=180 mean=268.1 std=268.1)
10744		Missing

Section C: Questionnaire Forms**Social Support: FORM CODE=SSE VERSION=1**

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11180	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11180	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2169	SSE	
9011	SSS	

<i>SSE0A</i>		<i>completion date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11168	Range	01/18/2014 - 12/29/2017
12		Missing

<i>SSE1</i>		<i>Difficulty finding trip companion</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6829	1	1 = Definitely False
1487	2	2 = Probably False
1360	3	3 = Probably True
1488	4	4 = Definitely True
16		Missing

<i>SSE2</i>		<i>None to share worries-fears</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7731	1	1 = Definitely False
1081	2	2 = Probably False
882	3	3 = Probably True
1478	4	4 = Definitely True
8		Missing

Section C: Questionnaire Forms

<i>SSE3</i>		<i>Easily find help when sick</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1567	1	1 = Definitely False
888	2	2 = Probably False
1991	3	3 = Probably True
6725	4	4 = Definitely True
9		Missing

<i>SSE4</i>		<i>Someone for family advice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1401	1	1 = Definitely False
569	2	2 = Probably False
1735	3	3 = Probably True
7459	4	4 = Definitely True
16		Missing

<i>SSE5</i>		<i>Easily find movie companion</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1559	1	1 = Definitely False
854	2	2 = Probably False
1909	3	3 = Probably True
6821	4	4 = Definitely True
37		Missing

<i>SSE6</i>		<i>Someone for personal problem advice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
914	1	1 = Definitely False
386	2	2 = Probably False
1687	3	3 = Probably True
8183	4	4 = Definitely True
10		Missing

Section C: Questionnaire Forms

<i>SSE7</i>		<i>Not invited to do things</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6238	1	1 = Definitely False
1523	2	2 = Probably False
1394	3	3 = Probably True
2016	4	4 = Definitely True
9		Missing

<i>SSE8</i>		<i>Difficulty finding house sitter</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6700	1	1 = Definitely False
1183	2	2 = Probably False
1191	3	3 = Probably True
2078	4	4 = Definitely True
28		Missing

<i>SSE9</i>		<i>Easily find lunch company</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
868	1	1 = Definitely False
463	2	2 = Probably False
1774	3	3 = Probably True
8058	4	4 = Definitely True
17		Missing

<i>SSE10</i>		<i>Someone for stranded help</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
845	1	1 = Definitely False
383	2	2 = Probably False
1656	3	3 = Probably True
8271	4	4 = Definitely True
25		Missing

Section C: Questionnaire Forms

<i>SSE11</i>		<i>Difficulty family crisis advice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6484	1	1 = Definitely False
1239	2	2 = Probably False
1253	3	3 = Probably True
2178	4	4 = Definitely True
26		Missing

<i>SSE12</i>		<i>Difficulty finding moving help</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7578	1	1 = Definitely False
1161	2	2 = Probably False
967	3	3 = Probably True
1451	4	4 = Definitely True
23		Missing

Section C: Questionnaire Forms

Chronic Stress: FORM CODE=STE VERSION=1

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11188	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11188	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2172	STE	
9016	STS	

<i>STE0A</i>		<i>Completion date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11184	Range	10/01/2014 - 12/29/2017
4		Missing

<i>STE1</i>		<i>Personal Serious health problem</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7312	0	0=No
3876	1	1=Yes

<i>STE1A</i>		<i>Personal health problem 6+ months</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
245	0	0=No
3628	1	1=Yes
7312	.S	Legitimately skipped
3		Missing

Section C: Questionnaire Forms

<i>STE1B</i>		<i>Personal health stress</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1684	1	1=Not very stressful
864	2	2=Moderately Stressful
1181	3	3=Very Stressful
7312	.S	Legitimately skipped
147		Missing

<i>STE2</i>		<i>Close person w health problem</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7391	0	0=No
3795	1	1=Yes
2		Missing

<i>STE2A</i>		<i>Close person w problem 6+ months</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
317	0	0=No
3465	1	1=Yes
7393	.S	Legitimately skipped
13		Missing

<i>STE2B</i>		<i>Close person health stress</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1468	1	1=Not very stressful
1026	2	2=Moderately Stressful
1205	3	3=Very Stressful
7393	.S	Legitimately skipped
96		Missing

<i>STE3</i>		<i>Ability/difficulty to work</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9519	0	0=No
1520	1	1=Yes
149		Missing

Section C: Questionnaire Forms

<i>STE3A</i>		<i>Work difficulty problem 6+ months</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
184	0	0=No
1334	1	1=Yes
9668	.S	Legitimately skipped
2		Missing

<i>STE3B</i>		<i>Work difficulty stress</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
352	1	1=Not very stressful
411	2	2=Moderately Stressful
749	3	3=Very Stressful
9668	.S	Legitimately skipped
8		Missing

<i>STE4</i>		<i>Financial strain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7099	0	0=No
4082	1	1=Yes
7		Missing

<i>STE4A</i>		<i>Financial strain problem 6+ months</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
719	0	0=No
3348	1	1=Yes
7106	.S	Legitimately skipped
15		Missing

<i>STE4B</i>		<i>Financial strain stress</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1349	1	1=Not very stressful
1115	2	2=Moderately Stressful
1564	3	3=Very Stressful
7106	.S	Legitimately skipped
54		Missing

Section C: Questionnaire Forms

<i>STE5</i>		<i>Relationship difficulties</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9032	0	0=No
2147	1	1=Yes
9		Missing

<i>STE5A</i>		<i>Relationship difficulty problem 6 months or more</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
409	0	0=No
1731	1	1=Yes
9041	.S	Legitimately skipped
7		Missing

<i>STE5B</i>		<i>Relationship difficulties stress</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
576	1	1=Not very stressful
594	2	2=Moderately Stressful
953	3	3=Very Stressful
9041	.S	Legitimately skipped
24		Missing

<i>STE6</i>		<i>Someone close: alcohol/drug use</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9222	0	0=No
1946	1	1=Yes
20		Missing

<i>STE6A</i>		<i>Someone close: alcohol/drug problem 6 months or more</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
126	0	0=No
1813	1	1=Yes
9242	.S	Legitimately skipped
7		Missing

Section C: Questionnaire Forms

STE6B		Someone close: alcohol/drug use stress
N	Value	Description
727	1	1=Not very stressful
473	2	2=Moderately Stressful
710	3	3=Very Stressful
9242	.S	Legitimately skipped
36		Missing

STE7		Help someone close: sick/limited/frail
N	Value	Description
7848	0	0=No
3321	1	1=Yes
19		Missing

STE7A		Help someone close: sick/limited/frail problem 6 months or more
N	Value	Description
639	0	0=No
2678	1	1=Yes
7867	.S	Legitimately skipped
4		Missing

STE7B		Help for someone close: sick/limited/frail stress
N	Value	Description
1768	1	1=Not very stressful
691	2	2=Moderately Stressful
693	3	3=Very Stressful
7867	.S	Legitimately skipped
169		Missing

STE8		Not listed problem
N	Value	Description
10569	0	0=No
589	1	1=Yes
30		Missing

Section C: Questionnaire Forms

<i>STE8A</i>		<i>Specify: Not listed problem</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
577	Present	Text suppressed
10599	~	Legitimately skipped
12		Missing

<i>STE8B</i>		<i>Not listed problem 6 months or more</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
77	0	0=No
502	1	1=Yes
10599	.S	Legitimately skipped
10		Missing

<i>STE8C</i>		<i>Not listed problem stress</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
106	1	1=Not very stressful
175	2	2=Moderately Stressful
293	3	3=Very Stressful
10599	.S	Legitimately skipped
15		Missing

Section C: Questionnaire Forms

Tobacco Use: FORM CODE=TBE VERSION=1

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11611	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11611	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2249	TBE	
9362	TBS	

<i>TBE0A</i>		<i>Completion Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11610	Range	10/01/2014 - 12/29/2017
1		Missing

<i>TBE1</i>		<i>Smoke 100 cigarettes in lifetime</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7207	0	0=No
4402	1	1=Yes
2		Missing

<i>TBE2</i>		<i>Age first started smoking regularly</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4374	Range	0 - 65 (median=17 mean=18.3 std=6.5)
7209	.S	Legitimately skipped
28		Missing

Section C: Questionnaire Forms

<i>TBE3</i>		<i>First smoked flavored cigarettes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3048	0	0=No
1341	1	1=Yes
7209	.S	Legitimately skipped
13		Missing

<i>TBE4</i>		<i>Current smoking status</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1164	1	1=Daily
571	2	2=Some days
2665	3	3=Not at all
7209	.S	Legitimately skipped
2		Missing

<i>TBE5</i>		<i>Number cigarettes per day currently</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1162	Range	1 - 80 (median=8 mean=10.0 std=8.1)
10447	.S	Legitimately skipped
2		Missing

<i>TBE6</i>		<i>Past 30 days: Number days smoked</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
562	Range	0 - 30 (median=5.5 mean=8.90 std=8.52)
11040	.S	Legitimately skipped
9		Missing

<i>TBE6A</i>		<i>Past 30 days: Cigarettes smoked per day</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
553	Range	0 - 40 (median=2 mean=3.1 std=4.0)
11040	.S	Legitimately skipped
18		Missing

Section C: Questionnaire Forms

<i>TBE7</i>		<i>Age completely quit smoking</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2615	Range	10 - 87 (median=39 mean=39.3 std=13.2)
8946	.S	Legitimately skipped
50		Missing

<i>TBE8</i>		<i>Reason for quitting smoking</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
147	1	1=Advice of physician
1328	2	2=health reasons, self-initiated, including disease prevention
228	3	3=Pressure from others, excluding physician
937	4	4=Other
8946	.S	Legitimately skipped
25		Missing

<i>TBE8A</i>		<i>Specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
928	Present	Text suppressed
10674	~	Legitimately skipped
9		Missing

<i>TBE9</i>		<i>Medication to quit: Doctor prescribed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3884	0	0=No
77	1	1=Yes, currently using
421	2	2=Yes, past use
7209	.S	Legitimately skipped
20		Missing

<i>TBE10</i>		<i>Medication to quit: OTC aids</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4011	0	0=No
60	1	1=Yes, currently using
308	2	2=Yes, past use
7209	.S	Legitimately skipped
23		Missing

Section C: Questionnaire Forms

<i>TBE11</i>		<i>Medication to quit: Therapy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4271	0	0=No
115	1	1=Yes
7209	.S	Legitimately skipped
16		Missing

<i>TBE12</i>		<i>Entire time smoked: average cigarettes per day</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4321	Range	0 - 80 (median=7 mean=11.0 std=11.0)
7209	.S	Legitimately skipped
81		Missing

<i>TBE13</i>		<i>Ever Smoked tobacco using hookah</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10564	0	0=No
1039	1	1=Yes
8		Missing

<i>TBE13A</i>		<i>Past 30 days: Smoke tobacco using hookah</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
905	0	0=No
131	1	1=Yes
10572	.S	Legitimately skipped
3		Missing

Section C: Questionnaire Forms

<i>TBE13A1</i>		<i>Number days using hookah</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
67	1	
4	10	
1	12	
1	14	
23	2	
3	20	
1	26	
9	3	
3	30	
6	4	
7	5	
3	6	
1	7	
2	8	
11480	.S	Legitimately skipped

<i>TBE14</i>		<i>Ever spit tobacco, chew, dip, snuff tobacco</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11350	0	0=No
228	1	1=Yes
33		Missing

<i>TBE14A</i>		<i>14a. During the past 30 days, did you spit tobacco, chew, dip, or snus tobacco (Copenhagen, Skoal, Grizzly)?</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
208	0	0=No
7	1	1=Yes
11383	.S	Legitimately skipped
13		Missing

<i>TBE14A1</i>		<i>Number days: spit, chew, dip, snuff tobacco</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	Range	1 - 20 (median=2 mean=6.9 std=7.7)
11604	.S	Legitimately skipped

Section C: Questionnaire Forms

<i>TBE15</i>		<i>Ever Smoked e-cigarette</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10656	0	0=No
937	1	1=Yes
18		Missing

<i>TBE15A</i>		<i>Past 30 days: Smoke e-cigarette</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
796	0	0=No
136	1	1=Yes
10674	.S	Legitimately skipped
5		Missing

<i>TBE15A1</i>		<i>Number days using e-cigarette</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
136	Range	1 - 30 (median=3 mean=8.9 std=10.8)
11475	.S	Legitimately skipped

<i>TBE16</i>		<i>Ever smoked cigar, cigarillo, flavored cigar</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9723	0	0=No
1861	1	1=Yes
27		Missing

<i>TBE16A</i>		<i>Past 30 days: Smoke cigar, cigarillo, flavored cigar</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1608	0	0=No
248	1	1=Yes
9750	.S	Legitimately skipped
5		Missing

<i>TBE16A1</i>		<i>Number days using cigar, cigarillo, flavored cigar</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
247	Range	1 - 30 (median=2 mean=7.2 std=10.1)
11363	.S	Legitimately skipped
1		Missing

Section C: Questionnaire Forms

<i>TBE17</i>		<i>Not counting self regular smokers living in household</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9734	0	0=None
1476	1	1=1 person
292	2	2=2 people
53	3	3=3 people
25	4	4=4 or more people
31		Missing

<i>TBE18</i>		<i>Past year: Avg hours/week close contact with smokers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11467	Range	0 - 416 (median=0 mean=3.6 std=13.4)
144		Missing

<i>TBE19A</i>		<i>Exposed at home</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10743	0	0=No
853	1	1=Yes
15		Missing

<i>TBE19B</i>		<i>Exposed at work</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10391	0	0=No
1131	1	1=Yes
89		Missing

<i>TBE19C</i>		<i>Exposed in car</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10994	0	0=No
596	1	1=Yes
21		Missing

Section C: Questionnaire Forms

<i>TBE19D</i>		<i>Exposed in public</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7855	0	0=No
3737	1	1=Yes
19		Missing

Section C: Questionnaire Forms

Well-being: FORM CODE=WBE VERSION=1

<i>VERS</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11185	1	

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11185	1	

<i>FORM</i>		<i>Form</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2172	WBE	
9013	WBS	

<i>WBE0A</i>		<i>Completion Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11183	Range	10/01/2014 - 12/29/2017
2		Missing

<i>WBE1</i>		<i>Bothered by things</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7462	0	0=Rarely or none of the time (<1 day)
2282	1	1=Some or a little of the time (1-2 days)
859	2	2=Occasionally or a moderate amount of time (3-4 days)
577	3	3=All of the time (5-7 days)
5		Missing

<i>WBE2</i>		<i>Trouble keeping mind on things</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7087	0	0=Rarely or none of the time (<1 day)
2344	1	1=Some or a little of the time (1-2 days)
907	2	2=Occasionally or a moderate amount of time (3-4 days)
844	3	3=All of the time (5-7 days)
3		Missing

Section C: Questionnaire Forms

<i>WBE3</i>		<i>Felt depressed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6732	0	0=Rarely or none of the time (<1 day)
2481	1	1=Some or a little of the time (1-2 days)
954	2	2=Occasionally or a moderate amount of time (3-4 days)
1015	3	3=All of the time (5-7 days)
3		Missing

<i>WBE4</i>		<i>Felt everything was an effort</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6928	0	0=Rarely or none of the time (<1 day)
2108	1	1=Some or a little of the time (1-2 days)
939	2	2=Occasionally or a moderate amount of time (3-4 days)
1205	3	3=All of the time (5-7 days)
5		Missing

<i>WBE5</i>		<i>Felt hopeful about the future</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1528	0	0=Rarely or none of the time (<1 day)
1799	1	1=Some or a little of the time (1-2 days)
1539	2	2=Occasionally or a moderate amount of time (3-4 days)
6302	3	3=All of the time (5-7 days)
17		Missing

<i>WBE6</i>		<i>Felt fearful</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8194	0	0=Rarely or none of the time (<1 day)
1793	1	1=Some or a little of the time(1-2 days)
609	2	2=Occasionally or a moderate amount of time (3-4 days)
586	3	3=All of the time (5-7 days)
3		Missing

Section C: Questionnaire Forms

<i>WBE7</i>		<i>Restless sleep</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5852	0	0=Rarely or none of the time (<1 day)
2480	1	1=Some or a little of the time (1-2 days)
1251	2	2=Occasionally or a moderate amount of time (3-4 days)
1598	3	3=All of the time (5-7 days)
4		Missing

<i>WBE8</i>		<i>Happy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
740	0	0=Rarely or none of the time (<1 day)
1675	1	1=Some or a little of the time (1-2 days)
2060	2	2=Occasionally or a moderate amount of time (3-4 days)
6707	3	3=All of the time (5-7 days)
3		Missing

<i>WBE9</i>		<i>Lonely</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7337	0	0=Rarely or none of the time (<1 day)
1962	1	1=Some or a little of the time (1-2 days)
798	2	2=Occasionally or a moderate amount of the time (3-4 days)
1083	3	3=All of the time (5-7 days)
5		Missing

<i>WBE10</i>		<i>Could not get going</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6574	0	0=Rarely or none of the time (<1 day)
2772	1	1=Some or a little of the time (1-2 days)
957	2	2=Occasionally or a moderate amount of time (3-4 days)
876	3	3=All of the time (5-7 days)
6		Missing

Section C: Questionnaire Forms

<i>WBE11</i>		<i>Feeling nervous</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6606	0	0=Not at all
3102	1	1=Several days
630	2	2=More than half the days
813	3	3=Nearly every day
34		Missing

<i>WBE12</i>		<i>Can't stop worrying</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6764	0	0=Not at all
2750	1	1=Several days
657	2	2=More than half the days
980	3	3=Nearly every day
34		Missing

<i>WBE13</i>		<i>Worrying about different things</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6306	0	0=Not at all
3030	1	1=Several days
725	2	2=More than half the days
1087	3	3=Nearly every day
37		Missing

<i>WBE14</i>		<i>Trouble relaxing</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7209	0	0=Not at all
2372	1	1=Several days
660	2	2=More than half the days
911	3	3=Nearly every day
33		Missing

Section C: Questionnaire Forms

<i>WBE15</i>		<i>Hard to sit still</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7878	0	0=Not at all
1842	1	1=Several days
517	2	2=More than half the days
909	3	3=Nearly every day
39		Missing

<i>WBE16</i>		<i>Easily annoyed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6925	0	0=Not at all
2837	1	1=Several days
661	2	2=More than half the days
724	3	3=Nearly every day
38		Missing

<i>WBE17</i>		<i>Fear that something awful might happen</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8208	0	0=Not at all
1956	1	1=Several days
418	2	2=More than half the days
561	3	3=Nearly every day
42		Missing

Section A: Laboratory Reading Centers

Echocardiogram: FORM CODE=ECH VERSION=1

LVEDD		Parasternal long axis view: End-diastolic left ventricular diameter (cm)
N	Value	Description
6838	Range	2.92 - 7.27 (median=4.32 mean=4.362 std=0.437)
111		Missing

LVESD		ventricular diameter (cm)
N	Value	Description
6783	Range	1.53 - 6.35 (median=2.66 mean=2.708 std=0.380)
166		Missing

IVS		Parasternal long axis view: Interventricular septum thickness (cm)
N	Value	Description
6861	Range	0.48 - 2.15 (median=0.99 mean=1.009 std=0.157)
88		Missing

PW		Parasternal long axis view: Posterior wall thickness (cm)
N	Value	Description
6851	Range	0.53 - 1.69 (median=0.94 mean=0.962 std=0.141)
98		Missing

LVEDV		End-diastolic volume (ml)
N	Value	Description
6875	Range	41.28 - 403.4 (median=89.67 mean=92.389 std=21.626)
74		Missing

LVESV		End-systolic volume (ml)
N	Value	Description
6871	Range	8.49 - 313.08 (median=25.72 mean=27.683 std=11.987)
78		Missing

LVEF		Ejection fraction (%)
N	Value	Description
6871	Range	18.3 - 84.1 (median=71.3 mean=70.56 std=5.54)
78		Missing

Section A: Laboratory Reading Centers

<i>LVM</i>		<i>LV mass</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6830	Range	49.66 - 544.99 (median=138.19 mean=145.814 std=42.320)
119		Missing

<i>LVMl</i>		<i>LV mass index (g/m2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6824	Range	31.87 - 331.04 (median=77.49 mean=80.324 std=19.285)
125		Missing

<i>LVWT</i>		<i>LV relative wall thickness</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6835	Range	0.23 - 0.93 (median=0.43 mean=0.444 std=0.073)
114		Missing

<i>LVWTM</i>		<i>Mean LV wall thickness (cm)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6872	Range	0.6 - 1.92 (median=0.96 mean=0.985 std=0.144)
77		Missing

<i>LAWIDTH</i>		<i>Maximal left atrial anterior-posterior diameter (cm)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6865	Range	2.09 - 5.87 (median=3.61 mean=3.613 std=0.426)
84		Missing

<i>LAV</i>		<i>Left atrial volume (ml)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6769	Range	12.65 - 153.33 (median=39.14 mean=41.154 std=11.948)
180		Missing

<i>LAVI</i>		<i>LA volume index (ml/m2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6763	Range	8.68 - 78.65 (median=21.8 mean=22.84 std=6.11)
186		Missing

Section A: Laboratory Reading Centers

<i>MRJA</i>		<i>Mitral regurgitation jet area (cm2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
862	Range	0.35 - 8.85 (median=1.68 mean=1.934 std=1.071)
6087		Missing

<i>MRJALAA</i>		<i>MR jet area-to-left atrial area ration (%)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
860	Range	0 - 0.5 (median=0.1 mean=0.12 std=0.05)
6089		Missing

<i>EWAVE</i>		<i>Peak E wave velocity (cm/sec)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6875	Range	25 - 221 (median=69 mean=70.3 std=16.0)
74		Missing

<i>AWAVE</i>		<i>Peak A wave velocity (cm/sec)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6859	Range	19 - 202 (median=68 mean=69.6 std=17.3)
90		Missing

<i>DT</i>		<i>E wave deceleration time (mm/sec)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6776	Range	0 - 0.68 (median=0.2 mean=0.21 std=0.04)
173		Missing

<i>EALAT</i>		<i>Lateral early diastolic myocardial velocity (cm/sec)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6845	Range	2.9 - 19.6 (median=8.6 mean=8.74 std=2.38)
104		Missing

<i>AALAT</i>		<i>Lateral late diastolic myocardial velocity (cm/sec)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6825	Range	2.7 - 23.6 (median=9.9 mean=10.04 std=2.19)
124		Missing

Section A: Laboratory Reading Centers

<i>EASEPT</i>		<i>Septal early diastolic myocardial velocity</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6870	Range	1.8 - 16.7 (median=6.5 mean=6.63 std=1.64)
79		Missing

<i>AASEPT</i>		<i>Septal late diastolic myocardial velocity (cm/sec)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6856	Range	2 - 16.1 (median=8.7 mean=8.76 std=1.65)
93		Missing

<i>EARATIO</i>		<i>E/A ratio</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6844	Range	0.3 - 4.7 (median=1 mean=1.1 std=0.3)
105		Missing

<i>EEPRIMELAT</i>		<i>E/Em lateral ratio</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6800	Range	2.5 - 69.6 (median=8 mean=8.6 std=3.3)
149		Missing

<i>LVOTVEL</i>		<i>LVOT peak velocity</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6878	Range	42 - 207 (median=97 mean=98.7 std=17.6)
71		Missing

<i>LVOTVTI</i>		<i>LVOT VTI (cm)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6878	Range	3.84 - 43.24 (median=20.8 mean=21.03 std=3.87)
71		Missing

<i>AOVPV</i>		<i>AV peak velocity (cm/sec)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6853	Range	30 - 500 (median=115 mean=117.0 std=25.7)
96		Missing

Section A: Laboratory Reading Centers

<i>PAOVG</i>		<i>Peak Aortic Valve Gradient (mmHg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6853	Range	0.4 - 100 (median=5.3 mean=5.74 std=3.19)
96		Missing

<i>A4CRVEDA</i>		<i>Apical 4 chamber view: RV end diastolic area (cm2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5334	Range	9.87 - 41.99 (median=17.83 mean=18.326 std=3.368)
1615		Missing

<i>A4CRVESA</i>		<i>Apical 4 chamber view: RV end systolic area (cm2)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5330	Range	4.21 - 23.55 (median=9.46 mean=9.743 std=1.804)
1619		Missing

<i>RVFAC</i>		<i>RV fractional area change</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5329	Range	0.3 - 0.64 (median=0.47 mean=0.468 std=0.029)
1620		Missing

<i>TRVEL</i>		<i>Peak tricuspid regurgitation velocity (cm/sec)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2522	Range	95 - 396 (median=219 mean=219.7 std=30.2)
4427		Missing

<i>RVRAG</i>		<i>Peak RV-RA gradient (mmHg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2522	Range	3.6 - 62.6 (median=19.2 mean=19.67 std=5.46)
4427		Missing

<i>PVR</i>		<i>Pulmonary Vascular Resistance (Wood Units)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2503	Range	0.64 - 3.91 (median=1.57 mean=1.618 std=0.350)
4446		Missing

Section A: Laboratory Reading Centers

<i>EA</i>		<i>Arterial elastance (EA) (mmHg/ml)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6795	Range	1.26 - 15 (median=3.67 mean=3.815 std=0.969)
154		Missing

<i>EES</i>		<i>LV end-systolic elastance (EES) (mmHg/ml)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6735	Range	1.02 - 18.79 (median=5.9 mean=6.15 std=1.96)
214		Missing

<i>EAEESRATIO</i>		<i>EA/EES</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6735	Range	0.3 - 2.6 (median=0.6 mean=0.65 std=0.18)
214		Missing

<i>RVOTVTI</i>		<i>RVOT VTI (cm)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6847	Range	3.55 - 52.04 (median=15.49 mean=15.676 std=3.275)
102		Missing

<i>AVEPLS</i>		<i>Average peak longitudinal strain (%)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6949		Missing

<i>AVEPCSPAP</i>		<i>Average peak circumferential strain, midpapillary level (%)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6949		Missing

<i>AI</i>		<i>Moderate or greater aortic insufficiency</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
20	Y	Yes
6929	N	No

Section A: Laboratory Reading Centers

<i>MS</i>		<i>Moderate or greater mitral stenosis</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6	Y	Yes
6943	N	No

<i>PHTN</i>		<i>Moderate or greater pulmonary hypertension</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	Y	Yes
6944	N	No

<i>RVE</i>		<i>Severe right ventricular enlargement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6949	N	No

Section A: Laboratory Reading Centers**Lab Measurements: FORM CODE=LAB_DERV VERSION=1**

LABA1		White Blood Count (x10e9)
N	Value	Description
11454	Range	1.5 - 61.6 (median=6.6 mean=6.84 std=1.96)
134		Missing

LABA1A		WBC-String Result Value
N	Value	Description
11588		Missing

LABA2		Red Blood Count (x10e12)
N	Value	Description
11484	Range	2.09 - 7.2 (median=4.57 mean=4.587 std=0.468)
104		Missing

LABA3		Hemoglobin (g/dL)
N	Value	Description
11492	Range	5.9 - 18.7 (median=13.6 mean=13.59 std=1.48)
96		Missing

LABA4		Hematocrit (%)
N	Value	Description
11483	Range	20 - 59.5 (median=43 mean=43.1 std=4.4)
105		Missing

LABA5		Mean Corpuscular Volume (fl)
N	Value	Description
11481	Range	59 - 127 (median=94 mean=94.3 std=6.8)
1	.H	Too Large to Measure
1	.L	Too Small to Measure
107		Missing

Section A: Laboratory Reading Centers

LABA6		Mean Corpuscular Hemoglobin (pg)
N	Value	Description
11421	Range	20 - 39.4 (median=29.9 mean=29.74 std=2.09)
2	.H	Too Large to Measure
57	.L	Too Small to Measure
167		Missing

LABA7		Mean Corpuscular Hemoglobin Concentration (g/dL)
N	Value	Description
10807	Range	29 - 36.9 (median=31.7 mean=31.74 std=1.32)
4	.H	Too Large to Measure
672	.L	Too Small to Measure
781		Missing

LABA8		Red Cell Distribution Width (%)
N	Value	Description
11477	Range	11.2 - 30.1 (median=13.9 mean=14.19 std=1.44)
1	.H	Too Large to Measure
111		Missing

LABA9		Platelet Count (x10e9)
N	Value	Description
11450	Range	1 - 867 (median=247 mean=252.8 std=67.8)
138		Missing

LABA10		Neutrophils (%)
N	Value	Description
11437	Range	7.7 - 92 (median=58 mean=57.9 std=8.6)
151		Missing

LABA11		Lymphocytes (%)
N	Value	Description
11440	Range	4 - 87.1 (median=30.8 mean=30.97 std=7.76)
1	.H	Too Large to Measure
148		Missing

Section A: Laboratory Reading Centers

LABA12		Monocytes (%)
N	Value	Description
11439	Range	0 - 28.6 (median=7 mean=7.4 std=2.1)
149		Missing

LABA13		Eosinophils (%)
N	Value	Description
11440	Range	0 - 39 (median=2 mean=2.8 std=2.3)
148		Missing

LABA14		Basophils (%)
N	Value	Description
11440	Range	0 - 6 (median=1 mean=1.0 std=0.8)
148		Missing

LABA23		Neutrophil Count (x10e9)
N	Value	Description
11437	Range	0.3 - 16.3 (median=3.8 mean=4.01 std=1.45)
151		Missing

LABA24		Lymphocyte Count (x10e9)
N	Value	Description
11440	Range	0.2 - 47.3 (median=2 mean=2.1 std=0.8)
148		Missing

LABA25		Monocyte Count (x10e9)
N	Value	Description
11438	Range	0 - 3.2 (median=0.5 mean=0.49 std=0.17)
150		Missing

LABA26		Eosinophil Count (x10e9)
N	Value	Description
11441	Range	0 - 2.8 (median=0.1 mean=0.19 std=0.18)
147		Missing

Section A: Laboratory Reading Centers

LABA27		Basophil Count (x10e9)
N	Value	Description
11437	Range	0 - 0.5 (median=0.1 mean=0.06 std=0.06)
151		Missing

LABA66		Cholesterol, Total (mg/dL)
N	Value	Description
11530	Range	73 - 618 (median=189 mean=192.3 std=40.7)
58		Missing

LABA67		Triglycerides (mg/dL)
N	Value	Description
11530	Range	13 - 3142 (median=108 mean=129.7 std=98.2)
58		Missing

LABA68		HDL-cholesterol (mg/dL)
N	Value	Description
11531	Range	10 - 189 (median=49 mean=51.0 std=15.1)
57		Missing

LABA69		LDL-cholesterol (mg/dL)
N	Value	Description
11324	Range	10 - 430 (median=114 mean=115.7 std=35.0)
264		Missing

LABA70		Glucose, fasting (mg/dL)
N	Value	Description
11500	Range	52 - 555 (median=99 mean=111.0 std=41.2)
88		Missing

LABA71		Glucose, post OGTT (mg/dL)
N	Value	Description
8223	Range	27 - 483 (median=120 mean=129.1 std=44.2)
3365		Missing

Section A: Laboratory Reading Centers

LABA72		Glycosylated Hemoglobin (%)
N	Value	Description
11495	Range	3.2 - 17 (median=5.7 mean=6.13 std=1.36)
1	.L	Too Small to Measure
93		Missing

LABA74		Alanine aminotransferase (U/L)
N	Value	Description
11522	Range	4 - 331 (median=20 mean=25.2 std=19.0)
4	.L	Too Small to Measure
66		Missing

LABA75		Aspartate aminotransferase (U/L)
N	Value	Description
11489	Range	7 - 379 (median=20 mean=22.9 std=14.8)
99		Missing

LABA76		Creatinine (mg/dL)
N	Value	Description
11531	Range	0.25 - 14.21 (median=0.73 mean=0.784 std=0.397)
57		Missing

LABA79		Urine creatinine (md/dL)
N	Value	Description
11559	Range	5 - 786 (median=103 mean=117.1 std=76.1)
1	.L	Too Small to Measure
29		Missing

LABA80		Urine microalbumin (mg/dL)
N	Value	Description
11370	Range	1 - 8458 (median=4 mean=45.5 std=311.5)
2	.H	Too Large to Measure
187	.L	Too Small to Measure
218		Missing

Section A: Laboratory Reading Centers

LABA81		Urine Albumin/creatinine ratio
N	Value	Description
11372	Range	0.38 - 27644.44 (median=4.3 mean=49.87 std=442.39)
216		Missing

LABA96		Insulin, fasting (mU/L)
N	Value	Description
11495	Range	1 - 1751 (median=76 mean=94.9 std=75.8)
2	.L	Too Small to Measure
93		Missing

LABA98		Differential parameter Comments
N	Value	Description
11588		Missing

LABA99		Immature Granulocytes
N	Value	Description
357	Range	0 - 4 (median=0 mean=0.1 std=0.4)
11231		Missing

LABA100		Immature Granulocytes Count (x10e9)
N	Value	Description
357	Range	0 - 0.5 (median=0 mean=0.0 std=0.0)
11231		Missing

LABA101		Cystatin C (mg/L)
N	Value	Description
11531	Range	0.33 - 10.2 (median=0.81 mean=0.874 std=0.394)
57		Missing

LABA102		Gamma Glutamyl Transferase (U/L)
N	Value	Description
11526	Range	3 - 2113 (median=22 mean=34.5 std=55.7)
1	.L	Too Small to Measure
62		Missing

Section A: Laboratory Reading Centers

<i>LABA105</i>		<i>Mean platelet volume (fL)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10925	Range	8.7 - 15.7 (median=11.6 mean=11.67 std=1.03)
663		Missing

<i>LABA106</i>		<i>Platelet distribution width (fL)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10800	Range	9.2 - 131 (median=14.5 mean=14.88 std=2.80)
10	.H	Too Large to Measure
788		Missing

Section A: Derive Files

Participant Derive File: FORM CODE=PART_DERV VERSION=1

Design

<i>PSU_ID</i>		<i>Primary Sampling Unit (cluster analysis variable - masked)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11623	Range	10003 - 29629 (median=15302 mean=16664.9 std=5047.4)

<i>STRAT</i>		<i>2-Stage Sample Design Strata (strata analysis variable - masked)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11623	Range	10 - 29 (median=15 mean=16.3 std=5.1)

<i>LISTNUM</i>		<i>List Address Record Assigned</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4130	1	Non-Hispanic Surname List
7493	2	Hispanic Surname List

<i>PSU_CNT</i>		<i>BG-level Hispanic Household Frame Counts</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11623	Range	13 - 11183 (median=586 mean=770.8 std=977.6)

<i>STRAT_CNT</i>		<i>Stratum-level Hispanic Household Frame Count</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11623	Range	2215 - 40813 (median=27471 mean=26767.0 std=9854.5)

<i>LIST_CNT</i>		<i>Sample List - Level Hispanic</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11623	Range	5 - 3992 (median=269 mean=346.6 std=314.4)

<i>WEIGHT_EXPAND ED_V2</i>		<i>HCHS V2 Expanded Census 2010 Calibrated, Trimmed, Nonresponse Adjusted Weights (frozen as of 03/06/2018)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11623	Range	4.2627620661 - 779.76165671 (median=32.884185438 mean=56.3921534888 std=64.0310333038)

Section A: Derive Files

<i>WEIGHT_NORM_O VERALL_V2</i>		<i>HCHS V2 Overall Normalized, Census 2010 Calibrated, Trimmed, Nonresponse Adjusted Weights - (frozen as of 03/06/2018)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11623	Range	0.0755914042 - 13.827485004 (median=0.5831340604 mean=1.00000000000 std=1.13545997701)

<i>WEIGHT_NORM_C ENTER_V2</i>		<i>HCHS V2 Center Normalized, Census 2010 Calibrated, Trimmed, NonResponse Adjusted Weights (frozen as of 03/06/2018)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11623	Range	0.0966453751 - 13.90197039 (median=0.5690480951 mean=1.00000000000 std=1.07333338205)

Administrative

<i>CENTER</i>		<i>Field Center</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2649	B	Bronx
3089	C	Chicago
2852	M	Miami
3033	S	San Diego

<i>CLINDATE_V2</i>		<i>Visit 2 clinic date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11623	Range	10/01/2014 - 12/29/2017

<i>CONSENT_V2</i>		<i>Consent in HCHS/SOL Visit 2, .=ICT1 consent missing, 9=ICT record missing</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11623	1	Yes

<i>ANY_PERMIT_V2</i>		<i>Any permission for public use of data, based on ICT3 and ICT5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
159	0	No
11464	1	Yes

<i>DURATION_V2</i>		<i>Difference between Arrival Time and Exit Exam Time (hrs)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11562	Range	0.6666666667 - 7.85 (median=3.9333333333 mean=3.96984374099 std=0.90568902426)
61		Missing

Section A: Derive Files

YRS_BTWN_V1V2		Elapsed time between visits 1 and 2 (yrs)
N	Value	Description
11623	Range	3.3976728268 - 9.5989048597 (median=5.8699520876 mean=6.02568640161 std=0.78466839468)

HOMEVISIT_V2		Visit 2 Exam home visit flag based on CHK
N	Value	Description
11285	0	No
338	1	Yes

FULL_AFU_ELIGIBLE		Annual Follow-Up Eligibility (minimum set of forms present)
N	Value	Description
11623	1	Yes

Socio-demographic

AGE_V2		Age at visit 2 (yrs)
N	Value	Description
11623	Range	23 - 95 (median=55 mean=53.3 std=13.2)

AGEGROUP_C6_V2		6-level grouped age of participant at Visit 2
N	Value	Description
147	1	Ages 18-24
1171	2	Ages 25-34
1441	3	Ages 35-44
2983	4	Ages 45-54
3505	5	Ages 55-64
2376	6	Ages 65+

Section A: Derive Files

AGEGROUP_C6_N HANES_V2		6-Level Age Groups (Visit 2 NHANES standardization)
N	Value	Description
779	1	Ages 18-29
1181	2	Ages 30-39
1945	3	Ages 40-49
3695	4	Ages 50-59
2919	5	Ages 60-69
1104	6	Ages 70+

GENDER_V2		Gender (M or F)
N	Value	Description
4281	M	Male
7342	F	Female

INCOME_V2		Grouped yearly household income at Visit 2
N	Value	Description
1296	1	Less than \$10,000
1726	2	\$10,001-\$15,000
1234	3	\$15,001-\$20,000
995	4	\$20,001-\$25,000
918	5	\$25,001-\$29,999
1681	6	\$30,000-\$40,000
973	7	\$40,001-\$50,000
968	8	\$50,001-\$75,000
442	9	\$75,001-\$100,000
319	10	More than \$100,000
1071		Missing

INCOME_C3_V2		3-level grouped yearly household income at Visit 2
N	Value	Description
6317	1	Less than \$30,000
4441	2	\$30,000 or more
865	3	Missing

Section A: Derive Files

<i>INCOME_C5_V2</i>		<i>5-level grouped yearly household income at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1296	1	Less then \$10,000
2960	2	\$10,001-\$20,000
3594	3	\$20,001-\$40,000
1941	4	\$40,001-\$75,000
761	5	More than \$75,000
1071		Missing

<i>EDUCATION_C3_V2</i>		<i>Education Status at Visit 2 (3 levels)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3893	1	Less Than High School
2503	2	High School or Equivalent
4290	3	Greater than High School or Equivalent
937		Missing

<i>N_HC_V2</i>		<i>Current Health Insurance Coverage at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2681	0	No
8490	1	Yes
452		Missing

<i>EMPLOYED_V2</i>		<i>5-level grouped yearly household income at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2366	1	Retired and not currently employed (or missing on employment).
2464	2	Not retired (or missing on retirement) and not currently employed
2500	3	Employed part-time (<=35 hours/week)
3750	4	Employed full-time (>35 hours/week)
543		Missing

Acculturation

<i>YRSUS_V2</i>		<i>Number of years lived in the US (50 States) at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11577	Range	5.1937029432 - 88 (median=26.217659138 mean=28.7293509630 std=15.2780217695)
46		Missing

Section A: Derive Files

YRSUS_C2_V2		2-level grouped years lived in the US (50 States) at Visit 2
N	Value	Description
1062	1	Less than 10 years
10515	2	10 Years or more
46		Missing

YRSUS_C3_V2		Years lived in the US at Visit 2 (50 States, 3-level)
N	Value	Description
1062	1	Less than 10 years
8715	2	10 Years or more
1800	3	US born
46		Missing

LANG_PREF_V2		Language preference at Visit 2 - (1=Span,2=Eng)
N	Value	Description
9479	1	Spanish
2144	2	English

Section A: Derive Files

POB_V2		Place of Birth - country (corrected)
N	Value	Description
48	04	Argentina
1	10	Belize
7	11	Bolivia
10	12	Brazil
19	14	Chile
236	16	Colombia
28	17	Costa Rica
1589	18	Cuba
2	20	Denmark
1017	21	Dominican Republic
280	22	Ecuador
103	23	El Salvador
1	25	France
1	27	Great Britain
240	30	Guatemala
322	33	Honduras
1	40	Israel
4	41	Italy
1	42	Japan
1	43	Korea
1	45	Malaya
4132	46	Mexico
410	48	Nicaragua
13	51	Panama
3	52	Paraguay
124	53	Peru
2	56	Portugal
1101	57	Puerto Rico
1	58	Russia
10	60	Spain
1798	63	United States
13	64	Uruguay
74	65	Venezuela
2	66	Virgin Islands
3	67	Other

Section A: Derive Files

<i>POB_V2</i>		<i>Place of Birth - country (corrected)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
24	Q	DK/Refuse
1		Missing

<i>POB_C8_V2</i>		<i>8-level Place of Birth Groups</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1798	1	US Mainland
1103	2	US Territories only
1589	3	Cuba
1017	4	Dominican Republic
4132	5	Mexico
1117	6	Central America
814	7	South America
28	8	Other
25		Missing

<i>US_BORN_V2</i>		<i>US Born (US States only)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9823	0	Not born in 50 US States/DC.
1800	1	Born in 50 US States/DC Only

<i>US_NATIVE_V2</i>		<i>US Native (US States and Territories)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8720	0	Not born in US or US territory
2903	1	Born in US or US territory

<i>IMGEN_C3_V2</i>		<i>Immigrant Generation (US Terr = Foreign Born)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9823	1	1st Generation
1595	2	2nd Generation
194	3	3rd Generation or higher
11		Missing

Section A: Derive Files

IMGEN_A_C3_V2		Immigrant Generation (US Terr = US Born)
N	Value	Description
8708	1	1st Generation
1027	2	2nd Generation
1861	3	3rd Generation or higher
27		Missing

SASH_LANG_V2		Short acculturation scale for Hispanics-language subscale, Visit 2
N	Value	Description
11181	Range	1 - 5 (median=1.5 mean=1.95 std=1.05)
442		Missing

SASH_SOC_V2		Short acculturation scale for Hispanics-Social subscale, Visit 2
N	Value	Description
10925	Range	1 - 4.5 (median=2.25 mean=2.197 std=0.582)
698		Missing

LANGUAGE_SUBSCORE_MESA_V2		Language Subscore - MESA, Visit 2
N	Value	Description
6307	0	Only Spanish
1888	0.5	More Spanish than English
1582	1	Both Equally
726	1.5	More English than Spanish
679	2	Only English
441		Missing

NATIVITY_SUBSCORE_MESA_V2		Nativity Subscore - MESA, Visit 2
N	Value	Description
1062	0	Non-US Born and YRSUS < 10
2831	1	Non-US Born and 10<=YRSUS <20
5884	2	Non-US Born and 20<=YRSUS
1800	3	US Born
46		Missing

Section A: Derive Files

ACCULT_MESA_V2		Acculturation Score - MESA, Visit 2
N	Value	Description
11138	Range	0 - 5 (median=2 mean=2.2 std=1.2)
485		Missing

Sociocultural Scores

ISEL_APP_CNT_V2		ISEL-Appraisal Subscale non-missing items count,0-4, V2
N	Value	Description
11623	Range	0 - 4 (median=4 mean=3.8 std=0.8)

ISEL_APP_V2		Interpersonal Support Evaluation List (ISEL)-Appraisal Subscale, V2
N	Value	Description
11145	Range	0 - 12 (median=10 mean=9.3 std=3.0)
478		Missing

ISEL_BELONG_V2		Interpersonal Support Evaluation List (ISEL)-Belonging Subscale, V2
N	Value	Description
11124	Range	0 - 12 (median=9 mean=9.1 std=2.9)
499		Missing

ISEL_BELONG_CNT_V2		ISEL-Belonging Subscale non-missing items count,0-4, V2
N	Value	Description
11623	Range	0 - 4 (median=4 mean=3.8 std=0.8)

ISEL_TANGIBLE_V2		Interpersonal Support Evaluation List (ISEL)-Tangible Subscale, V2
N	Value	Description
11126	Range	0 - 12 (median=10 mean=9.3 std=2.8)
497		Missing

ISEL_TANGIBLE_CNT_V2		ISEL-Tangible Subscale non-missing items count,0-4, V2
N	Value	Description
11623	Range	0 - 4 (median=4 mean=3.8 std=0.8)

Section A: Derive Files

<i>ISEL_ALL_V2</i>		<i>Interpersonal Support Evaluation List (ISEL)-overall, V2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11157	Range	0 - 36 (median=29 mean=27.6 std=7.3)
466		Missing

<i>ISEL_ALL_CNT_V2</i>		<i>ISEL-overall non-missing items count, 0-12, V2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11623	Range	0 - 12 (median=12 mean=11.5 std=2.3)

<i>FMLY_COHESION_CNT_V2</i>		<i>Family Cohesion Subscale Scaled Raw Score non-missing items count,0-8, V2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11623	Range	0 - 8 (median=8 mean=7.6 std=1.6)

<i>FMLY_COHESION_RAW_V2</i>		<i>Family Cohesion Subscale Scaled Raw Score, V2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11003	Range	0 - 8 (median=7 mean=6.6 std=1.8)
620		Missing

<i>FMLY_COHESION_SCALE_V2</i>		<i>Family Cohesion Subscale Scaled Score, V2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11003	Range	4 - 59 (median=52 mean=49.5 std=12.1)
620		Missing

<i>N_CS_Q1_V2</i>		<i>Chronic Stressor item level recoded variable based on V2 STE Questions 1, 0/1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7557	0	No
3628	1	Yes
438		Missing

<i>N_CS_Q2_V2</i>		<i>Chronic Stressor item level recoded variable based on V2 STE Questions 2, 0/1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7708	0	No
3465	1	Yes
450		Missing

Section A: Derive Files

N_CS_Q3_V2		Chronic Stressor item level recoded variable based on V2 STE Questions 3, 0/1
N	Value	Description
9703	0	No
1334	1	Yes
586		Missing

N_CS_Q4_V2		Chronic Stressor item level recoded variable based on V2 STE Questions 4, 0/1
N	Value	Description
7818	0	No
3348	1	Yes
457		Missing

N_CS_Q5_V2		Chronic Stressor item level recoded variable based on V2 STE Questions 5, 0/1
N	Value	Description
9441	0	No
1731	1	Yes
451		Missing

N_CS_Q6_V2		Chronic Stressor item level recoded variable based on V2 STE Questions 6, 0/1
N	Value	Description
9348	0	No
1813	1	Yes
462		Missing

N_CS_Q7_V2		Chronic Stressor item level recoded variable based on V2 STE Questions 7, 0/1
N	Value	Description
8487	0	No
2678	1	Yes
458		Missing

N_CS_Q8_V2		Chronic Stressor item level recoded variable based on V2 STE Questions 8, 0/1
N	Value	Description
10646	0	No
502	1	Yes
475		Missing

Section A: Derive Files

<i>M_V_Q1_V2</i>		<i>Moderate to very stress-0/1, item level recoded variable based on V2 STE Questions 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9094	0	No
1955	1	Yes
574		Missing

<i>M_V_Q2_V2</i>		<i>Moderate to very stress-0/1, item level recoded variable based on V2 STE Questions 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9020	0	No
2074	1	Yes
529		Missing

<i>M_V_Q3_V2</i>		<i>Moderate to very stress-0/1, item level recoded variable based on V2 STE Questions 3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9973	0	No
1059	1	Yes
591		Missing

<i>M_V_Q4_V2</i>		<i>Moderate to very stress-0/1, item level recoded variable based on V2 STE Questions 4</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8771	0	No
2373	1	Yes
479		Missing

<i>M_V_Q5_V2</i>		<i>Moderate to very stress-0/1, item level recoded variable based on V2 STE Questions 5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9818	0	No
1344	1	Yes
461		Missing

<i>M_V_Q6_V2</i>		<i>Moderate to very stress-0/1, item level recoded variable based on V2 STE Questions 6</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10008	0	No
1125	1	Yes
490		Missing

Section A: Derive Files

<i>M_V_Q7_V2</i>		<i>Moderate to very stress-0/1, item level recoded variable based on V2 STE Questions 7</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9781	0	No
1283	1	Yes
559		Missing

<i>M_V_Q8_V2</i>		<i>Moderate to very stress-0/1, item level recoded variable based on V2 STE Questions 8</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10732	0	No
411	1	Yes
480		Missing

<i>M_V_CNT_V2</i>		<i>The Total Moderate to Very Chronic Stress Score non-missing items count, 0-8, V2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11623	Range	0 - 8 (median=8 mean=7.6 std=1.5)

<i>M_V_TOT_V2</i>		<i>The Total Moderate to Very Chronic Stress Score, socred with complete data only, V2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10651	Range	0 - 8 (median=0 mean=1.1 std=1.5)
972		Missing

<i>CHR_STR_CNT_V2</i>		<i>Total Number of Chronic Stressors non-missing items count, 0-8, V2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11623	Range	0 - 8 (median=8 mean=7.7 std=1.5)

<i>CHR_STR_TOT_V2</i>		<i>Total Number of Chronic Stressors, socred with complete data only, V2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10951	Range	0 - 8 (median=1 mean=1.7 std=1.6)
672		Missing

Well Being

<i>CESD10_V2</i>		<i>10-item CES-D summary score at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11181	Range	0 - 30 (median=5 mean=6.6 std=6.0)
442		Missing

Section A: Derive Files

<i>GAD7_V2</i>		<i>GAD-7 summary score at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11149	Range	0 - 21 (median=2 mean=4.0 std=4.8)
474		Missing

<i>ANXIETY_V2</i>		<i>Generalized anxiety disorder possible</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9659	0	No
1490	1	Yes
474		Missing

Anthropometry

<i>BMI_V2</i>		<i>Body Mass Index (kg/m2) at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11245	Range	14.040124645 - 70.946436348 (median=29.23143863 mean=30.112950031 std=5.998806286)
378		Missing

<i>BMIGRP_C4_V2</i>		<i>4-level grouped Body Mass Index (WHO) at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
69	1	Underweight (<18.5)
1911	2	Normal (18.5-24.9)
4341	3	Overweight (25.0-29.9)
4924	4	Obese (30+)
378		Missing

<i>BMIGRP_C6_V2</i>		<i>6-level grouped Body Mass Index (WHO) at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
69	1	Underweight (<18.5)
1911	2	Normal (18.5-24.9)
4341	3	Overweight (25.0-29.9)
2931	4	Obese I (30.0-34.9)
1281	5	Obese II (35.0-39.9)
712	6	Obese III (40+)
378		Missing

Section A: Derive Files

CHARLSON_V2		Charlson comorbidity index at Visit 2
N	Value	Description
11623	Range	0 - 10 (median=0 mean=0.7 std=1.1)

WAIST_HIP_V2		Waist to Hip Ratio at Visit 2
N	Value	Description
11217	Range	0.3867924528 - 2.4047619048 (median=0.9326923077 mean=0.93301092612 std=0.07836399648)
406		Missing

Blood Pressure Measures

HYPERTENSION2_V2		Hypertension using NHANES definition at Visit 2
N	Value	Description
6822	0	Not hypertensive (No)
4798	1	Hypertensive (Yes)
3		Missing

HYPERT_AWARENESS_V2		Awareness of Hypertension - NHANES by Visit 2
N	Value	Description
647	0	Not aware (No)
4151	1	Aware (Yes)
6825		Missing

HYPERT_TREATMENT_V2		Treatment of Hypertension - NHANES at Visit 2
N	Value	Description
1113	0	Not taking antihypertensive meds (No)
3685	1	Taking hypertensive meds (Yes)
6825		Missing

HYPERT_CONTROL_V2		Control of Hypertension - NHANES at Visit 2
N	Value	Description
2429	0	Hypertension not under control (No)
2369	1	Hypertension is under control (Yes)
6825		Missing

Section A: Derive Files

HYPERTENSION_C_4_V2		4-level grouped hypertension (none/pre/treated/untreated at Visit 2)
N	Value	Description
4252	1	None
2570	2	Prehypertension
3844	3	Treated hypertension
954	4	Untreated hypertension
3		Missing

HYPERTENSION2_AHA_V2		Hypertension using new ACC/AHA Guidelines definition at visit 2
N	Value	Description
5456	0	Not hypertensive (No)
6164	1	Hypertensive (Yes)
3		Missing

HYPERTENSION_A_HA_C5_V2		5-level grouped hypertension (No HBP/Elevated/ treated HBP/ untrt Stage1/ /untrt stage2) at visit 2, New ACC/AHA Guideline
N	Value	Description
4252	1	No hypertension
1204	2	Elevated-hypertension (120<=SBP5<130 AND SBP6<80)
3844	3	Treated hypertension
1366	4	Untreated Stage 1 hypertension (130<=SBP5<140 AND 80<=SBP6<90)
954	5	Untreated Stage 2 hypertension (SBP5>=140 OR SBP6>=90)
3		Missing

Laboratory Measures

DYSLIPIDEMIA_V2		High LDL,low HDL,or high triglycerides (NIH) at Visit 2
N	Value	Description
7525	0	No
4006	1	Yes
92		Missing

Section A: Derive Files

<i>DYSLIPIDEMIA_C3_V2</i>		<i>3-Cat Dyslipidemia 1=Normal 2=Dyslip w/o reported trtment 3=Dyslip w/reported trtment at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7525	1	Normal
2993	2	Dyslipidemia w/o reported treatment
942	3	Dyslipidemia with reported treatment
163		Missing

<i>DYSLIPIDEMIA_TC_HDL_V2</i>		<i>Dyslipidemia based on TCHDL>5 at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9167	0	No
2363	1	Yes
93		Missing

<i>DYS_TCHDL_MED_V2</i>		<i>Dyslipidemia based on TCHDL>5 at Visit 2 or Lipid lower Drug scanned at baseline</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7221	0	No
4396	1	Yes
6		Missing

<i>FASTTIME_V2</i>		<i>Fasting time (hrs.)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11530	Range	0.4333333333 - 43.1 (median=13.066666667 mean=13.4217259324 std=2.4545426120)
93		Missing

<i>OGTT_TIME_V2</i>		<i>Elapsed time before OGTT blood draw</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8168	Range	1 - 237 (median=119 mean=118.3 std=8.3)
3455		Missing

Section A: Derive Files

CKD_V2		Chronic Kidney Disease using eGFR only (NIDDK) at Visit 2
N	Value	Description
6589	1	Normal
4342	2	Mild
518	3	Moderate
46	4	Severe
36	5	End-Stage
92		Missing

GFR_V2		GFR estimated at Visit 2
N	Value	Description
11531	Range	3.6414013553 - 394.93289383 (median=93.722557789 mean=95.3026989836 std=24.4609624653)
92		Missing

GFRSCR_V2		eGFR based on serum creatinine, gender, age and race at Visit 2
N	Value	Description
11531	Range	3.4329816742 - 170.38186521 (median=98.261514017 mean=96.2231348075 std=18.8576063460)
92		Missing

GFRSCYS_SCR_V2		eGFR based on serum cystatin C, serum creatinine, gender, age, and race at Visit 2
N	Value	Description
11531	Range	3.3517604352 - 174.71225431 (median=99.718427006 mean=97.6099922304 std=21.9164205543)
92		Missing

GFRSCYS_V2		eGFR based on serum cystatin C w/o demographics at Visit 2
N	Value	Description
11531	Range	4.8368337425 - 286.92195115 (median=98.559431887 mean=99.4493354471 std=27.6727616780)
92		Missing

GFR_PLUS1_V1V2		GFR_PLUS1 eGFR decline by average ≥ 1 /year between V1 and V2
N	Value	Description
9911	0	No
1537	1	Yes
175		Missing

Section A: Derive Files

GFRSCR_A_V2		eGFR based on serum creatinine, gender, age and not race at Visit 2
N	Value	Description
11531	Range	3.6314284956 - 178.96933681 (median=102.15832492 mean=99.948653037 std=19.562536561)
92		Missing

EGFR_LT60_V2		2-level grouped eGFR based on serum creatinine, gender, age and not race at Visit 2 (GFRSCR_a<60)
N	Value	Description
11096	0	No
435	1	Yes
92		Missing

AC_RATIO_GT30_V2		2-level grouped serum albumin-creatinine ratio at Visit 2 (laba81>=30) *-- Define CKD2_V2
N	Value	Description
10114	0	No
1258	1	Yes
251		Missing

CKD2_V2		Chronic Kidney Disease using eGFR (creatinine only, no race) and albumin-creatinine ratio (NIDDK) at Visit 2
N	Value	Description
10093	0	No
1491	1	Yes
39		Missing

INCIDENT_GFR_V1_V2		Incident eGFR (>=60 in V1,<60 in V2)
N	Value	Description
11219	0	No
229	1	Yes
175		Missing

INCIDENT_ACR_V1_V2		Incident Albumin-creatinine ratio (<30 in V1,>=30 in V2)
N	Value	Description
10236	0	No
568	1	Yes
819		Missing

Section A: Derive Files

INCIDENT_CKD_V1 V2		Incident Chronic Kidney Disease from V1 to V2 (using eGFR,ACR and >=1 avg decline in GGR per year)
N	Value	Description
9469	0	No
621	1	Yes
1533		Missing

CARDIAC_RISK_RATIO_V2		Cardiac Risk Ratio (TC/HDL) - AHA at Visit 2
N	Value	Description
11530	Range	1.0952380952 - 28.090909091 (median=3.8085106383 mean=4.06113793543 std=1.45548881366)
93		Missing

HBA1C_SI_V2		Glycosylated Hemoglobin (HbA1c) in SI units (mmol/mol), nearest integer at Visit 2
N	Value	Description
11495	Range	11 - 162 (median=39 mean=43.6 std=14.8)
128		Missing

Clinical characteristics

DIABETES_LAB_V2		3-level grouped Diabetes - Lab criteria ADA Guidelines, at V2
N	Value	Description
3284	1	Normal glucose regulation
5517	2	Impaired glucose tolerance
2721	3	Diabetes
101		Missing

DIABETES_SELF_V2		Diabetes - self report diagnosis only, by Visit 2
N	Value	Description
8457	0	No
3156	1	Yes
10		Missing

Section A: Derive Files

<i>SELFMED_ANTIDIA B_V2</i>		<i>Anti-Dibetics Medication used - Self reported, at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9202	0	No
2237	1	Yes
184		Missing

<i>AFUCOPD_SELF_B YV2</i>		<i>Self-report COPD/Emph or CB flag only in AFU by Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10278	0	No
536	1	Yes
809		Missing

<i>COPD_EVER_V2</i>		<i>Self-reported of ever had COPD/Emph or CB by Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10203	0	No
1420	1	Yes

<i>AFUHYPERT_SELF _BYV2</i>		<i>Self-report hypertension flag only in AFU by Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6616	0	No
2199	1	Yes
2808		Missing

<i>AFUDM_SELF_BYV 2</i>		<i>Self-reported diabetes flag in AFU by Visit 2, gestational-only diabetes excluded</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
20	0	No
1380	1	Yes
10223		Missing

Section A: Derive Files

GESTATIONAL_DM_V2		Date-Validated Gestational diabetes flag, by Visit 2
N	Value	Description
10001	0	No
19	1	Yes
1603		Missing

DIABETES3_V2		3-level grouped Diabetes Definition 3 (Lab criteria ADA Guidelines plus self-reported diabetes diagnosis) by Visit 2
N	Value	Description
3187	1	Non-diabetic
4588	2	Pre-diabetic
3841	3	Diabetic
7		Missing

DIABETES3_INDICATOR_V2		Indicator of diabetes status by using diabetes definition 3 by Visit 2 (1=Yes 0=No)
N	Value	Description
7775	0	No
3841	1	Yes
7		Missing

DIABETES3_TIME_V2		Observed time for diabetes incidence event using diabetes definition 3, by Visit 2
N	Value	Description
11606	Range	0 - 3506 (median=2041 mean=1657.4 std=950.1)
17		Missing

DIABETES4_V2		3-level grouped Diabetes Definition 4 (Lab criteria ADA Guidelines plus self-reported Medication) at Visit 2
N	Value	Description
3321	1	Normal glucose regulation
5087	2	Impaired glucose tolerance
3209	3	Diabetes
6		Missing

Section A: Derive Files

<i>DIABETES4_INDICATOR_V2</i>		<i>Indicator of diabetes status by using diabetes definition 4 at Visit 2 (1=Yes 0=No)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8408	0	No
3209	1	Yes
6		Missing

<i>DIABETES5_V2</i>		<i>3-level grouped Diabetes Definition 5 (Lab criteria ADA Guidelines plus self-reported diabetes diagnosis or self-reported Medication) by Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3187	1	Normal glucose regulation
4550	2	Impaired glucose tolerance
3882	3	Diabetes
4		Missing

<i>DIABETES5_INDICATOR_V2</i>		<i>Indicator of diabetes status by using diabetes definition 5 by Visit 2 (1=Yes 0=No)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7737	0	No
3882	1	Yes
4		Missing

<i>DIABETES5_TIME_V2</i>		<i>Observed time for diabetes incidence event using diabetes definition 5, by Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11618	Range	0 - 3506 (median=2040 mean=1654.7 std=952.7)
5		Missing

<i>DIABETES3_LL_DATE</i>		<i>Diabetes Definition 3 censored interval Lower limit date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9106	Range	03/29/2008 - 12/29/2017
2517		Missing

<i>DIABETES3_LL</i>		<i>Years between baseline to Diabetes Definition 3 censored interval lower limit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9106	Range	0 - 3506 (median=2110 mean=2063.3 std=514.0)
2517		Missing

Section A: Derive Files

<i>DIABETES3_UL_D ATE</i>		<i>Diabetes Definition 3 censored interval upper limit date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3985	Range	03/04/2008 - 12/29/2017
7638		Missing

<i>DIABETES3_UL</i>		<i>Years between baseline to Diabetes Definition 3 censored interval upper limit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3985	Range	0 - 3408 (median=0 mean=615.3 std=903.4)
7638		Missing

<i>DIABETES5_LL_DA TE</i>		<i>Diabetes Definition 5 censored interval Lower limit date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9079	Range	03/29/2008 - 12/29/2017
2544		Missing

<i>DIABETES5_LL</i>		<i>Years between baseline to Diabetes Definition 5 censored interval lower limit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9079	Range	0 - 3506 (median=2111 mean=2066.1 std=508.2)
2544		Missing

<i>DIABETES5_UL_D ATE</i>		<i>Diabetes Definition 5 censored interval upper limit date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4030	Range	03/04/2008 - 12/29/2017
7593		Missing

<i>DIABETES5_UL</i>		<i>Years between baseline to Diabetes Definition 5 censored interval upper limit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4030	Range	0 - 3408 (median=0 mean=624.8 std=914.8)
7593		Missing

Section A: Derive Files

<i>HIGH_TOTAL_CHO L2_V2</i>		<i>Hypercholesterolemia at Visit 2(from LABA66,LABA68,LABA69,MUE26E)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6163	0	No
5454	1	Yes
6		Missing

<i>ABDOMINAL_OBES ITY_IDF_V2</i>		<i>Abdominal Obesity (waist circ) - IDF</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1566	0	No
9652	1	Yes
405		Missing

<i>ABDOMINAL_OBES ITY_NCEP_V2</i>		<i>Abdominal Obesity (waist circ) - NCEP</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3699	0	No
7519	1	Yes
405		Missing

<i>ELEVATED_BP_SE LFMEDS_V2</i>		<i>Elevated BP or Self-Reported Antihypert med use</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5843	0	No
5777	1	Yes
3		Missing

<i>HIGH_TRIG_V2</i>		<i>High Triglycerides(>=150 mg/dL)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8389	0	No
3141	1	Yes
93		Missing

Section A: Derive Files

IFG_IDF_SELFMED S_V2		Impaired fasting glucose w/Self-Reported diagnosis and Meds _ IDF, by V2
N	Value	Description
5431	0	No
6188	1	Yes
4		Missing

IFG_NCEP_SELF EDS_V2		Impaired fasting glucose with Self-Reported antidiab Meds - NCEP, V2
N	Value	Description
5793	0	No
5824	1	Yes
6		Missing

LOW_HDL_V2		Low HDL (<40 mg/dl (male), <50 mg/dL (females))
N	Value	Description
7007	0	No
4524	1	Yes
92		Missing

METS_IDF3_V2		Metabolic Syndrome w/o Scanned Meds for Trig&HDL - IDF definition 3
N	Value	Description
5609	0	No
5541	1	Yes
473		Missing

METS_NCEP2_V2		Metabolic Syndrome w/Self-Reported Meds - NCEP ATP III
N	Value	Description
6474	0	No
5123	1	Yes
26		Missing

DM3_AWARE_V2		Diabetes awareness within Diabetic group classified by using Diabetes definition 3, by visit 2
N	Value	Description
658	0	No
3181	1	Yes
7784		Missing

Section A: Derive Files

<i>DM4_AWARE_V2</i>		<i>Diabetes awareness within Diabetic group classified by using Diabetes definition 4, by visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
658	0	No
2549	1	Yes
8416		Missing

<i>DM5_AWARE_V2</i>		<i>Diabetes awareness within Diabetic group classified by using Diabetes definition 5, by visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
658	0	No
3222	1	Yes
7743		Missing

<i>DM_TRT_V2</i>		<i>Has diabetes treatment/med at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9202	0	No
2237	1	Yes
184		Missing

<i>DM3_CONTROL_V2</i>		<i>Diabetes controled (HbA1c<7%) within Diabetic group classified by using Diabetes definition 3, at visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1648	0	No
2193	1	Yes
7782		Missing

<i>DM4_CONTROL_V2</i>		<i>Diabetes controled (HbA1c<7%) within Diabetic group classified by using Diabetes definition 4, at visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1634	0	No
1575	1	Yes
8414		Missing

<i>DM5_CONTROL_V2</i>		<i>Diabetes controled (HbA1c<7%) within Diabetic group classified by using Diabetes definition 5, at visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1648	0	No
2234	1	Yes
7741		Missing

Section A: Derive Files

<i>PRECVD_V2</i>		<i>Prevalence of CVD_V2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10631	0	No
992	1	Yes

<i>INCIDENT_CVD_V1_V2</i>		<i>Incidence CVD from V1 to V2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11371	0	No
252	1	Yes

<i>INSULIN_FAST_V2</i>		<i>Fasting Insulin, (mU/L)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11495	Range	0.1666666667 - 291.83333333 (median=12.666666667 mean=15.8091054081 std=12.6330375780)
128		Missing

<i>HOMA_IR_V2</i>		<i>HOMA index of Insulin Resistance</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11495	Range	0.0942386831 - 89.841975309 (median=3.2530864198 mean=4.52424106384 std=4.60439340899)
128		Missing

<i>HOMA_B_V2</i>		<i>HOMA index of Beta Cell Function</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11486	Range	0.310880829 - 7020 (median=120 mean=145.1 std=134.4)
137		Missing

<i>TOTAL_CHOL_C3_V2</i>		<i>Total Cholesterol - 1=Normal Cholesterol,2=Borderline High Cholesterol,3=High Cholesterol at Visit2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6914	1	Normal
3282	2	Borderline High
1334	3	High
93		Missing

Section A: Derive Files

<i>CIGARETTE_USE_V2</i>		<i>Cigarette Use at Visit 2(1=Never,2=Former,3=Current)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7207	1	Never
2665	2	Former
1735	3	Current
16		Missing

<i>CURRENT_SMOKE_R_V2</i>		<i>Current smoker at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9872	0	No
1735	1	Yes
16		Missing

<i>CIGARETTES_YEA_R_V2</i>		<i>Adjusted Cigarettes per Year at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10529	Range	0 - 3867.1047228 (median=0 mean=119.0 std=285.1)
1094		Missing

<i>EXPOSURE_YEAR_V2</i>		<i>Adjusted Years Smoked at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11425	Range	0 - 68.041752225 (median=0 mean=9.3 std=14.8)
198		Missing

<i>CIGARETTE_PACK_YEARS_V2</i>		<i>Cigarette Pack Years at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10529	Range	0 - 193.35523614 (median=0 mean=5.9 std=14.3)
1094		Missing

Section A: Derive Files

CIGARETTE_PACK_YEARS_C3_V2		Cigarette Pack Years at Visit 2(3-level, cutoff=10)
N	Value	Description
6688	1	0 pack years
2045	2	0 < pack years < 10
1796	3	10+ pack years
1094		Missing

ALCOHOL_USE_V2		Alcohol Use (1=Never,2=Former,3=Current) at Visit 2
N	Value	Description
2044	1	Never
3068	2	Former
6489	3	Current
22		Missing

TOTALDRINKS_PER_WEEK_V2		Total Weekly Alcohol Consumption at Visit 2
N	Value	Description
6487	Range	0 - 91 (median=1 mean=3.5 std=6.6)
5136		Missing

ALCOHOL_INTAKE_V2		Alcohol Intake, drinks/week (only for current drinkers) at Visit 2
N	Value	Description
6487	Range	0 - 91 (median=1 mean=3.5 std=6.6)
5136		Missing

ALCOHOL_USE_DISORDER_V2		Alcohol Use Disorder Risk at Visit 2 (0=Non-drinker,1=Low risk drinker,2=At-risk drinker)
N	Value	Description
2044	0	Non-drinker
6043	1	Low risk drinker
444	2	At-risk drinker
3092		Missing

Section A: Derive Files

<i>ALCOHOL_USE_LE VEL_V2</i>		<i>Alcohol Use Drinking Level at Visit 2 (0=No current use,1=Low level use,2=High level use)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5112	0	No current use
6043	1	Low level use
444	2	High level use
24		Missing

<i>CDCR_V2</i>		<i>Cerebrovascular Disease and Carotid Revascularization, self-report, Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11144	0	No
463	1	Yes
16		Missing

<i>STROKE_V2</i>		<i>Prevalent Stroke, self report, Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11340	0	No
250	1	Yes
33		Missing

<i>STROKE_TIA_V2</i>		<i>Prevalent Stroke or TIA, self report, Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11162	0	No
438	1	Yes
23		Missing

<i>CHD_SELF_V2</i>		<i>Self reported CHD, Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10988	0	No
612	1	Yes
23		Missing

Section A: Derive Files

<i>DIABETES3_C4_V2</i>		<i>4-level grouped diabetes by using diabetes definition 3 (none/pre/treated/untreated) by Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3187	1	No Diabetes
4588	2	Pre-diabetes
2196	3	Diabetes with treatment
1645	4	Untreated Diabetes
7		Missing

<i>DIABETES4_C4_V2</i>		<i>4-level grouped diabetes by using diabetes definition 4 (none/pre/treated/untreated) by Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3321	1	No Diabetes
5087	2	Pre-diabetes
2237	3	Diabetes with treatment
972	4	Untreated Diabetes
6		Missing

<i>DIABETES5_C4_V2</i>		<i>4-level grouped diabetes by using diabetes definition 5 (none/pre/treated/untreated) by Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3187	1	No Diabetes
4550	2	Pre-diabetes
2237	3	Diabetes with treatment
1645	4	Untreated Diabetes
4		Missing

<i>DNA_AVAILABLE_V2</i>		<i>DNA Available at Visit 2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
290	0	No
11333	1	Yes

Medications - Other

Section A: Derive Files

<i>HYPERTMED_SEL F_V2</i>		<i>Hypertension Med Use - self-report only</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7589	0	No
3844	1	Yes
190		Missing

Section A: Derive Files

Pregnancy Complications-Derived File: FORM CODE=PCE_DERV VERSION=1

PCE Derived Variables

<i>BABY1YN</i>		<i>First live birth after V1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
142	0	No
551	1	Yes

<i>BIRTHWT_GA_PCT</i>		<i>Birth weight for gestational age percentile</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
647	Range	0 - 100 (median=65.34 mean=60.563 std=30.881)
46		Missing

<i>BIRTHWT_GA_Z</i>		<i>Birth weight for gestational age Z-score</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
647	Range	-4.5566 - 4.357 (median=0.3945 mean=0.41825 std=1.29325)
46		Missing

<i>DAYS1BIRTH</i>		<i>Time between Visit 1 and baby_s birth (days)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
676	Range	199 - 3301 (median=1165.5 mean=1264.29 std=693.57)
17		Missing

<i>YRS1BIRTH</i>		<i>Time between Visit 1 and baby_s birth (years)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
676	Range	0.5448323066 - 9.0376454483 (median=3.1909650924 mean=3.46143720966 std=1.89888817434)
17		Missing

<i>BIRTHWT_C3</i>		<i>Birth weight baby 1 (< 2.5kg, 2.5-4.0kg, >4.0kg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
54	1	< 2500 g
538	2	2500 to 4000 g
75	3	> 4000 g
26		Missing

Section A: Derive Files

<i>LGA</i>		<i>Large for gestational age (> 90th pctl), baby 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
492	0	No
155	1	Yes
46		Missing

<i>SGA</i>		<i>Small for gestational age (< 10th pctl), baby 1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
592	0	No
55	1	Yes
46		Missing

<i>PRETERM</i>		<i>Pregnancy lasted <= 37 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
567	0	No
123	1	Yes
3		Missing