



HCHS/SOL Annual Follow-up Codebook

June 2026
AFUINV Version 14

Prepared by
HCHS/SOL Coordinating Center
Collaborative Studies Coordinating Center
UNC Department of Biostatistics

HCHS/SOL Annual Follow-up Codebook, June 2026

Table of Contents for AFU INV16

Contents

Chapter 1. Annual Follow Up Interview.....	3
Section A: Annual Follow Up Interview.....	3
Self Report of Events Since Baseline Visit (EVE).....	3
General AFU Interview: Additional Questions (GEE)	10
General Health Section (GHE)	16
Genetic Testing Awareness (GTE)	19
Hospitalization and Emergency Department Events (HOE).....	24
Medications (MEE)	27
Out-patient Self-reported Outcomes (OPE).....	29
Other Items (OTEA)	39
Chapter 2. Food Propensity Questionnaire.....	41
Section A: Food Propensity Questionnaire.....	41
Food Propensity Questionnaire Version A (FPEA)	41
Food Propensity Questionnaire Version B (FPEB)	144
Food Propensity Questionnaire - FPEA harmonized with FPEB (FPE).....	207
Chapter 3. COVID19 Psychosocial Interview Questionnaires.....	227
Section A: COVID19 Wave 1 Interview	227
COVID19 Psychosocial Check-In Wave 1 (CPE).....	227
COVID19 Questionnaire Wave 1 (CVE)	232
Section B: COVID19 Wave 2 Interview	239
COVID19 Psychosocial Check-In Wave 2 (CPEB)	239
COVID19 Questionnaire Wave 2 (CVEB)	251
Section C: COVID19 Wave 3 Interview	265
COVID19 Questionnaire Wave 3 (CVEC)	265
Chapter 4. Additional Interview Questionnaires.....	286
Section A: Childhood Factors Interview	286
Childhood Factors Questionnaire (CFE).....	286

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

Self Report of Events Since Baseline Visit: FORM CODE=EVE, VERSION=A,B

ID		Hchs Participant Id
N	Value	Description
54021	Present	Text suppressed

AFU_YEAR		AFU Year
N	Value	Description
14110	2	AFU Year 2
13641	3	AFU Year 3
13211	4	AFU Year 4
13059	5	AFU Year 5

OCCURRENCE		Occurrence
N	Value	Description
54021	1	Occurrence 1

EVEA21		Hearing Without Hearing Aid (Only From EVE Version A)
N	Value	Description
39918		Missing
4279	0	Excellent
7294	1	Good
1745	2	A little trouble
584	3	Moderate hearing trouble
163	4	A lot of trouble
20	5	Deaf
0	6	Refused
18	7	Don't Know

EVEA22		Professional Diagnosis Hearing Aid Needed (Only From EVE Version A)
N	Value	Description
39918		Missing
13782	0	No
295	1	Yes
26	9	Unsure

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

EVEA22A		Acquired Hearing Aid (Only From EVE Version A)
N	Value	Description
39918		Missing
13806	.S	Legitimately skipped
189	0	No
108	1	Yes

EVEA22B		Frequency Wears Hearing Aid (Only From EVE Version A)
N	Value	Description
39918		Missing
13994	.S	Legitimately skipped
46	0	Always
37	1	Sometimes
10	2	Rarely
16	3	Never

EVEA23		Frequency Wears Ear Protection At Work (Only From EVE Version A)
N	Value	Description
39923		Missing
12561	1	None of the time
362	2	25% of the time
190	3	50% of the time
142	4	75% of the time
572	5	100% of the time
258	6	Occasionally
13	9	Don't know

EVEA24		Frequency Wears Ear Protection Other Time (Only From EVE Version A)
N	Value	Description
39920		Missing
13555	1	None of the time
154	2	25% of the time
80	3	50% of the time
40	4	75% of the time
136	5	100% of the time
125	6	Occasionally
11	9	Don't know

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

EVEA25		New Onset Buzzing Or Ringing In Ears (Only From EVE Version A)
N	Value	Description
39920		Missing
11159	0	No
2886	1	Yes
56	9	Unsure

EVEA25A		Noise Lasts Longer Than Five Minutes (Only From EVE Version A)
N	Value	Description
39921		Missing
11215	.S	Legitimately skipped
1696	0	No
1112	1	Yes
77	9	Unsure

EVEA25B		Hears Noise Only After Very Loud Sounds (Only From EVE Version A)
N	Value	Description
39921		Missing
11215	.S	Legitimately skipped
2288	0	No
453	1	Yes
144	9	Unsure

EVE10		Atrial Fibrillation
N	Value	Description
10		Missing
52963	0	No
725	1	Yes
323	9	Unsure

EVE11		Heart Failure
N	Value	Description
15		Missing
53048	0	No
704	1	Yes
254	9	Unsure

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

EVE12		Blood Clot In Leg Vein
N	Value	Description
17		Missing
52816	0	No
933	1	Yes
255	9	Unsure

EVE13		Swelling In Feet Or Ankles
N	Value	Description
22		Missing
43628	0	No
10183	1	Yes
188	9	Unsure

EVE14		Wake Up Breathing
N	Value	Description
28		Missing
47929	0	No
5890	1	Yes
174	9	Unsure

EVE15		Shortness Of Breath Hurrying
N	Value	Description
26		Missing
39608	0	No
14267	1	Yes
120	9	Unsure

EVE16		Shortness Of Breath At Own Pace
N	Value	Description
26		Missing
48121	0	No
5802	1	Yes
72	9	Unsure

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

<i>EVE17</i>		<i>Difficulty Breathing Inactive</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
30		Missing
51025	0	No
2884	1	Yes
82	9	Unsure

<i>EVE18</i>		<i>Cough On Most Days</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
26		Missing
51033	0	No
2887	1	Yes
75	9	Unsure

<i>EVE19</i>		<i>Phlegm From Chest</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
28		Missing
50961	0	No
2946	1	Yes
86	9	Unsure

<i>EVE20</i>		<i>Wheezing In Chest</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
37		Missing
49132	0	No
4723	1	Yes
129	9	Unsure

<i>EVE20A</i>		<i>Wheezing Short Of Breath</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
31		Missing
49257	.S	Legitimately skipped
2593	0	No
2068	1	Yes
72	9	Unsure

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

<i>EVE21</i>		<i>Sleep Apnea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25		Missing
51573	0	No
1888	1	Yes
535	9	Unsure

<i>EVE21A1</i>		<i>Sleep Apnea Surgery</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
53		Missing
52115	.S	Legitimately skipped
1794	0	No
59	1	Yes

<i>EVE21A2</i>		<i>Sleep Apnea Dental Appliance</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
54		Missing
52115	.S	Legitimately skipped
1736	0	No
116	1	Yes

<i>EVE21A3</i>		<i>Sleep Apnea Oxygen</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
52		Missing
52115	.S	Legitimately skipped
1605	0	No
249	1	Yes

<i>EVE21A4</i>		<i>Sleep Apnea Pressure Machine</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
41		Missing
52115	.S	Legitimately skipped
1008	0	No
857	1	Yes

Chapter 1: Annual Follow Up Interview**Section A: Annual Follow Up Interview**

<i>EVE22</i>		<i>Snore</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
67		Missing
1	.S	Legitimately skipped
7726	1	Never
6062	2	Rarely (1-2 nights a week)
14712	3	Sometimes (3-5 nights a week)
12885	4	Always or almost always (6-7 nights a week)
12568	9	Don't know

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

General AFU Interview: Additional Questions: FORM CODE=GEE, VERSION=1

<i>ID</i>		<i>HCHS Participant ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8650	Present	Text suppressed

<i>AFU_YEAR</i>		<i>AFU Year</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3842	7	AFU Year 7
3168	8	AFU Year 8
1640	9	AFU Year 9

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8650	1	Occurrence 1

<i>GEE0A</i>		<i>Completion Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
20		Missing
8630	Range	08/02/2016 - 01/30/2019

<i>GEE1</i>		<i>Sudden painless weakness one side of body</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11		Missing
8090	0	0=No
549	1	1=Yes

<i>GEE2</i>		<i>Sudden numbness/dead feeling one side of body</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11		Missing
7806	0	0=No
833	1	1=Yes

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

GEE3		<i>Sudden painless loss of vision</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12		Missing
8267	0	0=No
371	1	1=Yes

GEE4		<i>Sudden loss of half of vision</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15		Missing
8411	0	0=No
224	1	1=Yes

GEE5		<i>Sudden loss of ability to understand what people are saying</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
14		Missing
8137	0	0=No
499	1	1=Yes

GEE6		<i>Sudden loss of ability to express yourself</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
22		Missing
8381	0	0=No
247	1	1=Yes

GEE7		<i>Vigorous intensity activities for at least 10 minutes continuously</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
24		Missing
7786	0	0=No
840	1	1=Yes

GEE8		<i>Days per week of vigorous intensity activities</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
14		Missing
7810	.S	Legitimately skipped
826	Range	1 - 7 (median=3 mean=3.3 std=1.5)

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

<i>GEE9A</i>		<i>Hours</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
45		Missing
7810	.S	Legitimately skipped
795	Range	0 - 8 (median=1 mean=1.1 std=1.1)

<i>GEE9B</i>		<i>Minutes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
58		Missing
7810	.S	Legitimately skipped
782	Range	0 - 55 (median=0 mean=14.7 std=16.5)

<i>GEE10</i>		<i>Moderate intensity activities for at least 10 minutes continuously</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
37		Missing
5022	0	0=No
3591	1	1=Yes

<i>GEE11</i>		<i>Days per week of moderate intensity activities</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
42		Missing
5059	.S	Legitimately skipped
3549	Range	0 - 7 (median=4 mean=4.0 std=1.8)

<i>GEE12A</i>		<i>Hours</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
225		Missing
5059	.S	Legitimately skipped
3366	Range	0 - 10 (median=1 mean=0.8 std=1.2)

<i>GEE12B</i>		<i>Minutes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
157		Missing
5059	.S	Legitimately skipped
3434	Range	0 - 90 (median=20 mean=17.2 std=16.0)

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

<i>GEE13A</i>		<i>Hours</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
166		Missing
8484	Range	0 - 24 (median=3 mean=3.9 std=2.8)

<i>GEE13B</i>		<i>Minutes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1050		Missing
7600	Range	0 - 59 (median=0 mean=3.1 std=9.3)

<i>GEE14</i>		<i>Ever used marijuana</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
91		Missing
7142	0	0 = No
1407	1	1 = Yes
10	9	9 = Not Answered

<i>GEE15</i>		<i>Age at first use of marijuana</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
40		Missing
7233	.S	Legitimately skipped
1377	Range	0 - 82 (median=18 mean=22.1 std=13.1)

<i>GEE16</i>		<i>Medical use</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25		Missing
1306	0	0 = No
83	1	1 = Yes
3	9	9 = Not Answered
7233	~	Legitimately skipped

<i>GEE17</i>		<i>Months in the past year using marijuana at least once</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
31		Missing
7233	.S	Legitimately skipped
1386	Range	0 - 60 (median=0 mean=2.5 std=4.6)

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

<i>GEE18</i>		<i>Once per month marijuana use</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
23		Missing
898	0	0 = No
490	1	1 = Yes
6	9	9 = Not Answered
7233	~	Legitimately skipped

<i>GEE19</i>		<i>Marijuana use in the last 30 days</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
39		Missing
7233	.S	Legitimately skipped
1378	Range	0 - 30 (median=0 mean=3.6 std=8.6)

<i>GEE20A</i>		<i>Smoke</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
26		Missing
171	0	0 = No
1214	1	1 = Yes
6	9	9 = Not Answered
7233	~	Legitimately skipped

<i>GEE20B</i>		<i>Edible</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35		Missing
1230	0	0 = No
144	1	1 = Yes
8	9	9 = Not Answered
7233	~	Legitimately skipped

<i>GEE20C</i>		<i>Pill</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
37		Missing
1350	0	0 = No
22	1	1 = Yes
8	9	9 = Not Answered
7233	~	Legitimately skipped

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

<i>GEE20D</i>		<i>Oil</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
37		Missing
1257	0	0 = No
115	1	1 = Yes
8	9	9 = Not Answered
7233	~	Legitimately skipped

<i>GEE20E</i>		<i>Topical</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
37		Missing
1277	0	0 = No
95	1	1 = Yes
8	9	9 = Not Answered
7233	~	Legitimately skipped

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

General Health Section: FORM CODE=GHE, VERSION=3,B

ID		HCHS Participant ID
N	Value	Description
218009	Present	Text suppressed

AFU_YEAR		AFU Year
N	Value	Description
16334	1	AFU Year 1
16324	2	AFU Year 2
16225	3	AFU Year 3
16026	4	AFU Year 4
15965	5	AFU Year 5
15720	6	AFU Year 6
15719	7	AFU Year 7
15573	8	AFU Year 8
15418	9	AFU Year 9
15276	10	AFU Year 10
15149	11	AFU Year 11
14872	12	AFU Year 12
14825	13	AFU Year 13
14583	14	AFU Year 14

OCCURRENCE		Occurrence
N	Value	Description
218009	1	Occurrence 1

GHE0A		Completion Date
N	Value	Description
218009	Range	06/28/2008 - 04/27/2026

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

<i>GHE1</i>		<i>Participant status</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
19		Missing
174282	1	1=Participant contacted and alive, agrees to interview
2776	2	2=Participant contacted and refused interview
6003	3	3=Designated respondent contacted, reported alive
12089	4	4=Other respondent contacted, reported alive
1505	5	5=Not contacted, reported deceased
21335	9	9=Unknown

<i>GHE1AY</i>		<i>Year of GHE1A</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
216644		Missing
1365	Range	2009 - 2025 (median=2019 mean=2018.2 std=4.0)

<i>GHE1B2</i>		<i>State death occurred</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
276		Missing
216500	~	Legitimately skipped
1233	Present	Text suppressed

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

<i>GHE1B3</i>		<i>Country death occurred</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
153		Missing
4	16	16=Colombia
3	17	17=Costa Rica
6	18	18=Cuba
19	21	21=Dominican Republic
5	22	22=Ecuador
1	23	23=El Salvador
4	30	30=Guatemala
7	33	33=Honduras
77	46	46=Mexico
8	48	48=Nicaragua
12	57	57=Puerto Rico
1	60	60=Spain
1180	63	63=United States
29	99	99=Unknown/refused
216500	~	Legitimately skipped

<i>GHE1C</i>		<i>Decedent hospitalized or visited ER</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
237		Missing
216500	.S	Legitimately skipped
495	0	0=No
777	1	1=Yes

<i>GHE2</i>		<i>Health status</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2038		Missing
43704	.S	Legitimately skipped
17012	1	1=Excellent
24739	2	2=Very good
77724	3	3=Good
45126	4	4=Fair
7666	5	5=Poor

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

Genetic Testing Awareness: FORM CODE=GTE, VERSION=1

ID		HCHS Participant ID
N	Value	Description
8939	Present	Text suppressed

AFU_YEAR		AFU Year
N	Value	Description
553	8	AFU Year 8
3462	9	AFU Year 9
3055	10	AFU Year 10
1869	11	AFU Year 11

OCCURRENCE		Occurrence
N	Value	Description
8939	1	Occurrence 1

GTE0A		Completion date
N	Value	Description
22		Missing
8917	Range	08/10/2018 - 03/08/2030

GTE1		Determine Risk
N	Value	Description
2999		Missing
3730	0	0= No
2129	1	1= Yes
81	9	9=Refuse to Answer

GTE1A		Offered Test Risk
N	Value	Description
32		Missing
6810	.S	Legitimately skipped
1843	0	0= No
234	1	1= Yes
19	8	8 = Don't know
1	9	9=Refuse to Answer

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

<i>GTE1B</i>		<i>Received Test Risk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
21		Missing
8704	.S	Legitimately skipped
79	0	0= No
126	1	1= Yes
7	8	8 = Don't know
2	9	9=Refuse to Answer

<i>GTE1C</i>		<i>Interested in Test Risk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1537		Missing
3347	.S	Legitimately skipped
528	0	0= No
2607	1	1= Yes
860	2	2 = Not sure / it depends
60	9	9=Refuse to Answer

<i>GTE2</i>		<i>Inherited Disease to Children</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3347		Missing
3383	0	0= No
2109	1	1= Yes
100	9	9=Refuse to Answer

<i>GTE2A</i>		<i>Offered for Inherited Test</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
23		Missing
6830	.S	Legitimately skipped
1885	0	0= No
184	1	1= Yes
15	8	8 = Don't know
2	9	9=Refuse to Answer

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

<i>GTE2B</i>		<i>Received for Inherited Test</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
14		Missing
8753	.S	Legitimately skipped
55	0	0= No
106	1	1= Yes
5	8	8 = Don't know
6	9	9=Refuse to Answer

<i>GTE2C</i>		<i>Interested in Inherited Test</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1253		Missing
3656	.S	Legitimately skipped
619	0	0= No
2694	1	1= Yes
671	2	2 = Not sure / it depends
46	9	9=Refuse to Answer

<i>GTE3</i>		<i>Genetic test treatment after diagnosis</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3367		Missing
4566	0	0= No
906	1	1= Yes
100	9	9=Refuse to Answer

<i>GTE3A</i>		<i>Offered genetic test treatment after diagnosis</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
20		Missing
8033	.S	Legitimately skipped
798	0	0= No
78	1	1= Yes
9	8	8 = Don't know
1	9	9=Refuse to Answer

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

<i>GTE3B</i>		<i>Received genetic test treatment after diagnosis</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8		Missing
8860	.S	Legitimately skipped
37	0	0= No
33	1	1= Yes
1	8	8 = Don't know
0	9	9=Refuse to Answer

<i>GTE3C</i>		<i>Interested in genetic test treatment after diagnosis</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1293		Missing
3566	.S	Legitimately skipped
524	0	0= No
2838	1	1= Yes
670	2	2 = Not sure / it depends
48	9	9=Refuse to Answer

<i>GTE4</i>		<i>Genetic Test for Drugs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3367		Missing
4552	0	0= No
916	1	1= Yes
104	9	9=Refuse to Answer

<i>GTE4A</i>		<i>Offered Genetic test for drugs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16		Missing
8023	.S	Legitimately skipped
839	0	0= No
58	1	1= Yes
3	8	8 = Don't know
0	9	9=Refuse to Answer

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

<i>GTE4B</i>		<i>Received Genetic test for drugs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4		Missing
8881	.S	Legitimately skipped
21	0	0= No
32	1	1= Yes
1	8	8 = Don't know
0	9	9=Refuse to Answer

<i>GTE4C</i>		<i>Interested in genetic test for drugs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1321		Missing
3545	.S	Legitimately skipped
557	0	0= No
2808	1	1= Yes
657	2	2 = Not sure / it depends
51	9	9=Refuse to Answer

<i>GTE5</i>		<i>Managing Health</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3849		Missing
5090	Range	0 - 10 (median=9 mean=8.5 std=2.0)

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

Hospitalization and Emergency Department Events: FORM CODE=HOE, VERSION=A

ID		HCHS Participant ID
N	Value	Description
187039	Present	Text suppressed

AFU_YEAR		AFU Year
N	Value	Description
15018	1	AFU Year 1
14821	2	AFU Year 2
14382	3	AFU Year 3
14020	4	AFU Year 4
13886	5	AFU Year 5
13417	6	AFU Year 6
13313	7	AFU Year 7
13431	8	AFU Year 8
13371	9	AFU Year 9
13280	10	AFU Year 10
12757	11	AFU Year 11
11985	12	AFU Year 12
11827	13	AFU Year 13
11531	14	AFU Year 14

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

OCCURRENCE		Occurrence
N	Value	Description
179413	1	Occurrence 1
5161	2	Occurrence 2
1422	3	Occurrence 3
486	4	Occurrence 4
228	5	Occurrence 5
128	6	Occurrence 6
75	7	Occurrence 7
45	8	Occurrence 8
28	9	Occurrence 9
17	10	Occurrence 10
15	11	Occurrence 11
7	12	Occurrence 12
3	13	Occurrence 13
2	14	Occurrence 14
2	15	Occurrence 15
2	16	Occurrence 16
2	17	Occurrence 17
2	18	Occurrence 18
1	19	Occurrence 19

HOE3		Hospital/ER since clinic visit
N	Value	Description
8		Missing
150431	0	0=No
36116	1	1=Yes
484	9	9=Unsure

HOE4		Type of Hospital/ER Visit
N	Value	Description
153		Missing
150810	.S	Legitimately skipped
20798	1	1=Emergency Room (only)
5833	2	2=Hospital Admission (only)
9172	3	3=Both
273	9	9=Unsure

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

HOE4A		Reason for Hospital/ER visit
N	Value	Description
188		Missing
150810	.S	Legitimately skipped
401	0	0=Myocardial infarction, heart attack
1317	1	1=Angina, chest pain
399	2	2=Heart failure
400	3	3=Stroke or TIA
97	4	4=Peripheral vascular disease
71	5	5=Venous thrombosis or pulmonary embolism
468	6	6=Chronic Obstructive Pulmonary Disease, emphysema, or chronic bronchitis
905	7	7=Asthma
30780	8	8=Other
700	9	9=Pregnancy related, birth, complication of pregnancy
503	10	10=COVID-19, COVID, SARS-CoV-2, or Coronavirus

HOE4A1		Reason for Hospital/ER visit-other
N	Value	Description
237		Missing
156119	~	Legitimately skipped
30683	Present	Text suppressed

HOE4BY		Year of HOE4B
N	Value	Description
151295		Missing
35744	Range	2007 - 2025 (median=2016 mean=2016.1 std=4.2)

HOE4F		Additional Hospital/ER visits
N	Value	Description
389		Missing
150810	.S	Legitimately skipped
28695	0	0=No
7145	1	1=Yes

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

Medications: FORM CODE=MEE, VERSION=A,B,C

AFU_YEAR		AFU year
N	Value	Description
14244	1	AFU Year 1
14031	2	AFU Year 2
13656	3	AFU Year 3
13216	4	AFU Year 4
13060	5	AFU Year 5

OCCURRENCE		OCCURRENCE
N	Value	Description
68207	1	Occurrence 1

MEE23		Participant has meds
N	Value	Description
18		Missing
4	.S	Legitimately skipped
39076	0	No [skip to Q44]
28635	1	Yes
474	2	Refused [skip to Q44]

MEE44		NOW taking aspirin
N	Value	Description
14950		Missing
4	.S	Legitimately skipped
43178	0	No [skip to Q45]
10026	1	Yes
49	9	Unsure [skip to Q45]

MEE44A		Aspiring dose
N	Value	Description
14718		Missing
43440	.S	Legitimately skipped
9068	0	81 mg per day of aspirin
711	1	325 mg per day of aspirin
270	2	Other

Chapter 1: Annual Follow Up Interview**Section A: Annual Follow Up Interview**

<i>MEE44A1</i>		<i>Other dosage</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
41982		Missing
25961	~	Legitimately skipped
264	Present	Text suppressed

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

Out-patient Self-reported Outcomes: FORM CODE=OPE, VERSION=A

ID		HCHS Participant ID
N	Value	Description
178445	Present	Text suppressed

AFU_YEAR		AFU Year
N	Value	Description
15502	1	AFU Year 1
16081	2	AFU Year 2
15628	3	AFU Year 3
13232	4	AFU Year 4
13071	5	AFU Year 5
12742	6	AFU Year 6
12470	7	AFU Year 7
12400	8	AFU Year 8
12252	9	AFU Year 9
12103	10	AFU Year 10
11420	11	AFU Year 11
10792	12	AFU Year 12
10567	13	AFU Year 13
10185	14	AFU Year 14

OCCURRENCE		Occurrence
N	Value	Description
178445	1	Occurrence 1

OPE5		Diagnosed w/ serious lung condition
N	Value	Description
15		Missing
5146	.S	Legitimately skipped
170483	0	0=No
2531	1	1=Yes
270	9	9=Unsure

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

OPE5A		Breathing or PF test-lung cond
N	Value	Description
124		Missing
175628	.S	Legitimately skipped
1121	0	0=No
1514	1	1=Yes
58	9	9=Unsure

OPE5B		Chest X-ray-lung cond
N	Value	Description
127		Missing
175628	.S	Legitimately skipped
960	0	0=No
1687	1	1=Yes
43	9	9=Unsure

OPE5C		CT Scan of chest-lung cond
N	Value	Description
130		Missing
175628	.S	Legitimately skipped
1602	0	0=No
976	1	1=Yes
109	9	9=Unsure

OPE5D		Worsening of serious lung condition
N	Value	Description
134		Missing
175628	.S	Legitimately skipped
1831	0	0=No
730	1	1=Yes
122	9	9=Unsure

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

OPE5E		Change in serious lung cond prescrip
N	Value	Description
114		Missing
177579	.S	Legitimately skipped
211	0	0=No
516	1	1=Yes
25	9	9=Unsure

OPE6		Diagnosed w/ asthma
N	Value	Description
300		Missing
1	.Q	DK/Refuse
5146	.S	Legitimately skipped
168691	0	0=No
4044	1	1=Yes
263	9	9=Unsure

OPE6A		Breathing or PF test-asthma
N	Value	Description
67		Missing
174368	.S	Legitimately skipped
1857	0	0=No
2101	1	1=Yes
52	9	9=Unsure

OPE6B		Chest X-ray-asthma
N	Value	Description
70		Missing
174368	.S	Legitimately skipped
2013	0	0=No
1938	1	1=Yes
56	9	9=Unsure

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

OPE6C		CT Scan of chest-asthma
N	Value	Description
74		Missing
174368	.S	Legitimately skipped
2820	0	0=No
1078	1	1=Yes
105	9	9=Unsure

OPE6D		Worsening of asthma
N	Value	Description
65		Missing
174368	.S	Legitimately skipped
2883	0	0=No
1016	1	1=Yes
113	9	9=Unsure

OPE6E		Change in asthma prescrip
N	Value	Description
26		Missing
1	.Q	DK/Refuse
177406	.S	Legitimately skipped
190	0	0=No
809	1	1=Yes
13	9	9=Unsure

OPE7		Diagnosed with diabetes/HBS
N	Value	Description
372		Missing
1	.Q	DK/Refuse
5146	.S	Legitimately skipped
158482	0	0=No
13708	1	1=Yes
736	9	9=Unsure

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

OPE7A		New/Diff treatments-diabetes/HBS
N	Value	Description
72		Missing
164707	.S	Legitimately skipped
7093	0	0=No
6540	1	1=Yes
33	9	9=Unsure

OPE7B1		Pills
N	Value	Description
47		Missing
171878	.S	Legitimately skipped
2573	0	0=No
3947	1	1=Yes

OPE7B2		Insulin Alone
N	Value	Description
98		Missing
171878	.S	Legitimately skipped
5851	0	0=No
618	1	1=Yes

OPE7B3		Insulin and pills
N	Value	Description
98		Missing
171878	.S	Legitimately skipped
5899	0	0=No
570	1	1=Yes

OPE7B4		Referred for eye exam
N	Value	Description
99		Missing
171878	.S	Legitimately skipped
5447	0	0=No
1021	1	1=Yes

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

OPE7B5		Advice to change diet
N	Value	Description
72		Missing
171878	.S	Legitimately skipped
2800	0	0=No
3695	1	1=Yes

OPE7B6		Advice to stop smoking
N	Value	Description
99		Missing
171878	.S	Legitimately skipped
6132	0	0=No
336	1	1=Yes

OPE7B7		Advice to increase exercise
N	Value	Description
78		Missing
171878	.S	Legitimately skipped
3785	0	0=No
2704	1	1=Yes

OPE7B8		Other treatments
N	Value	Description
108		Missing
171878	.S	Legitimately skipped
6115	0	0=No
344	1	1=Yes

OPE7B9		Other treatments-specified
N	Value	Description
47218		Missing
130944	~	Legitimately skipped
283	Present	Text suppressed

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

OPE8		Diagnosed with HBP/Hypertension
N	Value	Description
464		Missing
5146	.S	Legitimately skipped
149934	0	0=No
22275	1	1=Yes
626	9	9=Unsure

OPE8A		New/Diff treatments-HBP/Hypert
N	Value	Description
97		Missing
156140	.S	Legitimately skipped
12646	0	0=No
9493	1	1=Yes
69	9	9=Unsure

OPE8B1		Start new meds
N	Value	Description
53		Missing
168925	.S	Legitimately skipped
2538	0	0=No
6929	1	1=Yes

OPE8B2		Increase dose of existing meds
N	Value	Description
151		Missing
168925	.S	Legitimately skipped
8603	0	0=No
766	1	1=Yes

OPE8B3		Advice to lose weight
N	Value	Description
145		Missing
168925	.S	Legitimately skipped
6901	0	0=No
2474	1	1=Yes

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

OPE8B4		Advice to change diet
N	Value	Description
135		Missing
168925	.S	Legitimately skipped
5095	0	0=No
4290	1	1=Yes

OPE8B5		Advice to stop smoking
N	Value	Description
157		Missing
168925	.S	Legitimately skipped
8824	0	0=No
539	1	1=Yes

OPE8B6		Advice to increase exercise
N	Value	Description
144		Missing
168925	.S	Legitimately skipped
5775	0	0=No
3601	1	1=Yes

OPE8B7		Other trt-HBP/Hypertension
N	Value	Description
155		Missing
168925	.S	Legitimately skipped
8726	0	0=No
639	1	1=Yes

OPE8B8		Other trt-HBP/Hypert specified
N	Value	Description
47264		Missing
130650	~	Legitimately skipped
531	Present	Text suppressed

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

OPE9		Diagnosed with HB cholesterol
N	Value	Description
793		Missing
5146	.S	Legitimately skipped
147809	0	0=No
22971	1	1=Yes
1726	9	9=Unsure

OPE9A		New/Diff treatments-HB cholest
N	Value	Description
104		Missing
155436	.S	Legitimately skipped
9493	0	0=No
13345	1	1=Yes
67	9	9=Unsure

OPE9B1		Start new meds
N	Value	Description
102		Missing
165062	.S	Legitimately skipped
5679	0	0=No
7602	1	1=Yes

OPE9B2		Increase dose of existing meds
N	Value	Description
201		Missing
165062	.S	Legitimately skipped
12816	0	0=No
366	1	1=Yes

OPE9B3		Advice to lose weight
N	Value	Description
181		Missing
165062	.S	Legitimately skipped
9400	0	0=No
3802	1	1=Yes

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

OPE9B4		Advice to change diet
N	Value	Description
151		Missing
165062	.S	Legitimately skipped
4798	0	0=No
8434	1	1=Yes

OPE9B5		Advice to stop smoking
N	Value	Description
213		Missing
42597	.S	Legitimately skipped
12527	0	0=No
643	1	1=Yes
122465	~	Legitimately skipped

OPE9B6		Advice to increase exercise
N	Value	Description
179		Missing
165062	.S	Legitimately skipped
7310	0	0=No
5894	1	1=Yes

OPE9B7		Other trt-HB cholesterol
N	Value	Description
209		Missing
165062	.S	Legitimately skipped
12633	0	0=No
541	1	1=Yes

OPE9B8		Other trt-HB cholest specified
N	Value	Description
47272		Missing
130729	~	Legitimately skipped
444	Present	Text suppressed

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

Other Items: FORM CODE=OTEA, VERSION=A

ID		HCHS Participant ID
N	Value	Description
14108	Present	Text suppressed

OCCURRENCE		Occurrence
N	Value	Description
14108	1	Occurrence 1

AFU_YEAR		AFU year
N	Value	Description
14108	3	AFU Year 3

OTEA50		Current smoking status
N	Value	Description
6		Missing
8181	0	Never smoker
3227	1	Former smoker, quit more than 1 year ago
418	2	Former smoker, quit less than 1 year ago
2265	3	Current smoker
11	4	Don't know

OTEA51		Smoked cigarettes during last 30 days
N	Value	Description
56		Missing
8123	.S	Legitimately skipped
3581	0	No
2338	1	Yes
10	9	Unsure

OTEA51A		Daily average cigarettes smoked
N	Value	Description
61		Missing
11708	.S	Legitimately skipped
2339	Range	0 - 60 (median=5 mean=7.6 std=7.6)

Chapter 1: Annual Follow Up Interview

Section A: Annual Follow Up Interview

OTEA52		Current marital status
N	Value	Description
11		Missing
6360	0	Married
677	1	Widow(er)
1387	2	Divorced
1055	3	Separated
3166	4	Single
1452	5	Living with partner

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

Food Propensity Questionnaire Version A: FORM CODE=FPEA, VERSION=A

ID		HCHS Participant ID
N	Value	Description
2387	Present	Text suppressed

OCCURRENCE		Occurrence
N	Value	Description
2387	1	Occurrence 1

AFU_YEAR		AFU year
N	Value	Description
2387	3	AFU Year 3

FPEA0A		Date of form completion
N	Value	Description
2		Missing
2385	Range	12/15/2008 - 01/10/2011

FPEA1		Tomato/veg juice - how often
N	Value	Description
1485	0	Never
351	1	1 time per month or less
150	2	2-3 times per month
218	3	1-2 times per week
73	4	3-4 times per week
14	5	5-6 times per week
63	6	1 time per day
20	7	2-3 times per day
2	8	4-5 times per day
11	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA2</i>		<i>Orange/grapefruit juice - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
422	0	Never
295	1	1 time per month or less
258	2	2-3 times per month
535	3	1-2 times per week
330	4	3-4 times per week
71	5	5-6 times per week
317	6	1 time per day
109	7	2-3 times per day
9	8	4-5 times per day
41	9	6 or more times per day

<i>FPEA3</i>		<i>Apple juice - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
974	0	Never
370	1	1 time per month or less
248	2	2-3 times per month
411	3	1-2 times per week
155	4	3-4 times per week
43	5	5-6 times per week
107	6	1 time per day
59	7	2-3 times per day
3	8	4-5 times per day
17	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA4</i>		<i>Grape juice - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1474	0	Never
373	1	1 time per month or less
155	2	2-3 times per month
218	3	1-2 times per week
81	4	3-4 times per week
22	5	5-6 times per week
40	6	1 time per day
19	7	2-3 times per day
2	8	4-5 times per day
3	9	6 or more times per day

<i>FPEA5</i>		<i>Other fruit juice - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1		Missing
1218	0	Never
307	1	1 time per month or less
209	2	2-3 times per month
326	3	1-2 times per week
127	4	3-4 times per week
44	5	5-6 times per week
104	6	1 time per day
29	7	2-3 times per day
5	8	4-5 times per day
17	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA6</i>		<i>Fruit drinks - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1		Missing
950	0	Never
300	1	1 time per month or less
226	2	2-3 times per month
405	3	1-2 times per week
215	4	3-4 times per week
31	5	5-6 times per week
175	6	1 time per day
58	7	2-3 times per day
9	8	4-5 times per day
17	9	6 or more times per day

<i>FPEA6A</i>		<i>Fruit drinks - how often sugar-free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
20		Missing
932	.S	Legitimately skipped
910	0	Almost never or never
75	1	About 1/4 of the time
93	2	About 1/2 of the time
36	3	About 3/4 of the time
321	4	Almost always or always

<i>FPEA7</i>		<i>Milk as beverage - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2		Missing
794	0	Never
166	1	1 time per month or less
110	2	2-3 times per month
283	3	1-2 times per week
215	4	3-4 times per week
54	5	5-6 times per week
516	6	1 time per day
195	7	2-3 times per day
15	8	4-5 times per day
37	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA7A</i>		<i>Type of milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18		Missing
779	.S	Legitimately skipped
420	1	Whole milk
756	2	2% fat milk
148	3	1% fat milk
124	4	Skim, nonfat or 1/2% fat milk
83	5	Soy milk
9	6	Rice milk
1	7	Raw, unpasteurized milk
49	8	Other

<i>FPEA8</i>		<i>Meal replacement bev - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2078	0	Never
106	1	1 time per month or less
40	2	2-3 times per month
57	3	1-2 times per week
32	4	3-4 times per week
13	5	5-6 times per week
39	6	1 time per day
16	7	2-3 times per day
4	8	4-5 times per day
2	9	6 or more times per day

<i>FPEA9</i>		<i>Soda</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1		Missing
685	0	No
1701	1	Yes

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

FPEA9A		Soda - how often in summer
N	Value	Description
14		Missing
672	.S	Legitimately skipped
54	0	Never
274	1	1 time per month or less
212	2	2-3 times per month
465	3	1-2 times per week
203	4	3-4 times per week
43	5	5-6 times per week
282	6	1 time per day
128	7	2-3 times per day
19	8	4-5 times per day
21	9	6 or more times per day

FPEA9B		Soda - how often other seasons
N	Value	Description
14		Missing
674	.S	Legitimately skipped
161	0	Never
344	1	1 time per month or less
242	2	2-3 times per month
391	3	1-2 times per week
175	4	3-4 times per week
31	5	5-6 times per week
235	6	1 time per day
83	7	2-3 times per day
15	8	4-5 times per day
22	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA9C</i>		<i>Soda - how often sugar free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12		Missing
675	.S	Legitimately skipped
1151	0	Almost never or never
69	1	About 1/4 of the time
88	2	About 1/2 of the time
19	3	About 3/4 of the time
373	4	Almost always or always

<i>FPEA9D</i>		<i>Soda - how often caffeine free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
14		Missing
675	.S	Legitimately skipped
1110	0	Almost never or never
99	1	About 1/4 of the time
130	2	About 1/2 of the time
32	3	About 3/4 of the time
327	4	Almost always or always

<i>FPEA10</i>		<i>Beer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1350	0	No
1037	1	Yes

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

FPEA10A		Beer - how often in summer
N	Value	Description
30		Missing
1321	.S	Legitimately skipped
43	0	Never
408	1	1 time per month or less
176	2	2-3 times per month
271	3	1-2 times per week
62	4	3-4 times per week
23	5	5-6 times per week
24	6	1 time per day
16	7	2-3 times per day
6	8	4-5 times per day
7	9	6 or more times per day

FPEA10B		Beer - how often other seasons
N	Value	Description
27		Missing
1326	.S	Legitimately skipped
202	0	Never
403	1	1 time per month or less
154	2	2-3 times per month
177	3	1-2 times per week
49	4	3-4 times per week
9	5	5-6 times per week
16	6	1 time per day
16	7	2-3 times per day
4	8	4-5 times per day
4	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA10C</i>		<i>Non-Alc Beer - how often other seasons</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25		Missing
1327	.S	Legitimately skipped
936	0	Never
41	1	1 time per month or less
21	2	2-3 times per month
18	3	1-2 times per week
7	4	3-4 times per week
1	5	5-6 times per week
6	6	1 time per day
3	7	2-3 times per day
0	8	4-5 times per day
2	9	6 or more times per day

<i>FPEA11</i>		<i>Wine - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1560	0	Never
504	1	1 time per month or less
125	2	2-3 times per month
135	3	1-2 times per week
31	4	3-4 times per week
8	5	5-6 times per week
20	6	1 time per day
3	7	2-3 times per day
1	8	4-5 times per day
0	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA11A</i>		<i>Non-alc or wine coolers - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6		Missing
2233	0	Never
101	1	1 time per month or less
27	2	2-3 times per month
19	3	1-2 times per week
0	4	3-4 times per week
0	5	5-6 times per week
1	6	1 time per day
0	7	2-3 times per day
0	8	4-5 times per day
0	9	6 or more times per day

<i>FPEA12</i>		<i>Liquor - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2		Missing
1701	0	Never
435	1	1 time per month or less
130	2	2-3 times per month
97	3	1-2 times per week
14	4	3-4 times per week
4	5	5-6 times per week
1	6	1 time per day
2	7	2-3 times per day
0	8	4-5 times per day
1	9	6 or more times per day

<i>FPEA13</i>		<i>Oatmeal, grits, or cooked cereal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
640	0	No
1747	1	Yes

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA13A</i>		<i>Oatmeal - how often in winter</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32		Missing
608	.S	Legitimately skipped
36	0	Never
111	1	1-6 times per year
39	2	7-11 times per year
164	3	1 time per month
208	4	2-3 times per month
244	5	1 time per week
281	6	2 times per week
319	7	3-4 times per week
42	8	5-6 times per week
289	9	1 time per day
14	10	2 or more times per day

<i>FPEA13B</i>		<i>Oatmeal - how often other seasons</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33		Missing
610	.S	Legitimately skipped
143	0	Never
119	1	1-6 times per year
52	2	7-11 times per year
194	3	1 time per month
243	4	2-3 times per month
227	5	1 time per week
253	6	2 times per week
236	7	3-4 times per week
32	8	5-6 times per week
231	9	1 time per day
14	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA13C</i>		<i>Cooked cereal mainly oatmeal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
31		Missing
610	.S	Legitimately skipped
108	0	Almost never or never
91	1	About 1/4 of the time
159	2	About 1/2 of the time
77	3	About 3/4 of the time
1311	4	Almost always or always

<i>FPEA14</i>		<i>Cold cereal - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1		Missing
429	0	Never
100	1	1-6 times per year
45	2	7-11 times per year
180	3	1 time per month
218	4	2-3 times per month
307	5	1 time per week
351	6	2 times per week
381	7	3-4 times per week
48	8	5-6 times per week
307	9	1 time per day
20	10	2 or more times per day

<i>FPEA14A</i>		<i>Cold cereal - how often whole grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10		Missing
415	.S	Legitimately skipped
393	0	Almost never or never
114	1	About 1/4 of the time
174	2	About 1/2 of the time
71	3	About 3/4 of the time
1210	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA14B</i>		<i>Cold cereal - with milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11		Missing
415	.S	Legitimately skipped
114	0	No
1847	1	Yes

<i>FPEA14C</i>		<i>Cold cereal - type of milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11		Missing
527	.S	Legitimately skipped
449	1	Whole milk
866	2	2% fat milk
194	3	1% fat milk
149	4	Skim, nonfat or 1/2% fat milk
116	5	Soy milk
5	6	Rice milk
1	7	Raw, unpasteurized milk
69	8	Other

<i>FPEA15</i>		<i>Applesauce - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1795	0	Never
205	1	1-6 times per year
32	2	7-11 times per year
118	3	1 time per month
72	4	2-3 times per month
59	5	1 time per week
50	6	2 times per week
31	7	3-4 times per week
0	8	5-6 times per week
22	9	1 time per day
3	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA16</i>		<i>Apples - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
348	0	Never
126	1	1-6 times per year
41	2	7-11 times per year
220	3	1 time per month
242	4	2-3 times per month
339	5	1 time per week
336	6	2 times per week
330	7	3-4 times per week
48	8	5-6 times per week
315	9	1 time per day
42	10	2 or more times per day

<i>FPEA17</i>		<i>Pears - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1		Missing
878	0	Never
190	1	1-6 times per year
46	2	7-11 times per year
243	3	1 time per month
232	4	2-3 times per month
267	5	1 time per week
254	6	2 times per week
145	7	3-4 times per week
19	8	5-6 times per week
103	9	1 time per day
9	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA18</i>		<i>Bananas - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2		Missing
184	0	Never
50	1	1-6 times per year
21	2	7-11 times per year
147	3	1 time per month
181	4	2-3 times per month
312	5	1 time per week
374	6	2 times per week
434	7	3-4 times per week
96	8	5-6 times per week
530	9	1 time per day
56	10	2 or more times per day

<i>FPEA19</i>		<i>Pineapple - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4		Missing
762	0	Never
297	1	1-6 times per year
86	2	7-11 times per year
357	3	1 time per month
256	4	2-3 times per month
290	5	1 time per week
148	6	2 times per week
94	7	3-4 times per week
20	8	5-6 times per week
67	9	1 time per day
6	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA20</i>		<i>Dried fruit - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2		Missing
993	0	Never
193	1	1-6 times per year
61	2	7-11 times per year
258	3	1 time per month
194	4	2-3 times per month
234	5	1 time per week
147	6	2 times per week
137	7	3-4 times per week
20	8	5-6 times per week
137	9	1 time per day
11	10	2 or more times per day

<i>FPEA21</i>		<i>Peaches, nectarines, or plums</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3		Missing
828	0	No
1556	1	Yes

<i>FPEA21A</i>		<i>Peaches, nectarines, plums-in season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33		Missing
803	.S	Legitimately skipped
10	0	Never
157	1	1-6 times per year
65	2	7-11 times per year
177	3	1 time per month
175	4	2-3 times per month
225	5	1 time per week
261	6	2 times per week
219	7	3-4 times per week
32	8	5-6 times per week
176	9	1 time per day
54	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA21B</i>		<i>Peaches, nectarines, plums-off season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
23		Missing
808	.S	Legitimately skipped
451	0	Never
193	1	1-6 times per year
76	2	7-11 times per year
234	3	1 time per month
186	4	2-3 times per month
185	5	1 time per week
126	6	2 times per week
50	7	3-4 times per week
9	8	5-6 times per week
41	9	1 time per day
5	10	2 or more times per day

<i>FPEA22</i>		<i>Grapes - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11		Missing
339	0	Never
212	1	1-6 times per year
77	2	7-11 times per year
344	3	1 time per month
321	4	2-3 times per month
419	5	1 time per week
270	6	2 times per week
220	7	3-4 times per week
42	8	5-6 times per week
127	9	1 time per day
5	10	2 or more times per day

<i>FPEA23</i>		<i>Melons</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7		Missing
431	0	No
1949	1	Yes

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA23A</i>		<i>Fresh melons-in season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
22		Missing
415	.S	Legitimately skipped
15	0	Never
158	1	1-6 times per year
104	2	7-11 times per year
236	3	1 time per month
243	4	2-3 times per month
376	5	1 time per week
344	6	2 times per week
242	7	3-4 times per week
37	8	5-6 times per week
174	9	1 time per day
21	10	2 or more times per day

<i>FPEA23B</i>		<i>Fresh/frozen melons-off season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
24		Missing
414	.S	Legitimately skipped
549	0	Never
209	1	1-6 times per year
95	2	7-11 times per year
316	3	1 time per month
213	4	2-3 times per month
255	5	1 time per week
154	6	2 times per week
83	7	3-4 times per week
15	8	5-6 times per week
53	9	1 time per day
7	10	2 or more times per day

<i>FPEA24</i>		<i>Strawberries</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4		Missing
563	0	No
1820	1	Yes

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA24A</i>		<i>Strawberries-how often in season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33		Missing
537	.S	Legitimately skipped
9	0	Never
159	1	1-6 times per year
67	2	7-11 times per year
231	3	1 time per month
250	4	2-3 times per month
346	5	1 time per week
277	6	2 times per week
251	7	3-4 times per week
36	8	5-6 times per week
174	9	1 time per day
17	10	2 or more times per day

<i>FPEA24B</i>		<i>Strawberries-how often off season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
28		Missing
542	.S	Legitimately skipped
454	0	Never
163	1	1-6 times per year
91	2	7-11 times per year
304	3	1 time per month
217	4	2-3 times per month
236	5	1 time per week
151	6	2 times per week
104	7	3-4 times per week
9	8	5-6 times per week
84	9	1 time per day
4	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

FPEA25		Oranges, tangerines, clementines
N	Value	Description
5		Missing
471	0	No
1911	1	Yes

FPEA25A		Oranges, tang, clem-in season
N	Value	Description
22		Missing
454	.S	Legitimately skipped
11	0	Never
98	1	1-6 times per year
48	2	7-11 times per year
165	3	1 time per month
202	4	2-3 times per month
314	5	1 time per week
336	6	2 times per week
313	7	3-4 times per week
61	8	5-6 times per week
303	9	1 time per day
60	10	2 or more times per day

FPEA25B		Oranges, tang, clem-off season
N	Value	Description
23		Missing
456	.S	Legitimately skipped
179	0	Never
116	1	1-6 times per year
60	2	7-11 times per year
229	3	1 time per month
233	4	2-3 times per month
314	5	1 time per week
279	6	2 times per week
217	7	3-4 times per week
41	8	5-6 times per week
214	9	1 time per day
26	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA26</i>		<i>Grapefruit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4		Missing
1667	0	No
716	1	Yes

<i>FPEA26A</i>		<i>Grapefruit-how often in season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
59		Missing
1612	.S	Legitimately skipped
21	0	Never
168	1	1-6 times per year
19	2	7-11 times per year
131	3	1 time per month
69	4	2-3 times per month
81	5	1 time per week
84	6	2 times per week
56	7	3-4 times per week
8	8	5-6 times per week
66	9	1 time per day
13	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA26B</i>		<i>Grapefruit-how often off season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
58		Missing
1614	.S	Legitimately skipped
188	0	Never
124	1	1-6 times per year
30	2	7-11 times per year
132	3	1 time per month
55	4	2-3 times per month
65	5	1 time per week
49	6	2 times per week
28	7	3-4 times per week
3	8	5-6 times per week
36	9	1 time per day
5	10	2 or more times per day

<i>FPEA26C</i>		<i>Mango</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
45		Missing
149	.S	Legitimately skipped
502	0	Never
314	1	1-6 times per year
164	2	7-11 times per year
231	3	1 time per month
229	4	2-3 times per month
250	5	1 time per week
212	6	2 times per week
148	7	3-4 times per week
22	8	5-6 times per week
108	9	1 time per day
13	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA26D</i>		<i>Papaya or bomba</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
38		Missing
155	.S	Legitimately skipped
805	0	Never
181	1	1-6 times per year
62	2	7-11 times per year
241	3	1 time per month
195	4	2-3 times per month
224	5	1 time per week
188	6	2 times per week
158	7	3-4 times per week
16	8	5-6 times per week
117	9	1 time per day
7	10	2 or more times per day

<i>FPEA27</i>		<i>Fruits - other</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5		Missing
1037	0	Never
222	1	1-6 times per year
76	2	7-11 times per year
240	3	1 time per month
186	4	2-3 times per month
247	5	1 time per week
150	6	2 times per week
85	7	3-4 times per week
22	8	5-6 times per week
104	9	1 time per day
13	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA28</i>		<i>Cooked greens</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4		Missing
961	0	Never
129	1	1-6 times per year
44	2	7-11 times per year
208	3	1 time per month
186	4	2-3 times per month
258	5	1 time per week
230	6	2 times per week
196	7	3-4 times per week
37	8	5-6 times per week
124	9	1 time per day
10	10	2 or more times per day

<i>FPEA29</i>		<i>Raw greens</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4		Missing
1138	0	Never
86	1	1-6 times per year
27	2	7-11 times per year
137	3	1 time per month
130	4	2-3 times per month
248	5	1 time per week
225	6	2 times per week
223	7	3-4 times per week
36	8	5-6 times per week
126	9	1 time per day
7	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA30</i>		<i>Coleslaw</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8		Missing
994	0	Never
268	1	1-6 times per year
49	2	7-11 times per year
273	3	1 time per month
205	4	2-3 times per month
239	5	1 time per week
168	6	2 times per week
114	7	3-4 times per week
16	8	5-6 times per week
51	9	1 time per day
2	10	2 or more times per day

<i>FPEA31</i>		<i>Sauerkraut or cabbage</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6		Missing
1234	0	Never
199	1	1-6 times per year
49	2	7-11 times per year
234	3	1 time per month
206	4	2-3 times per month
193	5	1 time per week
134	6	2 times per week
84	7	3-4 times per week
10	8	5-6 times per week
38	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA32</i>		<i>Carrots</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6		Missing
324	0	Never
98	1	1-6 times per year
43	2	7-11 times per year
188	3	1 time per month
292	4	2-3 times per month
362	5	1 time per week
403	6	2 times per week
390	7	3-4 times per week
57	8	5-6 times per week
217	9	1 time per day
7	10	2 or more times per day

<i>FPEA33</i>		<i>String or green bean</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7		Missing
617	0	Never
144	1	1-6 times per year
48	2	7-11 times per year
270	3	1 time per month
253	4	2-3 times per month
358	5	1 time per week
307	6	2 times per week
230	7	3-4 times per week
29	8	5-6 times per week
115	9	1 time per day
9	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA34</i>		<i>Peas</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11		Missing
888	0	Never
188	1	1-6 times per year
51	2	7-11 times per year
290	3	1 time per month
235	4	2-3 times per month
333	5	1 time per week
214	6	2 times per week
126	7	3-4 times per week
12	8	5-6 times per week
35	9	1 time per day
4	10	2 or more times per day

<i>FPEA35</i>		<i>Corn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8		Missing
213	0	No
2166	1	Yes

<i>FPEA35A</i>		<i>Corn - how often in season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
19		Missing
209	.S	Legitimately skipped
20	0	Never
149	1	1-6 times per year
69	2	7-11 times per year
272	3	1 time per month
376	4	2-3 times per month
463	5	1 time per week
398	6	2 times per week
274	7	3-4 times per week
28	8	5-6 times per week
99	9	1 time per day
11	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA35B</i>		<i>Corn - how often off season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12		Missing
210	.S	Legitimately skipped
151	0	Never
167	1	1-6 times per year
91	2	7-11 times per year
328	3	1 time per month
377	4	2-3 times per month
429	5	1 time per week
323	6	2 times per week
196	7	3-4 times per week
18	8	5-6 times per week
79	9	1 time per day
6	10	2 or more times per day

<i>FPEA36</i>		<i>Broccoli</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10		Missing
391	0	Never
118	1	1-6 times per year
52	2	7-11 times per year
245	3	1 time per month
367	4	2-3 times per month
432	5	1 time per week
334	6	2 times per week
294	7	3-4 times per week
45	8	5-6 times per week
96	9	1 time per day
3	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA37</i>		<i>Cauliflower or brussels sprouts</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9		Missing
988	0	Never
171	1	1-6 times per year
54	2	7-11 times per year
264	3	1 time per month
233	4	2-3 times per month
272	5	1 time per week
176	6	2 times per week
147	7	3-4 times per week
21	8	5-6 times per week
49	9	1 time per day
3	10	2 or more times per day

<i>FPEA38</i>		<i>Mixed vegetables</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9		Missing
491	0	Never
114	1	1-6 times per year
45	2	7-11 times per year
272	3	1 time per month
302	4	2-3 times per month
460	5	1 time per week
304	6	2 times per week
245	7	3-4 times per week
31	8	5-6 times per week
106	9	1 time per day
8	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA39</i>		<i>Onions</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15		Missing
169	0	Never
20	1	1-6 times per year
18	2	7-11 times per year
68	3	1 time per month
60	4	2-3 times per month
117	5	1 time per week
134	6	2 times per week
263	7	3-4 times per week
182	8	5-6 times per week
1100	9	1 time per day
241	10	2 or more times per day

<i>FPEA40</i>		<i>Sweet or hot peppers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18		Missing
446	0	Never
83	1	1-6 times per year
25	2	7-11 times per year
133	3	1 time per month
137	4	2-3 times per month
243	5	1 time per week
222	6	2 times per week
254	7	3-4 times per week
90	8	5-6 times per week
667	9	1 time per day
69	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA41</i>		<i>Cucumbers - raw</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9		Missing
551	0	Never
133	1	1-6 times per year
54	2	7-11 times per year
275	3	1 time per month
235	4	2-3 times per month
366	5	1 time per week
274	6	2 times per week
281	7	3-4 times per week
37	8	5-6 times per week
165	9	1 time per day
7	10	2 or more times per day

<i>FPEA42</i>		<i>Tomatoes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9		Missing
229	0	No
2149	1	Yes

<i>FPEA42A</i>		<i>Tomatoes - how often in season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25		Missing
219	.S	Legitimately skipped
9	0	Never
38	1	1-6 times per year
33	2	7-11 times per year
78	3	1 time per month
122	4	2-3 times per month
217	5	1 time per week
344	6	2 times per week
473	7	3-4 times per week
105	8	5-6 times per week
673	9	1 time per day
51	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA42B</i>		<i>Tomatoes - how often off season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
19		Missing
222	.S	Legitimately skipped
15	0	Never
35	1	1-6 times per year
43	2	7-11 times per year
100	3	1 time per month
139	4	2-3 times per month
251	5	1 time per week
336	6	2 times per week
436	7	3-4 times per week
105	8	5-6 times per week
638	9	1 time per day
48	10	2 or more times per day

<i>FPEA43</i>		<i>Summer squash</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11		Missing
851	0	No
1525	1	Yes

<i>FPEA43A</i>		<i>Summer squash-how often in season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
45		Missing
818	.S	Legitimately skipped
17	0	Never
118	1	1-6 times per year
32	2	7-11 times per year
217	3	1 time per month
255	4	2-3 times per month
342	5	1 time per week
269	6	2 times per week
184	7	3-4 times per week
28	8	5-6 times per week
60	9	1 time per day
2	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA43B</i>		<i>Summer squash-how often off season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
45		Missing
820	.S	Legitimately skipped
99	0	Never
117	1	1-6 times per year
52	2	7-11 times per year
237	3	1 time per month
237	4	2-3 times per month
326	5	1 time per week
226	6	2 times per week
155	7	3-4 times per week
18	8	5-6 times per week
54	9	1 time per day
1	10	2 or more times per day

<i>FPEA44</i>		<i>Lettuce salads - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9		Missing
135	0	Never
53	1	1-6 times per year
24	2	7-11 times per year
130	3	1 time per month
198	4	2-3 times per month
343	5	1 time per week
435	6	2 times per week
574	7	3-4 times per week
115	8	5-6 times per week
352	9	1 time per day
19	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA44A</i>		<i>Lettuce salads - how often dark leaves</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18		Missing
129	.S	Legitimately skipped
637	0	Almost never or never
176	1	About 1/4 of the time
336	2	About 1/2 of the time
81	3	About 3/4 of the time
1010	4	Almost always or always

<i>FPEA45</i>		<i>Salad dressing - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
29		Missing
708	0	Never
81	1	1-6 times per year
28	2	7-11 times per year
114	3	1 time per month
159	4	2-3 times per month
265	5	1 time per week
330	6	2 times per week
372	7	3-4 times per week
80	8	5-6 times per week
207	9	1 time per day
14	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

FPEA46		Sweet potatoes/yams - how often
N	Value	Description
25		Missing
807	0	Never
511	1	1-6 times per year
73	2	7-11 times per year
283	3	1 time per month
227	4	2-3 times per month
238	5	1 time per week
125	6	2 times per week
73	7	3-4 times per week
9	8	5-6 times per week
14	9	1 time per day
2	10	2 or more times per day

FPEA47		Fries, hash brown, tater tots-how often
N	Value	Description
24		Missing
664	0	Never
230	1	1-6 times per year
101	2	7-11 times per year
403	3	1 time per month
302	4	2-3 times per month
301	5	1 time per week
180	6	2 times per week
136	7	3-4 times per week
10	8	5-6 times per week
34	9	1 time per day
2	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA48</i>		<i>Potato salad - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
24		Missing
753	0	Never
520	1	1-6 times per year
92	2	7-11 times per year
439	3	1 time per month
222	4	2-3 times per month
221	5	1 time per week
69	6	2 times per week
33	7	3-4 times per week
3	8	5-6 times per week
11	9	1 time per day
0	10	2 or more times per day

<i>FPEA49</i>		<i>bake/broil potato - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
24		Missing
337	0	Never
300	1	1-6 times per year
94	2	7-11 times per year
448	3	1 time per month
430	4	2-3 times per month
391	5	1 time per week
208	6	2 times per week
117	7	3-4 times per week
11	8	5-6 times per week
25	9	1 time per day
2	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA50</i>		<i>Salsa-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
24		Missing
971	0	Never
121	1	1-6 times per year
36	2	7-11 times per year
156	3	1 time per month
130	4	2-3 times per month
173	5	1 time per week
140	6	2 times per week
172	7	3-4 times per week
47	8	5-6 times per week
330	9	1 time per day
87	10	2 or more times per day

<i>FPEA51</i>		<i>Catsup-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
26		Missing
806	0	Never
206	1	1-6 times per year
63	2	7-11 times per year
306	3	1 time per month
205	4	2-3 times per month
299	5	1 time per week
181	6	2 times per week
158	7	3-4 times per week
34	8	5-6 times per week
94	9	1 time per day
9	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA52</i>		<i>Pickles/veg-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25		Missing
1358	0	Never
192	1	1-6 times per year
55	2	7-11 times per year
222	3	1 time per month
152	4	2-3 times per month
158	5	1 time per week
106	6	2 times per week
60	7	3-4 times per week
15	8	5-6 times per week
42	9	1 time per day
2	10	2 or more times per day

<i>FPEA53</i>		<i>Stuffing/dumplings-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25		Missing
1173	0	Never
779	1	1-6 times per year
43	2	7-11 times per year
138	3	1 time per month
93	4	2-3 times per month
67	5	1 time per week
35	6	2 times per week
22	7	3-4 times per week
2	8	5-6 times per week
10	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA54</i>		<i>Chili-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25		Missing
1390	0	Never
278	1	1-6 times per year
46	2	7-11 times per year
179	3	1 time per month
152	4	2-3 times per month
177	5	1 time per week
89	6	2 times per week
35	7	3-4 times per week
1	8	5-6 times per week
15	9	1 time per day
0	10	2 or more times per day

<i>FPEA55</i>		<i>Tortillas/tacos-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25		Missing
564	0	Never
151	1	1-6 times per year
48	2	7-11 times per year
214	3	1 time per month
152	4	2-3 times per month
174	5	1 time per week
153	6	2 times per week
191	7	3-4 times per week
49	8	5-6 times per week
368	9	1 time per day
298	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

FPEA55A		Tortillas/tacos-how often Corn
N	Value	Description
42		Missing
546	.S	Legitimately skipped
112	0	Almost never or never
48	1	About 1/4 of the time
164	2	About 1/2 of the time
93	3	About 3/4 of the time
1382	4	Almost always or always

FPEA56A		Cooked dried beans-how often
N	Value	Description
27		Missing
210	0	Never
58	1	1-6 times per year
21	2	7-11 times per year
113	3	1 time per month
213	4	2-3 times per month
282	5	1 time per week
379	6	2 times per week
536	7	3-4 times per week
88	8	5-6 times per week
402	9	1 time per day
58	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA56B</i>		<i>Winter squash-how often in season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
26		Missing
1246	0	Never
439	1	1-6 times per year
38	2	7-11 times per year
158	3	1 time per month
121	4	2-3 times per month
140	5	1 time per week
114	6	2 times per week
62	7	3-4 times per week
11	8	5-6 times per week
32	9	1 time per day
0	10	2 or more times per day

<i>FPEA56C</i>		<i>Winter squash-how often off season</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
30		Missing
1594	0	Never
194	1	1-6 times per year
37	2	7-11 times per year
144	3	1 time per month
87	4	2-3 times per month
116	5	1 time per week
100	6	2 times per week
51	7	3-4 times per week
10	8	5-6 times per week
24	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA56D</i>		<i>Avocado-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
26		Missing
170	0	Never
133	1	1-6 times per year
143	2	7-11 times per year
240	3	1 time per month
308	4	2-3 times per month
408	5	1 time per week
393	6	2 times per week
330	7	3-4 times per week
57	8	5-6 times per week
174	9	1 time per day
5	10	2 or more times per day

<i>FPEA56E</i>		<i>Nopal-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25		Missing
1448	0	Never
130	1	1-6 times per year
35	2	7-11 times per year
143	3	1 time per month
148	4	2-3 times per month
154	5	1 time per week
127	6	2 times per week
102	7	3-4 times per week
15	8	5-6 times per week
58	9	1 time per day
2	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA56F</i>		<i>Plantain-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25		Missing
787	0	Never
287	1	1-6 times per year
57	2	7-11 times per year
247	3	1 time per month
267	4	2-3 times per month
260	5	1 time per week
220	6	2 times per week
157	7	3-4 times per week
20	8	5-6 times per week
57	9	1 time per day
3	10	2 or more times per day

<i>FPEA57</i>		<i>Other vegs-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
26		Missing
762	0	Never
139	1	1-6 times per year
51	2	7-11 times per year
239	3	1 time per month
272	4	2-3 times per month
339	5	1 time per week
250	6	2 times per week
148	7	3-4 times per week
30	8	5-6 times per week
121	9	1 time per day
10	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA58</i>		<i>Rice/cooked grains-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
26		Missing
47	0	Never
28	1	1-6 times per year
19	2	7-11 times per year
104	3	1 time per month
167	4	2-3 times per month
278	5	1 time per week
442	6	2 times per week
557	7	3-4 times per week
123	8	5-6 times per week
553	9	1 time per day
43	10	2 or more times per day

<i>FPEA58A</i>		<i>Rice/cooked grains-how often brown</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
27		Missing
46	.S	Legitimately skipped
1654	0	Almost never or never
166	1	About 1/4 of the time
166	2	About 1/2 of the time
38	3	About 3/4 of the time
290	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA59</i>		<i>Pancakes/waffles-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
31		Missing
847	0	Never
289	1	1-6 times per year
81	2	7-11 times per year
408	3	1 time per month
262	4	2-3 times per month
290	5	1 time per week
117	6	2 times per week
43	7	3-4 times per week
4	8	5-6 times per week
15	9	1 time per day
0	10	2 or more times per day

<i>FPEA59A</i>		<i>Pancakes/waffles-how often w/ syrup</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
64		Missing
807	.S	Legitimately skipped
220	0	Almost never or never
75	1	About 1/4 of the time
55	2	About 1/2 of the time
23	3	About 3/4 of the time
1143	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA60</i>		<i>Lasagna, etc-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
30		Missing
936	0	Never
586	1	1-6 times per year
104	2	7-11 times per year
362	3	1 time per month
196	4	2-3 times per month
124	5	1 time per week
31	6	2 times per week
13	7	3-4 times per week
1	8	5-6 times per week
4	9	1 time per day
0	10	2 or more times per day

<i>FPEA61</i>		<i>Mac n cheese-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
27		Missing
1231	0	Never
350	1	1-6 times per year
71	2	7-11 times per year
326	3	1 time per month
190	4	2-3 times per month
137	5	1 time per week
34	6	2 times per week
15	7	3-4 times per week
2	8	5-6 times per week
4	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA62</i>		<i>potato/mac salad - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
27		Missing
1074	0	Never
522	1	1-6 times per year
83	2	7-11 times per year
336	3	1 time per month
179	4	2-3 times per month
104	5	1 time per week
44	6	2 times per week
16	7	3-4 times per week
0	8	5-6 times per week
2	9	1 time per day
0	10	2 or more times per day

<i>FPEA63</i>		<i>Pasta, spaghetti, other noodles - how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
29		Missing
348	0	Never
287	1	1-6 times per year
136	2	7-11 times per year
555	3	1 time per month
483	4	2-3 times per month
392	5	1 time per week
100	6	2 times per week
43	7	3-4 times per week
3	8	5-6 times per week
10	9	1 time per day
1	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA63A</i>		<i>Pasta-how often tom sauce w/meat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
52		Missing
981	0	Almost never or never
158	1	About 1/4 of the time
365	2	About 1/2 of the time
70	3	About 3/4 of the time
761	4	Almost always or always

<i>FPEA63B</i>		<i>Pasta-how often tom sauce w/o meat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
57		Missing
1144	0	Almost never or never
173	1	About 1/4 of the time
352	2	About 1/2 of the time
67	3	About 3/4 of the time
594	4	Almost always or always

<i>FPEA63C</i>		<i>Pasta-how often other sauce</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
55		Missing
1174	0	Almost never or never
186	1	About 1/4 of the time
220	2	About 1/2 of the time
66	3	About 3/4 of the time
686	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA64</i>		<i>Bagels/Eng muff-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
31		Missing
1050	0	Never
283	1	1-6 times per year
76	2	7-11 times per year
279	3	1 time per month
203	4	2-3 times per month
175	5	1 time per week
131	6	2 times per week
80	7	3-4 times per week
7	8	5-6 times per week
68	9	1 time per day
4	10	2 or more times per day

<i>FPEA65</i>		<i>Bread-how often sandwich</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
30		Missing
377	0	Never
131	1	1-6 times per year
73	2	7-11 times per year
243	3	1 time per month
283	4	2-3 times per month
351	5	1 time per week
336	6	2 times per week
283	7	3-4 times per week
39	8	5-6 times per week
230	9	1 time per day
11	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA65A</i>		<i>Bread-how often sandwich white</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
39		Missing
368	.S	Legitimately skipped
742	0	Almost never or never
161	1	About 1/4 of the time
209	2	About 1/2 of the time
60	3	About 3/4 of the time
808	4	Almost always or always

<i>FPEA66</i>		<i>Bread-how often not sandwich</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
34		Missing
1053	0	Never
166	1	1-6 times per year
48	2	7-11 times per year
178	3	1 time per month
177	4	2-3 times per month
219	5	1 time per week
168	6	2 times per week
118	7	3-4 times per week
22	8	5-6 times per week
193	9	1 time per day
11	10	2 or more times per day

<i>FPEA66A</i>		<i>Bread-how often not sandwich white</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
79		Missing
1006	.S	Legitimately skipped
393	0	Almost never or never
81	1	About 1/4 of the time
138	2	About 1/2 of the time
34	3	About 3/4 of the time
656	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA67</i>		<i>Honey-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35		Missing
1265	0	Never
213	1	1-6 times per year
50	2	7-11 times per year
206	3	1 time per month
189	4	2-3 times per month
188	5	1 time per week
113	6	2 times per week
72	7	3-4 times per week
11	8	5-6 times per week
44	9	1 time per day
1	10	2 or more times per day

<i>FPEA68</i>		<i>Nut butter-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
34		Missing
1292	0	Never
245	1	1-6 times per year
51	2	7-11 times per year
203	3	1 time per month
163	4	2-3 times per month
151	5	1 time per week
111	6	2 times per week
85	7	3-4 times per week
7	8	5-6 times per week
45	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA69</i>		<i>Roast beef/steak-how often sandwich</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35		Missing
1377	0	Never
231	1	1-6 times per year
54	2	7-11 times per year
255	3	1 time per month
158	4	2-3 times per month
146	5	1 time per week
78	6	2 times per week
39	7	3-4 times per week
6	8	5-6 times per week
8	9	1 time per day
0	10	2 or more times per day

<i>FPEA70</i>		<i>Turkey/Chicken cold cuts-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33		Missing
702	0	Never
170	1	1-6 times per year
47	2	7-11 times per year
254	3	1 time per month
292	4	2-3 times per month
351	5	1 time per week
259	6	2 times per week
190	7	3-4 times per week
21	8	5-6 times per week
64	9	1 time per day
4	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA71</i>		<i>Deli ham-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
34		Missing
1071	0	Never
137	1	1-6 times per year
48	2	7-11 times per year
213	3	1 time per month
220	4	2-3 times per month
281	5	1 time per week
195	6	2 times per week
126	7	3-4 times per week
9	8	5-6 times per week
51	9	1 time per day
2	10	2 or more times per day

<i>FPEA71A</i>		<i>Deli ham-how often light or low-fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
91		Missing
1039	.S	Legitimately skipped
635	0	Almost never or never
62	1	About 1/4 of the time
72	2	About 1/2 of the time
23	3	About 3/4 of the time
465	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA72</i>		<i>Other cold cuts -how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35		Missing
1398	0	Never
155	1	1-6 times per year
37	2	7-11 times per year
228	3	1 time per month
158	4	2-3 times per month
172	5	1 time per week
114	6	2 times per week
59	7	3-4 times per week
3	8	5-6 times per week
25	9	1 time per day
3	10	2 or more times per day

<i>FPEA72A</i>		<i>Other cold cuts -how often light</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
93		Missing
1352	.S	Legitimately skipped
557	0	Almost never or never
27	1	About 1/4 of the time
58	2	About 1/2 of the time
14	3	About 3/4 of the time
286	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA73</i>		<i>Canned tuna-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35		Missing
506	0	Never
261	1	1-6 times per year
96	2	7-11 times per year
390	3	1 time per month
447	4	2-3 times per month
330	5	1 time per week
199	6	2 times per week
98	7	3-4 times per week
5	8	5-6 times per week
16	9	1 time per day
4	10	2 or more times per day

<i>FPEA74</i>		<i>Ground chicken/turkey-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35		Missing
1426	0	Never
142	1	1-6 times per year
31	2	7-11 times per year
180	3	1 time per month
170	4	2-3 times per month
187	5	1 time per week
107	6	2 times per week
84	7	3-4 times per week
7	8	5-6 times per week
18	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA75</i>		<i>Beef hamburgers -how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
34		Missing
882	0	Never
348	1	1-6 times per year
94	2	7-11 times per year
411	3	1 time per month
272	4	2-3 times per month
222	5	1 time per week
66	6	2 times per week
38	7	3-4 times per week
4	8	5-6 times per week
15	9	1 time per day
1	10	2 or more times per day

<i>FPEA75A</i>		<i>Beef hamburgers -how often lean</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
143		Missing
853	.S	Legitimately skipped
867	0	Almost never or never
71	1	About 1/4 of the time
93	2	About 1/2 of the time
34	3	About 3/4 of the time
326	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA76</i>		<i>Ground Beef mixtures -how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35		Missing
727	0	Never
268	1	1-6 times per year
101	2	7-11 times per year
484	3	1 time per month
388	4	2-3 times per month
262	5	1 time per week
88	6	2 times per week
30	7	3-4 times per week
1	8	5-6 times per week
2	9	1 time per day
1	10	2 or more times per day

<i>FPEA77</i>		<i>Hot dogs-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35		Missing
1017	0	Never
413	1	1-6 times per year
92	2	7-11 times per year
365	3	1 time per month
225	4	2-3 times per month
139	5	1 time per week
70	6	2 times per week
22	7	3-4 times per week
2	8	5-6 times per week
6	9	1 time per day
1	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

FPEA77A		Hot dogs-how often light
N	Value	Description
101		Missing
975	.S	Legitimately skipped
917	0	Almost never or never
34	1	About 1/4 of the time
53	2	About 1/2 of the time
12	3	About 3/4 of the time
295	4	Almost always or always

FPEA78		Beef mixtures-how often
N	Value	Description
36		Missing
938	0	Never
254	1	1-6 times per year
73	2	7-11 times per year
351	3	1 time per month
254	4	2-3 times per month
279	5	1 time per week
126	6	2 times per week
64	7	3-4 times per week
3	8	5-6 times per week
9	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA79</i>		<i>Roast beef/pot roast-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
38		Missing
980	0	Never
314	1	1-6 times per year
104	2	7-11 times per year
326	3	1 time per month
233	4	2-3 times per month
245	5	1 time per week
96	6	2 times per week
40	7	3-4 times per week
3	8	5-6 times per week
8	9	1 time per day
0	10	2 or more times per day

<i>FPEA80</i>		<i>Steak-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
36		Missing
464	0	Never
217	1	1-6 times per year
96	2	7-11 times per year
396	3	1 time per month
425	4	2-3 times per month
466	5	1 time per week
186	6	2 times per week
82	7	3-4 times per week
8	8	5-6 times per week
11	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA80A</i>		<i>Steak-how often lean</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
97		Missing
444	.S	Legitimately skipped
806	0	Almost never or never
77	1	About 1/4 of the time
137	2	About 1/2 of the time
50	3	About 3/4 of the time
776	4	Almost always or always

<i>FPEA81</i>		<i>Spare Ribs-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
37		Missing
835	0	Never
461	1	1-6 times per year
108	2	7-11 times per year
409	3	1 time per month
254	4	2-3 times per month
204	5	1 time per week
67	6	2 times per week
8	7	3-4 times per week
0	8	5-6 times per week
4	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA82</i>		<i>Turkey-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
38		Missing
1009	0	Never
849	1	1-6 times per year
57	2	7-11 times per year
174	3	1 time per month
110	4	2-3 times per month
90	5	1 time per week
35	6	2 times per week
16	7	3-4 times per week
1	8	5-6 times per week
7	9	1 time per day
1	10	2 or more times per day

<i>FPEA83</i>		<i>Chicken in mixtures-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
41		Missing
568	0	Never
130	1	1-6 times per year
58	2	7-11 times per year
249	3	1 time per month
276	4	2-3 times per month
370	5	1 time per week
321	6	2 times per week
292	7	3-4 times per week
30	8	5-6 times per week
49	9	1 time per day
3	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA84</i>		<i>Chicken-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
41		Missing
162	0	Never
117	1	1-6 times per year
51	2	7-11 times per year
258	3	1 time per month
395	4	2-3 times per month
514	5	1 time per week
387	6	2 times per week
361	7	3-4 times per week
42	8	5-6 times per week
57	9	1 time per day
2	10	2 or more times per day

<i>FPEA84A</i>		<i>Chicken-how often fried</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
44		Missing
156	.S	Legitimately skipped
1110	0	Almost never or never
465	1	About 1/4 of the time
363	2	About 1/2 of the time
110	3	About 3/4 of the time
139	4	Almost always or always

<i>FPEA84B</i>		<i>Chicken-how often white</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
54		Missing
156	.S	Legitimately skipped
202	0	Almost never or never
185	1	About 1/4 of the time
583	2	About 1/2 of the time
125	3	About 3/4 of the time
1082	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA84C</i>		<i>Chicken-how often with skin</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
49		Missing
156	.S	Legitimately skipped
1545	0	Almost never or never
117	1	About 1/4 of the time
156	2	About 1/2 of the time
33	3	About 3/4 of the time
331	4	Almost always or always

<i>FPEA85</i>		<i>Ham-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
40		Missing
1312	0	Never
750	1	1-6 times per year
48	2	7-11 times per year
128	3	1 time per month
51	4	2-3 times per month
34	5	1 time per week
14	6	2 times per week
8	7	3-4 times per week
0	8	5-6 times per week
2	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA86</i>		<i>Pork-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
39		Missing
674	0	Never
463	1	1-6 times per year
113	2	7-11 times per year
385	3	1 time per month
321	4	2-3 times per month
236	5	1 time per week
107	6	2 times per week
44	7	3-4 times per week
2	8	5-6 times per week
3	9	1 time per day
0	10	2 or more times per day

<i>FPEA87</i>		<i>Gravy-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
40		Missing
1560	0	Never
450	1	1-6 times per year
44	2	7-11 times per year
135	3	1 time per month
77	4	2-3 times per month
39	5	1 time per week
28	6	2 times per week
10	7	3-4 times per week
1	8	5-6 times per week
3	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA88</i>		<i>Liver-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
39		Missing
1479	0	Never
378	1	1-6 times per year
75	2	7-11 times per year
215	3	1 time per month
111	4	2-3 times per month
62	5	1 time per week
25	6	2 times per week
3	7	3-4 times per week
0	8	5-6 times per week
0	9	1 time per day
0	10	2 or more times per day

<i>FPEA89</i>		<i>Bacon-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
39		Missing
1174	0	Never
345	1	1-6 times per year
98	2	7-11 times per year
265	3	1 time per month
226	4	2-3 times per month
147	5	1 time per week
47	6	2 times per week
36	7	3-4 times per week
2	8	5-6 times per week
8	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA89A</i>		<i>Bacon-how often light</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
77		Missing
1141	.S	Legitimately skipped
740	0	Almost never or never
45	1	About 1/4 of the time
69	2	About 1/2 of the time
16	3	About 3/4 of the time
299	4	Almost always or always

<i>FPEA90</i>		<i>Sausage-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
40		Missing
972	0	Never
327	1	1-6 times per year
87	2	7-11 times per year
341	3	1 time per month
260	4	2-3 times per month
203	5	1 time per week
101	6	2 times per week
41	7	3-4 times per week
3	8	5-6 times per week
11	9	1 time per day
1	10	2 or more times per day

<i>FPEA90A</i>		<i>Sausage-how often light</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
91		Missing
939	.S	Legitimately skipped
917	0	Almost never or never
53	1	About 1/4 of the time
69	2	About 1/2 of the time
14	3	About 3/4 of the time
304	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA91</i>		<i>Smoked fish/seafood-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
39		Missing
1219	0	Never
227	1	1-6 times per year
59	2	7-11 times per year
241	3	1 time per month
243	4	2-3 times per month
210	5	1 time per week
99	6	2 times per week
35	7	3-4 times per week
5	8	5-6 times per week
10	9	1 time per day
0	10	2 or more times per day

<i>FPEA92</i>		<i>Sushi-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
40		Missing
1824	0	Never
218	1	1-6 times per year
43	2	7-11 times per year
129	3	1 time per month
74	4	2-3 times per month
40	5	1 time per week
12	6	2 times per week
5	7	3-4 times per week
1	8	5-6 times per week
1	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA92A</i>		<i>Sushi-how often raw fish</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
93		Missing
1751	.S	Legitimately skipped
176	0	Almost never or never
37	1	About 1/4 of the time
76	2	About 1/2 of the time
19	3	About 3/4 of the time
235	4	Almost always or always

<i>FPEA93</i>		<i>Raw seafood-how often not sushi</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
41		Missing
1449	0	Never
385	1	1-6 times per year
69	2	7-11 times per year
214	3	1 time per month
122	4	2-3 times per month
69	5	1 time per week
26	6	2 times per week
6	7	3-4 times per week
3	8	5-6 times per week
3	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA94</i>		<i>Fish sticks-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
40		Missing
1039	0	Never
363	1	1-6 times per year
102	2	7-11 times per year
325	3	1 time per month
242	4	2-3 times per month
184	5	1 time per week
71	6	2 times per week
15	7	3-4 times per week
1	8	5-6 times per week
5	9	1 time per day
0	10	2 or more times per day

<i>FPEA95</i>		<i>Other fish/seafood-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
41		Missing
836	0	Never
288	1	1-6 times per year
105	2	7-11 times per year
370	3	1 time per month
318	4	2-3 times per month
245	5	1 time per week
127	6	2 times per week
43	7	3-4 times per week
3	8	5-6 times per week
10	9	1 time per day
1	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA96</i>		<i>Tofu/Soy burgers-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
41		Missing
1999	0	Never
110	1	1-6 times per year
31	2	7-11 times per year
71	3	1 time per month
52	4	2-3 times per month
47	5	1 time per week
17	6	2 times per week
11	7	3-4 times per week
3	8	5-6 times per week
5	9	1 time per day
0	10	2 or more times per day

<i>FPEA97</i>		<i>Soups-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
41		Missing
136	0	No
2210	1	Yes

<i>FPEA97A</i>		<i>Soups-how often winter</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
49		Missing
128	.S	Legitimately skipped
17	0	Never
127	1	1-6 times per year
57	2	7-11 times per year
210	3	1 time per month
399	4	2-3 times per month
462	5	1 time per week
413	6	2 times per week
351	7	3-4 times per week
47	8	5-6 times per week
122	9	1 time per day
5	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA97B</i>		<i>Soups-how often other seasons</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
52		Missing
129	.S	Legitimately skipped
179	0	Never
189	1	1-6 times per year
107	2	7-11 times per year
399	3	1 time per month
387	4	2-3 times per month
407	5	1 time per week
283	6	2 times per week
157	7	3-4 times per week
28	8	5-6 times per week
67	9	1 time per day
3	10	2 or more times per day

<i>FPEA97C</i>		<i>Soup-how often bean</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
48		Missing
130	.S	Legitimately skipped
1184	0	Almost never or never
408	1	About 1/4 of the time
343	2	About 1/2 of the time
98	3	About 3/4 of the time
176	4	Almost always or always

<i>FPEA97D</i>		<i>Soup-how often cream</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
59		Missing
130	.S	Legitimately skipped
1502	0	Almost never or never
377	1	About 1/4 of the time
201	2	About 1/2 of the time
46	3	About 3/4 of the time
72	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA97E</i>		<i>Soup-how often tomato/veggie</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
51		Missing
130	.S	Legitimately skipped
699	0	Almost never or never
353	1	About 1/4 of the time
498	2	About 1/2 of the time
117	3	About 3/4 of the time
539	4	Almost always or always

<i>FPEA97F</i>		<i>Soup-how often broth</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
54		Missing
130	.S	Legitimately skipped
298	0	Almost never or never
310	1	About 1/4 of the time
586	2	About 1/2 of the time
165	3	About 3/4 of the time
844	4	Almost always or always

<i>FPEA98</i>		<i>Pizza</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
43		Missing
483	0	Never
485	1	1-6 times per year
163	2	7-11 times per year
553	3	1 time per month
365	4	2-3 times per month
189	5	1 time per week
50	6	2 times per week
37	7	3-4 times per week
3	8	5-6 times per week
14	9	1 time per day
2	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA98A</i>		<i>Pizza-how often w/ meat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
62		Missing
465	.S	Legitimately skipped
555	0	Almost never or never
103	1	About 1/4 of the time
151	2	About 1/2 of the time
52	3	About 3/4 of the time
999	4	Almost always or always

<i>FPEA99</i>		<i>Crackers-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
43		Missing
650	0	Never
261	1	1-6 times per year
75	2	7-11 times per year
372	3	1 time per month
257	4	2-3 times per month
281	5	1 time per week
172	6	2 times per week
118	7	3-4 times per week
23	8	5-6 times per week
120	9	1 time per day
15	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA100</i>		<i>Corn bread or corn muffins-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
43		Missing
1471	0	Never
373	1	1-6 times per year
65	2	7-11 times per year
208	3	1 time per month
87	4	2-3 times per month
81	5	1 time per week
35	6	2 times per week
13	7	3-4 times per week
3	8	5-6 times per week
8	9	1 time per day
0	10	2 or more times per day

<i>FPEA101</i>		<i>Biscuits-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
45		Missing
1288	0	Never
354	1	1-6 times per year
64	2	7-11 times per year
246	3	1 time per month
138	4	2-3 times per month
110	5	1 time per week
62	6	2 times per week
37	7	3-4 times per week
3	8	5-6 times per week
39	9	1 time per day
1	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA102</i>		<i>Potato chips-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
45		Missing
1040	0	Never
289	1	1-6 times per year
73	2	7-11 times per year
318	3	1 time per month
223	4	2-3 times per month
206	5	1 time per week
104	6	2 times per week
51	7	3-4 times per week
4	8	5-6 times per week
31	9	1 time per day
3	10	2 or more times per day

<i>FPEA102A</i>		<i>Potato chips-how often low-fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
249		Missing
410	.S	Legitimately skipped
1310	0	Almost never or never
72	1	About 1/4 of the time
86	2	About 1/2 of the time
36	3	About 3/4 of the time
224	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA103</i>		<i>Corn/tortilla Chips-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
53		Missing
1059	0	Never
299	1	1-6 times per year
100	2	7-11 times per year
358	3	1 time per month
212	4	2-3 times per month
181	5	1 time per week
68	6	2 times per week
36	7	3-4 times per week
5	8	5-6 times per week
15	9	1 time per day
1	10	2 or more times per day

<i>FPEA103A</i>		<i>Corn/tortilla Chips-how often low-fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
102		Missing
1000	.S	Legitimately skipped
915	0	Almost never or never
45	1	About 1/4 of the time
81	2	About 1/2 of the time
16	3	About 3/4 of the time
228	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA104</i>		<i>Popcorn-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
53		Missing
1018	0	Never
463	1	1-6 times per year
122	2	7-11 times per year
379	3	1 time per month
149	4	2-3 times per month
111	5	1 time per week
57	6	2 times per week
30	7	3-4 times per week
0	8	5-6 times per week
5	9	1 time per day
0	10	2 or more times per day

<i>FPEA105</i>		<i>Pretzels-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
48		Missing
1755	0	Never
258	1	1-6 times per year
40	2	7-11 times per year
165	3	1 time per month
52	4	2-3 times per month
37	5	1 time per week
16	6	2 times per week
11	7	3-4 times per week
0	8	5-6 times per week
3	9	1 time per day
2	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA106</i>		<i>Nuts-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
48		Missing
630	0	Never
260	1	1-6 times per year
92	2	7-11 times per year
374	3	1 time per month
251	4	2-3 times per month
273	5	1 time per week
160	6	2 times per week
138	7	3-4 times per week
27	8	5-6 times per week
124	9	1 time per day
10	10	2 or more times per day

<i>FPEA107</i>		<i>Granola bars-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
48		Missing
1207	0	Never
213	1	1-6 times per year
76	2	7-11 times per year
196	3	1 time per month
171	4	2-3 times per month
182	5	1 time per week
119	6	2 times per week
88	7	3-4 times per week
6	8	5-6 times per week
75	9	1 time per day
6	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA108</i>		<i>Yogurt-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
48		Missing
583	0	Never
140	1	1-6 times per year
53	2	7-11 times per year
212	3	1 time per month
236	4	2-3 times per month
231	5	1 time per week
245	6	2 times per week
283	7	3-4 times per week
41	8	5-6 times per week
295	9	1 time per day
20	10	2 or more times per day

<i>FPEA109</i>		<i>Cottage cheese-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
48		Missing
1525	0	Never
162	1	1-6 times per year
41	2	7-11 times per year
172	3	1 time per month
135	4	2-3 times per month
144	5	1 time per week
74	6	2 times per week
52	7	3-4 times per week
4	8	5-6 times per week
28	9	1 time per day
2	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA110</i>		<i>Cheese-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
48		Missing
203	0	Never
50	1	1-6 times per year
34	2	7-11 times per year
152	3	1 time per month
240	4	2-3 times per month
364	5	1 time per week
393	6	2 times per week
486	7	3-4 times per week
77	8	5-6 times per week
327	9	1 time per day
13	10	2 or more times per day

<i>FPEA110A</i>		<i>Cheese-how often light</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
83		Missing
198	.S	Legitimately skipped
1334	0	Almost never or never
66	1	About 1/4 of the time
125	2	About 1/2 of the time
35	3	About 3/4 of the time
546	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA111</i>		<i>Frozen yogurt/sorbet-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
50		Missing
1532	0	Never
203	1	1-6 times per year
67	2	7-11 times per year
167	3	1 time per month
126	4	2-3 times per month
108	5	1 time per week
67	6	2 times per week
41	7	3-4 times per week
6	8	5-6 times per week
16	9	1 time per day
4	10	2 or more times per day

<i>FPEA112</i>		<i>Ice cram-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
50		Missing
760	0	Never
293	1	1-6 times per year
114	2	7-11 times per year
397	3	1 time per month
265	4	2-3 times per month
243	5	1 time per week
142	6	2 times per week
74	7	3-4 times per week
9	8	5-6 times per week
37	9	1 time per day
3	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

FPEA112A		Ice cram-how often light
N	Value	Description
78		Missing
737	.S	Legitimately skipped
1143	0	Almost never or never
55	1	About 1/4 of the time
82	2	About 1/2 of the time
23	3	About 3/4 of the time
269	4	Almost always or always

FPEA113		Pudding/custard-how often
N	Value	Description
50		Missing
1096	0	Never
507	1	1-6 times per year
103	2	7-11 times per year
337	3	1 time per month
136	4	2-3 times per month
104	5	1 time per week
27	6	2 times per week
17	7	3-4 times per week
3	8	5-6 times per week
6	9	1 time per day
1	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA114</i>		<i>Cake-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
49		Missing
593	0	Never
607	1	1-6 times per year
250	2	7-11 times per year
433	3	1 time per month
198	4	2-3 times per month
149	5	1 time per week
44	6	2 times per week
32	7	3-4 times per week
4	8	5-6 times per week
28	9	1 time per day
0	10	2 or more times per day

<i>FPEA115</i>		<i>Cookies/brownies-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
49		Missing
1222	0	Never
232	1	1-6 times per year
96	2	7-11 times per year
247	3	1 time per month
164	4	2-3 times per month
163	5	1 time per week
99	6	2 times per week
51	7	3-4 times per week
9	8	5-6 times per week
50	9	1 time per day
5	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

FPEA116		Doughnuts/pop-tarts-how often
N	Value	Description
50		Missing
967	0	Never
280	1	1-6 times per year
104	2	7-11 times per year
337	3	1 time per month
201	4	2-3 times per month
201	5	1 time per week
101	6	2 times per week
59	7	3-4 times per week
18	8	5-6 times per week
64	9	1 time per day
5	10	2 or more times per day

FPEA117		Dessert breads-how often
N	Value	Description
49		Missing
1487	0	Never
211	1	1-6 times per year
83	2	7-11 times per year
208	3	1 time per month
119	4	2-3 times per month
130	5	1 time per week
48	6	2 times per week
22	7	3-4 times per week
5	8	5-6 times per week
24	9	1 time per day
1	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA118</i>		<i>Fruit crisp/cobbler-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
49		Missing
1610	0	Never
263	1	1-6 times per year
65	2	7-11 times per year
170	3	1 time per month
71	4	2-3 times per month
99	5	1 time per week
38	6	2 times per week
12	7	3-4 times per week
3	8	5-6 times per week
6	9	1 time per day
1	10	2 or more times per day

<i>FPEA119</i>		<i>Pie-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
49		Missing
1247	0	Never
513	1	1-6 times per year
95	2	7-11 times per year
253	3	1 time per month
104	4	2-3 times per month
90	5	1 time per week
27	6	2 times per week
6	7	3-4 times per week
0	8	5-6 times per week
3	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA119A</i>		<i>Pie-how often fruit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
81		Missing
1211	.S	Legitimately skipped
128	0	Almost never or never
84	1	About 1/4 of the time
102	2	About 1/2 of the time
34	3	About 3/4 of the time
747	4	Almost always or always

<i>FPEA120</i>		<i>Chocolate Candy-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
49		Missing
897	0	Never
254	1	1-6 times per year
107	2	7-11 times per year
304	3	1 time per month
213	4	2-3 times per month
258	5	1 time per week
123	6	2 times per week
76	7	3-4 times per week
15	8	5-6 times per week
81	9	1 time per day
10	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA121</i>		<i>Other Candy-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
50		Missing
1247	0	Never
226	1	1-6 times per year
66	2	7-11 times per year
222	3	1 time per month
135	4	2-3 times per month
195	5	1 time per week
84	6	2 times per week
52	7	3-4 times per week
10	8	5-6 times per week
87	9	1 time per day
13	10	2 or more times per day

<i>FPEA122</i>		<i>Eggs-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
51		Missing
225	0	Never
99	1	1-6 times per year
46	2	7-11 times per year
200	3	1 time per month
260	4	2-3 times per month
482	5	1 time per week
480	6	2 times per week
368	7	3-4 times per week
36	8	5-6 times per week
131	9	1 time per day
9	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA122A</i>		<i>Eggs-how often substitutes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
64		Missing
212	.S	Legitimately skipped
1925	0	Almost never or never
61	1	About 1/4 of the time
50	2	About 1/2 of the time
14	3	About 3/4 of the time
61	4	Almost always or always

<i>FPEA122B</i>		<i>Eggs-how often whites only</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
62		Missing
213	.S	Legitimately skipped
1765	0	Almost never or never
55	1	About 1/4 of the time
95	2	About 1/2 of the time
26	3	About 3/4 of the time
171	4	Almost always or always

<i>FPEA122C</i>		<i>Eggs-how often regular whole</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
66		Missing
211	.S	Legitimately skipped
340	0	Almost never or never
79	1	About 1/4 of the time
93	2	About 1/2 of the time
27	3	About 3/4 of the time
1571	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA122D</i>		<i>Eggs--how often egg salad</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
63		Missing
213	.S	Legitimately skipped
1499	0	Almost never or never
281	1	About 1/4 of the time
210	2	About 1/2 of the time
40	3	About 3/4 of the time
81	4	Almost always or always

<i>FPEA123</i>		<i>Coffee-cups</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
50		Missing
417	0	None
65	1	Less than 1 cup per month
101	2	1-3 cups per month
100	3	1 cup per week
200	4	2-4 cups per week
45	5	5-6 cups per week
795	6	1 cup per day
505	7	2-3 cups per day
71	8	4-5 cups per day
38	9	6 or more cups per day

<i>FPEA123A</i>		<i>Coffee-how often decaf</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
65		Missing
404	.S	Legitimately skipped
1379	0	Almost never or never
38	1	About 1/4 of the time
71	2	About 1/2 of the time
17	3	About 3/4 of the time
413	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA124</i>		<i>Ice tea-cups</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
51		Missing
1281	0	None
154	1	Less than 1 cup per month
199	2	1-3 cups per month
138	3	1 cup per week
256	4	2-4 cups per week
43	5	5-6 cups per week
172	6	1 cup per day
61	7	2-3 cups per day
22	8	4-5 cups per day
10	9	6 or more cups per day

<i>FPEA124A</i>		<i>Ice tea-how often decaf</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
103		Missing
1235	.S	Legitimately skipped
503	0	Almost never or never
36	1	About 1/4 of the time
84	2	About 1/2 of the time
14	3	About 3/4 of the time
412	4	Almost always or always

<i>FPEA125</i>		<i>Hot tea-cups</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
52		Missing
922	0	None
265	1	Less than 1 cup per month
264	2	1-3 cups per month
144	3	1 cup per week
332	4	2-4 cups per week
29	5	5-6 cups per week
292	6	1 cup per day
72	7	2-3 cups per day
5	8	4-5 cups per day
10	9	6 or more cups per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA125A</i>		<i>Hot tea-how often decaf</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
99		Missing
873	.S	Legitimately skipped
321	0	Almost never or never
30	1	About 1/4 of the time
74	2	About 1/2 of the time
20	3	About 3/4 of the time
970	4	Almost always or always

<i>FPEA126</i>		<i>Sugar/Honey-how often in tea/coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
52		Missing
862	0	Never
83	1	1 time per month or less
106	2	2-3 times per month
91	3	1-2 times per week
214	4	3-4 times per week
32	5	5-6 times per week
586	6	1 time per day
281	7	2-3 times per day
46	8	4-5 times per day
34	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA127</i>		<i>Artif sweetner-how often in tea/coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
53		Missing
1734	0	Never
42	1	1 time per month or less
45	2	2-3 times per month
35	3	1-2 times per week
98	4	3-4 times per week
22	5	5-6 times per week
220	6	1 time per day
112	7	2-3 times per day
14	8	4-5 times per day
12	9	6 or more times per day

<i>FPEA128</i>		<i>Non-dairy cream-how often tea/coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
54		Missing
1811	0	Never
56	1	1 time per month or less
43	2	2-3 times per month
57	3	1-2 times per week
66	4	3-4 times per week
17	5	5-6 times per week
187	6	1 time per day
78	7	2-3 times per day
10	8	4-5 times per day
8	9	6 or more times per day

<i>FPEA128A</i>		<i>Non dairy creamer-type in tea/coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
112		Missing
1750	.S	Legitimately skipped
240	1	Regular powdered
55	2	Low-fat or fat-free powdered
170	3	Regular liquid
60	4	Low-fat or fat-free liquid

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA129</i>		<i>Cream or half-and-half-how often tea/coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
57		Missing
1958	0	Never
72	1	1 time per month or less
53	2	2-3 times per month
51	3	1-2 times per week
54	4	3-4 times per week
7	5	5-6 times per week
92	6	1 time per day
34	7	2-3 times per day
5	8	4-5 times per day
4	9	6 or more times per day

<i>FPEA130</i>		<i>Milk-how often in tea/coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
51		Missing
1190	0	Never
68	1	1 time per month or less
97	2	2-3 times per month
82	3	1-2 times per week
146	4	3-4 times per week
27	5	5-6 times per week
477	6	1 time per day
213	7	2-3 times per day
20	8	4-5 times per day
16	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

FPEA130A		Milk-type in tea/coffee
N	Value	Description
85		Missing
1163	.S	Legitimately skipped
338	1	Whole milk
543	2	2% fat milk
100	3	1% fat milk
76	4	Skim, nonfat or 1/2% fat milk
24	5	Evaporated or condensed milk
33	6	Soy milk
5	7	Rice milk
19	8	Raw, unpasteurized milk
1	9	Other

FPEA131		Sugar-how often added into food
N	Value	Description
51		Missing
1702	0	Never
104	1	1-6 times per year
41	2	7-11 times per year
86	3	1 time per month
82	4	2-3 times per month
85	5	1 time per week
71	6	2 times per week
53	7	3-4 times per week
15	8	5-6 times per week
85	9	1 time per day
12	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA132</i>		<i>Margarine-how often w/breads</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
50		Missing
1345	0	Never
85	1	1-6 times per year
29	2	7-11 times per year
160	3	1 time per month
126	4	2-3 times per month
193	5	1 time per week
177	6	2 times per week
104	7	3-4 times per week
12	8	5-6 times per week
103	9	1 time per day
3	10	2 or more times per day

<i>FPEA132A</i>		<i>Margarine-how often low-fat w/breads</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
122		Missing
1290	.S	Legitimately skipped
464	0	Almost never or never
30	1	About 1/4 of the time
52	2	About 1/2 of the time
21	3	About 3/4 of the time
408	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA133</i>		<i>Butter--how often w/breads</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
54		Missing
1230	0	Never
97	1	1-6 times per year
44	2	7-11 times per year
161	3	1 time per month
150	4	2-3 times per month
233	5	1 time per week
179	6	2 times per week
109	7	3-4 times per week
12	8	5-6 times per week
112	9	1 time per day
6	10	2 or more times per day

<i>FPEA133A</i>		<i>Butter--how often low fat w/ breads</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
111		Missing
1169	.S	Legitimately skipped
705	0	Almost never or never
26	1	About 1/4 of the time
46	2	About 1/2 of the time
9	3	About 3/4 of the time
321	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA134</i>		<i>Margarine-how often on sides</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
58		Missing
1602	0	Never
79	1	1-6 times per year
26	2	7-11 times per year
147	3	1 time per month
130	4	2-3 times per month
136	5	1 time per week
119	6	2 times per week
55	7	3-4 times per week
8	8	5-6 times per week
26	9	1 time per day
1	10	2 or more times per day

<i>FPEA134A</i>		<i>Margarine-how often low-fat on sides</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
109		Missing
1540	.S	Legitimately skipped
361	0	Almost never or never
21	1	About 1/4 of the time
27	2	About 1/2 of the time
17	3	About 3/4 of the time
312	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA135</i>		<i>Butter-how often on sides</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
57		Missing
1534	0	Never
85	1	1-6 times per year
38	2	7-11 times per year
156	3	1 time per month
137	4	2-3 times per month
156	5	1 time per week
115	6	2 times per week
53	7	3-4 times per week
6	8	5-6 times per week
48	9	1 time per day
2	10	2 or more times per day

<i>FPEA135A</i>		<i>Butter-how often low-fat on sides</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
108		Missing
1480	.S	Legitimately skipped
492	0	Almost never or never
24	1	About 1/4 of the time
33	2	About 1/2 of the time
12	3	About 3/4 of the time
238	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA136</i>		<i>Mayonnaise-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
59		Missing
661	0	Never
196	1	1-6 times per year
69	2	7-11 times per year
322	3	1 time per month
288	4	2-3 times per month
268	5	1 time per week
269	6	2 times per week
180	7	3-4 times per week
18	8	5-6 times per week
54	9	1 time per day
3	10	2 or more times per day

<i>FPEA136A</i>		<i>Mayonnaise-how often low-fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
79		Missing
647	.S	Legitimately skipped
1105	0	Almost never or never
22	1	About 1/4 of the time
37	2	About 1/2 of the time
21	3	About 3/4 of the time
476	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA137</i>		<i>Cream cheese-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
58		Missing
1095	0	Never
289	1	1-6 times per year
61	2	7-11 times per year
275	3	1 time per month
183	4	2-3 times per month
203	5	1 time per week
126	6	2 times per week
54	7	3-4 times per week
7	8	5-6 times per week
34	9	1 time per day
2	10	2 or more times per day

<i>FPEA137A</i>		<i>Cream cheese-how often low-fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
101		Missing
1047	.S	Legitimately skipped
826	0	Almost never or never
32	1	About 1/4 of the time
47	2	About 1/2 of the time
16	3	About 3/4 of the time
318	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA138</i>		<i>Sour cream-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
56		Missing
1348	0	Never
142	1	1-6 times per year
56	2	7-11 times per year
224	3	1 time per month
178	4	2-3 times per month
165	5	1 time per week
134	6	2 times per week
64	7	3-4 times per week
1	8	5-6 times per week
19	9	1 time per day
0	10	2 or more times per day

<i>FPEA138A</i>		<i>Sour cream-how often low-fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
121		Missing
1278	.S	Legitimately skipped
647	0	Almost never or never
36	1	About 1/4 of the time
45	2	About 1/2 of the time
13	3	About 3/4 of the time
247	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA138B</i>		<i>Fresh cream-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
68		Missing
1715	0	Never
114	1	1-6 times per year
18	2	7-11 times per year
118	3	1 time per month
104	4	2-3 times per month
123	5	1 time per week
73	6	2 times per week
30	7	3-4 times per week
4	8	5-6 times per week
18	9	1 time per day
2	10	2 or more times per day

<i>FPEA139</i>		<i>Oils added-how often</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
62		Missing
88	0	Never
33	1	1-6 times per year
15	2	7-11 times per year
58	3	1 time per month
81	4	2-3 times per month
144	5	1 time per week
219	6	2 times per week
377	7	3-4 times per week
128	8	5-6 times per week
981	9	1 time per day
201	10	2 or more times per day

<i>FPEA139A</i>		<i>Oils added-Olive</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
64		Missing
961	0	No
1362	1	Yes

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEA139B</i>		<i>Oils added-Corn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
67		Missing
1078	0	No
1242	1	Yes

<i>FPEA139C</i>		<i>Oils added-Canola/rapeseed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
70		Missing
1632	0	No
685	1	Yes

<i>FPEA139D</i>		<i>Oils added-Other</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
70		Missing
2062	0	No
255	1	Yes

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

Food Propensity Questionnaire Version B: FORM CODE=FPEB, VERSION=B

<i>ID</i>		<i>HCHS Participant ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11492	Present	Text suppressed

<i>OCCURRENCE</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11492	1	Occurrence 1

<i>AFU_YEAR</i>		<i>AFU year</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11492	3	AFU Year 3

<i>FPEB0A</i>		<i>Date of completion</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
22		Missing
11470	Range	01/03/2010 - 12/15/2012

<i>FPEB1</i>		<i>drink orange juice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1943	0	Never
1988	1	1 time per month or less
1282	2	2-3 times per month
2760	3	1-2 times per week
1355	4	3-4 times per week
328	5	5-6 times per week
1421	6	1 time per day
316	7	2-3 times per day
62	8	4-5 times per day
37	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB2</i>		<i>drink apple juice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5		Missing
4951	0	Never
2180	1	1 time per month or less
1064	2	2-3 times per month
1917	3	1-2 times per week
623	4	3-4 times per week
129	5	5-6 times per week
449	6	1 time per day
145	7	2-3 times per day
15	8	4-5 times per day
14	9	6 or more times per day

<i>FPEB3</i>		<i>drink grape juice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8		Missing
7431	0	Never
1835	1	1 time per month or less
645	2	2-3 times per month
975	3	1-2 times per week
287	4	3-4 times per week
67	5	5-6 times per week
181	6	1 time per day
54	7	2-3 times per day
6	8	4-5 times per day
3	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB4</i>		<i>drink other 100% juice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9		Missing
5720	0	Never
1558	1	1 time per month or less
880	2	2-3 times per month
1836	3	1-2 times per week
659	4	3-4 times per week
160	5	5-6 times per week
500	6	1 time per day
133	7	2-3 times per day
22	8	4-5 times per day
15	9	6 or more times per day

<i>FPEB5</i>		<i>drink other fruit drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4		Missing
4459	0	Never
1453	1	1 time per month or less
997	2	2-3 times per month
2194	3	1-2 times per week
965	4	3-4 times per week
260	5	5-6 times per week
846	6	1 time per day
254	7	2-3 times per day
34	8	4-5 times per day
26	9	6 or more times per day

<i>FPEB5A</i>		<i>drink diet fruit drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
42		Missing
4424	.S	Legitimately skipped
4939	0	Almost never or never
288	1	About 1/4 of the time
351	2	About 1/2 of the time
87	3	About 3/4 of the time
1361	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB6</i>		<i>drink milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
21		Missing
3233	0	Never
664	1	1 time per month or less
432	2	2-3 times per month
1496	3	1-2 times per week
1032	4	3-4 times per week
286	5	5-6 times per week
3322	6	1 time per day
812	7	2-3 times per day
70	8	4-5 times per day
124	9	6 or more times per day

<i>FPEB7</i>		<i>drink meal replacement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7		Missing
9773	0	Never
468	1	1 time per month or less
212	2	2-3 times per month
398	3	1-2 times per week
188	4	3-4 times per week
47	5	5-6 times per week
290	6	1 time per day
88	7	2-3 times per day
9	8	4-5 times per day
12	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB8</i>		<i>drink soft drink-sodas</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6		Missing
3624	0	Never
1301	1	1 time per month or less
852	2	2-3 times per month
2461	3	1-2 times per week
990	4	3-4 times per week
272	5	5-6 times per week
1359	6	1 time per day
476	7	2-3 times per day
91	8	4-5 times per day
60	9	6 or more times per day

<i>FPEB8A</i>		<i>drink Diet soft drink-sodas</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
64		Missing
3579	.S	Legitimately skipped
5756	0	Almost never or never
202	1	About 1/4 of the time
445	2	About 1/2 of the time
100	3	About 3/4 of the time
1346	4	Almost always or always

<i>FPEB9</i>		<i>drink beer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7		Missing
6741	0	Never
2077	1	1 time per month or less
776	2	2-3 times per month
1406	3	1-2 times per week
248	4	3-4 times per week
67	5	5-6 times per week
97	6	1 time per day
40	7	2-3 times per day
11	8	4-5 times per day
22	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB10</i>		<i>drink wine</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8		Missing
7861	0	Never
2066	1	1 time per month or less
566	2	2-3 times per month
687	3	1-2 times per week
168	4	3-4 times per week
47	5	5-6 times per week
73	6	1 time per day
11	7	2-3 times per day
1	8	4-5 times per day
4	9	6 or more times per day

<i>FPEB11</i>		<i>eat oatmeal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7		Missing
3491	0	Never
521	1	1-6 times per year
151	2	7-11 times per year
1048	3	1 time per month
1039	4	2-3 times per month
1240	5	1 time per week
1285	6	2 times per week
1244	7	3-4 times per week
221	8	5-6 times per week
1195	9	1 time per day
50	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB11A</i>		<i>cooked cereal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
36		Missing
3452	.S	Legitimately skipped
481	0	Almost never or never
228	1	About 1/4 of the time
465	2	About 1/2 of the time
158	3	About 3/4 of the time
6672	4	Almost always or always

<i>FPEB12</i>		<i>eat cold cereal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
23		Missing
2453	0	Never
322	1	1-6 times per year
136	2	7-11 times per year
836	3	1 time per month
912	4	2-3 times per month
1376	5	1 time per week
1761	6	2 times per week
1889	7	3-4 times per week
287	8	5-6 times per week
1417	9	1 time per day
80	10	2 or more times per day

<i>FPEB12A</i>		<i>cold cereal: whole grain type</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
42		Missing
2393	.S	Legitimately skipped
1524	0	Almost never or never
308	1	About 1/4 of the time
915	2	About 1/2 of the time
229	3	About 3/4 of the time
6081	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB13</i>		<i>eat applesauce</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18		Missing
9149	0	Never
580	1	1-6 times per year
85	2	7-11 times per year
583	3	1 time per month
326	4	2-3 times per month
304	5	1 time per week
221	6	2 times per week
121	7	3-4 times per week
16	8	5-6 times per week
82	9	1 time per day
7	10	2 or more times per day

<i>FPEB14</i>		<i>eat apples</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
14		Missing
2027	0	Never
454	1	1-6 times per year
198	2	7-11 times per year
1051	3	1 time per month
1081	4	2-3 times per month
1620	5	1 time per week
1753	6	2 times per week
1595	7	3-4 times per week
259	8	5-6 times per week
1321	9	1 time per day
119	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB15</i>		<i>eat pears</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10		Missing
4850	0	Never
709	1	1-6 times per year
234	2	7-11 times per year
1169	3	1 time per month
889	4	2-3 times per month
1226	5	1 time per week
1103	6	2 times per week
710	7	3-4 times per week
90	8	5-6 times per week
455	9	1 time per day
47	10	2 or more times per day

<i>FPEB16</i>		<i>eat bananas</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10		Missing
917	0	Never
208	1	1-6 times per year
127	2	7-11 times per year
671	3	1 time per month
828	4	2-3 times per month
1484	5	1 time per week
1778	6	2 times per week
2302	7	3-4 times per week
576	8	5-6 times per week
2377	9	1 time per day
214	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB17</i>		<i>eat pineapple</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13		Missing
3744	0	Never
983	1	1-6 times per year
282	2	7-11 times per year
1901	3	1 time per month
1296	4	2-3 times per month
1416	5	1 time per week
850	6	2 times per week
554	7	3-4 times per week
92	8	5-6 times per week
339	9	1 time per day
22	10	2 or more times per day

<i>FPEB18</i>		<i>eat dried fruit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
14		Missing
5139	0	Never
744	1	1-6 times per year
222	2	7-11 times per year
1318	3	1 time per month
848	4	2-3 times per month
1084	5	1 time per week
765	6	2 times per week
654	7	3-4 times per week
111	8	5-6 times per week
551	9	1 time per day
42	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB19</i>		<i>eat peaches</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10		Missing
4508	0	Never
669	1	1-6 times per year
276	2	7-11 times per year
1306	3	1 time per month
1093	4	2-3 times per month
1320	5	1 time per week
1080	6	2 times per week
715	7	3-4 times per week
76	8	5-6 times per week
393	9	1 time per day
46	10	2 or more times per day

<i>FPEB20</i>		<i>eat grapes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11		Missing
1949	0	Never
684	1	1-6 times per year
292	2	7-11 times per year
1753	3	1 time per month
1482	4	2-3 times per month
2055	5	1 time per week
1503	6	2 times per week
1021	7	3-4 times per week
157	8	5-6 times per week
548	9	1 time per day
37	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB21</i>		<i>eat melons</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11		Missing
2575	0	Never
838	1	1-6 times per year
473	2	7-11 times per year
1800	3	1 time per month
1466	4	2-3 times per month
1806	5	1 time per week
1227	6	2 times per week
803	7	3-4 times per week
106	8	5-6 times per week
357	9	1 time per day
30	10	2 or more times per day

<i>FPEB22</i>		<i>eat strawberries</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11		Missing
2828	0	Never
700	1	1-6 times per year
321	2	7-11 times per year
1622	3	1 time per month
1380	4	2-3 times per month
1774	5	1 time per week
1298	6	2 times per week
910	7	3-4 times per week
154	8	5-6 times per week
469	9	1 time per day
25	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB23</i>		<i>eat oranges</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
14		Missing
2543	0	Never
481	1	1-6 times per year
260	2	7-11 times per year
1155	3	1 time per month
1128	4	2-3 times per month
1696	5	1 time per week
1517	6	2 times per week
1320	7	3-4 times per week
275	8	5-6 times per week
1003	9	1 time per day
100	10	2 or more times per day

<i>FPEB24</i>		<i>eat grapefruit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12		Missing
8312	0	Never
652	1	1-6 times per year
159	2	7-11 times per year
716	3	1 time per month
392	4	2-3 times per month
509	5	1 time per week
293	6	2 times per week
203	7	3-4 times per week
41	8	5-6 times per week
188	9	1 time per day
15	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB25</i>		<i>eat mango</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12		Missing
3165	0	Never
1152	1	1-6 times per year
668	2	7-11 times per year
1696	3	1 time per month
1238	4	2-3 times per month
1388	5	1 time per week
1007	6	2 times per week
689	7	3-4 times per week
97	8	5-6 times per week
347	9	1 time per day
33	10	2 or more times per day

<i>FPEB26</i>		<i>eat papaya</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
14		Missing
4760	0	Never
852	1	1-6 times per year
281	2	7-11 times per year
1324	3	1 time per month
1019	4	2-3 times per month
1207	5	1 time per week
880	6	2 times per week
652	7	3-4 times per week
110	8	5-6 times per week
379	9	1 time per day
14	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB27</i>		<i>eat other kind of fruits</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18		Missing
5829	0	Never
752	1	1-6 times per year
274	2	7-11 times per year
1186	3	1 time per month
920	4	2-3 times per month
1101	5	1 time per week
650	6	2 times per week
403	7	3-4 times per week
61	8	5-6 times per week
270	9	1 time per day
28	10	2 or more times per day

<i>FPEB28</i>		<i>eat COOKED greens</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12		Missing
4429	0	Never
473	1	1-6 times per year
143	2	7-11 times per year
1028	3	1 time per month
927	4	2-3 times per month
1459	5	1 time per week
1200	6	2 times per week
1020	7	3-4 times per week
165	8	5-6 times per week
606	9	1 time per day
30	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB29</i>		<i>eat RAW greens</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13		Missing
5158	0	Never
320	1	1-6 times per year
116	2	7-11 times per year
736	3	1 time per month
702	4	2-3 times per month
1212	5	1 time per week
1163	6	2 times per week
1076	7	3-4 times per week
210	8	5-6 times per week
763	9	1 time per day
23	10	2 or more times per day

<i>FPEB30</i>		<i>eat carrots</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16		Missing
1790	0	Never
383	1	1-6 times per year
159	2	7-11 times per year
1023	3	1 time per month
1097	4	2-3 times per month
1972	5	1 time per week
1848	6	2 times per week
1825	7	3-4 times per week
323	8	5-6 times per week
1021	9	1 time per day
35	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB31</i>		<i>eat string bean</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15		Missing
3322	0	Never
489	1	1-6 times per year
192	2	7-11 times per year
1318	3	1 time per month
1198	4	2-3 times per month
1862	5	1 time per week
1451	6	2 times per week
983	7	3-4 times per week
167	8	5-6 times per week
482	9	1 time per day
13	10	2 or more times per day

<i>FPEB32</i>		<i>eat peas</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15		Missing
4513	0	Never
659	1	1-6 times per year
183	2	7-11 times per year
1524	3	1 time per month
1115	4	2-3 times per month
1628	5	1 time per week
995	6	2 times per week
581	7	3-4 times per week
76	8	5-6 times per week
199	9	1 time per day
4	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB33</i>		<i>eat corn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15		Missing
1393	0	Never
510	1	1-6 times per year
224	2	7-11 times per year
1656	3	1 time per month
1882	4	2-3 times per month
2394	5	1 time per week
1750	6	2 times per week
1159	7	3-4 times per week
155	8	5-6 times per week
343	9	1 time per day
11	10	2 or more times per day

<i>FPEB34</i>		<i>eat broccoli</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
17		Missing
2283	0	Never
361	1	1-6 times per year
186	2	7-11 times per year
1218	3	1 time per month
1437	4	2-3 times per month
2042	5	1 time per week
1767	6	2 times per week
1465	7	3-4 times per week
237	8	5-6 times per week
464	9	1 time per day
15	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB35</i>		<i>eat mixed vegetables</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16		Missing
2480	0	Never
350	1	1-6 times per year
131	2	7-11 times per year
1090	3	1 time per month
1253	4	2-3 times per month
2185	5	1 time per week
1682	6	2 times per week
1400	7	3-4 times per week
257	8	5-6 times per week
629	9	1 time per day
19	10	2 or more times per day

<i>FPEB36</i>		<i>eat fresh tomatoes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
14		Missing
1138	0	Never
152	1	1-6 times per year
80	2	7-11 times per year
491	3	1 time per month
563	4	2-3 times per month
1374	5	1 time per week
1721	6	2 times per week
2391	7	3-4 times per week
761	8	5-6 times per week
2714	9	1 time per day
93	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB37</i>		<i>eat summer squash</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
14		Missing
4622	0	Never
437	1	1-6 times per year
152	2	7-11 times per year
1108	3	1 time per month
1061	4	2-3 times per month
1596	5	1 time per week
1259	6	2 times per week
876	7	3-4 times per week
116	8	5-6 times per week
238	9	1 time per day
13	10	2 or more times per day

<i>FPEB38</i>		<i>eat lettuce salads</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
17		Missing
760	0	Never
137	1	1-6 times per year
106	2	7-11 times per year
546	3	1 time per month
893	4	2-3 times per month
1682	5	1 time per week
2019	6	2 times per week
2706	7	3-4 times per week
731	8	5-6 times per week
1847	9	1 time per day
48	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB38A</i>		<i>salads made with dark green leaves</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
48		Missing
725	.S	Legitimately skipped
3520	0	Almost never or never
544	1	About 1/4 of the time
1825	2	About 1/2 of the time
433	3	About 3/4 of the time
4397	4	Almost always or always

<i>FPEB39</i>		<i>eat sweet potato</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
80		Missing
4031	0	Never
1744	1	1-6 times per year
244	2	7-11 times per year
1708	3	1 time per month
1147	4	2-3 times per month
1236	5	1 time per week
727	6	2 times per week
419	7	3-4 times per week
54	8	5-6 times per week
100	9	1 time per day
2	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB40</i>		<i>eat French fries</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15		Missing
3296	0	Never
889	1	1-6 times per year
282	2	7-11 times per year
1897	3	1 time per month
1525	4	2-3 times per month
1777	5	1 time per week
992	6	2 times per week
588	7	3-4 times per week
62	8	5-6 times per week
156	9	1 time per day
13	10	2 or more times per day

<i>FPEB41</i>		<i>eat potato salad</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16		Missing
4215	0	Never
1802	1	1-6 times per year
327	2	7-11 times per year
2217	3	1 time per month
1260	4	2-3 times per month
1083	5	1 time per week
401	6	2 times per week
136	7	3-4 times per week
14	8	5-6 times per week
20	9	1 time per day
1	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB42</i>		<i>eat mashed potatoes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16		Missing
1878	0	Never
933	1	1-6 times per year
249	2	7-11 times per year
2170	3	1 time per month
2075	4	2-3 times per month
2172	5	1 time per week
1217	6	2 times per week
621	7	3-4 times per week
53	8	5-6 times per week
106	9	1 time per day
2	10	2 or more times per day

<i>FPEB43</i>		<i>eat salsa or pico de gallo</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
19		Missing
4736	0	Never
370	1	1-6 times per year
121	2	7-11 times per year
721	3	1 time per month
598	4	2-3 times per month
884	5	1 time per week
722	6	2 times per week
924	7	3-4 times per week
237	8	5-6 times per week
1902	9	1 time per day
258	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB44</i>		<i>eat ketchup</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15		Missing
4171	0	Never
649	1	1-6 times per year
190	2	7-11 times per year
1381	3	1 time per month
1026	4	2-3 times per month
1538	5	1 time per week
1021	6	2 times per week
795	7	3-4 times per week
175	8	5-6 times per week
500	9	1 time per day
31	10	2 or more times per day

<i>FPEB45</i>		<i>eat chili con carne</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
14		Missing
7172	0	Never
756	1	1-6 times per year
155	2	7-11 times per year
1023	3	1 time per month
696	4	2-3 times per month
915	5	1 time per week
444	6	2 times per week
225	7	3-4 times per week
26	8	5-6 times per week
61	9	1 time per day
5	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB46</i>		<i>eat tortillas-tacos</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
17		Missing
3254	0	Never
499	1	1-6 times per year
201	2	7-11 times per year
980	3	1 time per month
800	4	2-3 times per month
836	5	1 time per week
698	6	2 times per week
898	7	3-4 times per week
243	8	5-6 times per week
1963	9	1 time per day
1103	10	2 or more times per day

<i>FPEB46A</i>		<i>eat corn tortillas-tacos</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
66		Missing
3206	.S	Legitimately skipped
604	0	Almost never or never
246	1	About 1/4 of the time
800	2	About 1/2 of the time
321	3	About 3/4 of the time
6249	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB47</i>		<i>eat cooked dried beans</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
49		Missing
625	0	Never
131	1	1-6 times per year
67	2	7-11 times per year
535	3	1 time per month
847	4	2-3 times per month
1564	5	1 time per week
1994	6	2 times per week
2843	7	3-4 times per week
737	8	5-6 times per week
1959	9	1 time per day
141	10	2 or more times per day

<i>FPEB48</i>		<i>eat winter squash</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16		Missing
6447	0	Never
1721	1	1-6 times per year
158	2	7-11 times per year
853	3	1 time per month
563	4	2-3 times per month
732	5	1 time per week
510	6	2 times per week
326	7	3-4 times per week
56	8	5-6 times per week
108	9	1 time per day
2	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB49</i>		<i>eat avocado</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
17		Missing
1046	0	Never
465	1	1-6 times per year
449	2	7-11 times per year
1326	3	1 time per month
1538	4	2-3 times per month
2077	5	1 time per week
1902	6	2 times per week
1732	7	3-4 times per week
280	8	5-6 times per week
630	9	1 time per day
30	10	2 or more times per day

<i>FPEB50</i>		<i>eat nopal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
23		Missing
7330	0	Never
527	1	1-6 times per year
83	2	7-11 times per year
685	3	1 time per month
708	4	2-3 times per month
822	5	1 time per week
575	6	2 times per week
488	7	3-4 times per week
42	8	5-6 times per week
202	9	1 time per day
7	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB51</i>		<i>eat plantain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
21		Missing
3686	0	Never
975	1	1-6 times per year
167	2	7-11 times per year
1330	3	1 time per month
1236	4	2-3 times per month
1487	5	1 time per week
1180	6	2 times per week
905	7	3-4 times per week
152	8	5-6 times per week
342	9	1 time per day
11	10	2 or more times per day

<i>FPEB52</i>		<i>eat other kinds of vegetables</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
20		Missing
3171	0	Never
479	1	1-6 times per year
166	2	7-11 times per year
1242	3	1 time per month
1167	4	2-3 times per month
1723	5	1 time per week
1161	6	2 times per week
1091	7	3-4 times per week
220	8	5-6 times per week
1031	9	1 time per day
21	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB53</i>		<i>eat rice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
20		Missing
215	0	Never
92	1	1-6 times per year
46	2	7-11 times per year
385	3	1 time per month
698	4	2-3 times per month
1427	5	1 time per week
2035	6	2 times per week
2674	7	3-4 times per week
764	8	5-6 times per week
3019	9	1 time per day
117	10	2 or more times per day

<i>FPEB53A</i>		<i>other cooked grains</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
41		Missing
196	.S	Legitimately skipped
8107	0	Almost never or never
583	1	About 1/4 of the time
989	2	About 1/2 of the time
198	3	About 3/4 of the time
1378	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB54</i>		<i>eat pancakes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
40		Missing
4706	0	Never
1136	1	1-6 times per year
252	2	7-11 times per year
1896	3	1 time per month
1187	4	2-3 times per month
1385	5	1 time per week
539	6	2 times per week
247	7	3-4 times per week
27	8	5-6 times per week
76	9	1 time per day
1	10	2 or more times per day

<i>FPEB55</i>		<i>eat bagels</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
28		Missing
6073	0	Never
821	1	1-6 times per year
195	2	7-11 times per year
1333	3	1 time per month
893	4	2-3 times per month
1035	5	1 time per week
537	6	2 times per week
335	7	3-4 times per week
61	8	5-6 times per week
175	9	1 time per day
6	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB56</i>		<i>eat breads</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25		Missing
1510	0	Never
420	1	1-6 times per year
228	2	7-11 times per year
1191	3	1 time per month
1315	4	2-3 times per month
2095	5	1 time per week
1867	6	2 times per week
1513	7	3-4 times per week
347	8	5-6 times per week
942	9	1 time per day
39	10	2 or more times per day

<i>FPEB56A</i>		<i>eat breads or rolls in sandwich</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
55		Missing
1476	.S	Legitimately skipped
3812	0	Almost never or never
506	1	About 1/4 of the time
1355	2	About 1/2 of the time
296	3	About 3/4 of the time
3992	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB57</i>		<i>eat breads or rolls alone</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
53		Missing
5575	0	Never
534	1	1-6 times per year
123	2	7-11 times per year
856	3	1 time per month
620	4	2-3 times per month
1137	5	1 time per week
923	6	2 times per week
681	7	3-4 times per week
109	8	5-6 times per week
834	9	1 time per day
47	10	2 or more times per day

<i>FPEB57A</i>		<i>white breads and rolls</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
194		Missing
5403	.S	Legitimately skipped
1883	0	Almost never or never
252	1	About 1/4 of the time
676	2	About 1/2 of the time
133	3	About 3/4 of the time
2951	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB58</i>		<i>eat jam, jelly, guava paste</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
34		Missing
5941	0	Never
740	1	1-6 times per year
180	2	7-11 times per year
1205	3	1 time per month
804	4	2-3 times per month
1089	5	1 time per week
703	6	2 times per week
465	7	3-4 times per week
53	8	5-6 times per week
264	9	1 time per day
14	10	2 or more times per day

<i>FPEB59</i>		<i>eat roast beef</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
36		Missing
6831	0	Never
825	1	1-6 times per year
181	2	7-11 times per year
1327	3	1 time per month
749	4	2-3 times per month
864	5	1 time per week
438	6	2 times per week
201	7	3-4 times per week
9	8	5-6 times per week
30	9	1 time per day
1	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB60</i>		<i>eat turkey</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32		Missing
3301	0	Never
490	1	1-6 times per year
172	2	7-11 times per year
1175	3	1 time per month
1252	4	2-3 times per month
1773	5	1 time per week
1652	6	2 times per week
1169	7	3-4 times per week
151	8	5-6 times per week
316	9	1 time per day
9	10	2 or more times per day

<i>FPEB61</i>		<i>eat deli-luncheon</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
40		Missing
5279	0	Never
478	1	1-6 times per year
148	2	7-11 times per year
1046	3	1 time per month
919	4	2-3 times per month
1469	5	1 time per week
1084	6	2 times per week
672	7	3-4 times per week
95	8	5-6 times per week
253	9	1 time per day
9	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB62</i>		<i>eat other cold cuts</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32		Missing
7083	0	Never
610	1	1-6 times per year
169	2	7-11 times per year
1020	3	1 time per month
692	4	2-3 times per month
871	5	1 time per week
588	6	2 times per week
288	7	3-4 times per week
38	8	5-6 times per week
98	9	1 time per day
3	10	2 or more times per day

<i>FPEB63</i>		<i>eat canned tuna</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35		Missing
2722	0	Never
897	1	1-6 times per year
273	2	7-11 times per year
1947	3	1 time per month
1907	4	2-3 times per month
1916	5	1 time per week
1089	6	2 times per week
554	7	3-4 times per week
55	8	5-6 times per week
86	9	1 time per day
11	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB64</i>		<i>eat beef hamburger</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
28		Missing
4342	0	Never
1265	1	1-6 times per year
364	2	7-11 times per year
2117	3	1 time per month
1584	4	2-3 times per month
1125	5	1 time per week
426	6	2 times per week
190	7	3-4 times per week
19	8	5-6 times per week
32	9	1 time per day
0	10	2 or more times per day

<i>FPEB65</i>		<i>eat ground beef</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
28		Missing
3459	0	Never
968	1	1-6 times per year
270	2	7-11 times per year
2313	3	1 time per month
2058	4	2-3 times per month
1603	5	1 time per week
560	6	2 times per week
209	7	3-4 times per week
12	8	5-6 times per week
11	9	1 time per day
1	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB66</i>		<i>eat hot dogs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
31		Missing
5058	0	Never
1481	1	1-6 times per year
363	2	7-11 times per year
2083	3	1 time per month
1160	4	2-3 times per month
775	5	1 time per week
347	6	2 times per week
134	7	3-4 times per week
19	8	5-6 times per week
38	9	1 time per day
3	10	2 or more times per day

<i>FPEB67</i>		<i>eat beef mixtures</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
27		Missing
3902	0	Never
1033	1	1-6 times per year
277	2	7-11 times per year
1986	3	1 time per month
1529	4	2-3 times per month
1642	5	1 time per week
736	6	2 times per week
300	7	3-4 times per week
28	8	5-6 times per week
29	9	1 time per day
3	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB68</i>		<i>eat roast beef</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
28		Missing
4512	0	Never
1206	1	1-6 times per year
345	2	7-11 times per year
1915	3	1 time per month
1354	4	2-3 times per month
1435	5	1 time per week
488	6	2 times per week
174	7	3-4 times per week
11	8	5-6 times per week
22	9	1 time per day
2	10	2 or more times per day

<i>FPEB69</i>		<i>eat steak</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
28		Missing
1947	0	Never
795	1	1-6 times per year
306	2	7-11 times per year
1962	3	1 time per month
2074	4	2-3 times per month
2657	5	1 time per week
1184	6	2 times per week
424	7	3-4 times per week
50	8	5-6 times per week
61	9	1 time per day
4	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB70</i>		<i>eat ribs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
27		Missing
3744	0	Never
1590	1	1-6 times per year
376	2	7-11 times per year
2362	3	1 time per month
1511	4	2-3 times per month
1405	5	1 time per week
344	6	2 times per week
117	7	3-4 times per week
8	8	5-6 times per week
7	9	1 time per day
1	10	2 or more times per day

<i>FPEB71</i>		<i>eat roast turkey</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33		Missing
5093	0	Never
3689	1	1-6 times per year
191	2	7-11 times per year
933	3	1 time per month
571	4	2-3 times per month
560	5	1 time per week
249	6	2 times per week
134	7	3-4 times per week
17	8	5-6 times per week
20	9	1 time per day
2	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB72</i>		<i>eat chicken</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
30		Missing
2180	0	Never
463	1	1-6 times per year
181	2	7-11 times per year
1080	3	1 time per month
1407	4	2-3 times per month
2203	5	1 time per week
1836	6	2 times per week
1616	7	3-4 times per week
261	8	5-6 times per week
228	9	1 time per day
7	10	2 or more times per day

<i>FPEB73</i>		<i>eat baked, boiled, fried chicken</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32		Missing
717	0	Never
359	1	1-6 times per year
111	2	7-11 times per year
1131	3	1 time per month
1567	4	2-3 times per month
2943	5	1 time per week
2126	6	2 times per week
1853	7	3-4 times per week
370	8	5-6 times per week
275	9	1 time per day
8	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB74</i>		<i>eat baked ham</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
34		Missing
7252	0	Never
2566	1	1-6 times per year
127	2	7-11 times per year
711	3	1 time per month
305	4	2-3 times per month
313	5	1 time per week
126	6	2 times per week
46	7	3-4 times per week
1	8	5-6 times per week
10	9	1 time per day
1	10	2 or more times per day

<i>FPEB75</i>		<i>eat pork</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
29		Missing
3440	0	Never
1455	1	1-6 times per year
302	2	7-11 times per year
1916	3	1 time per month
1658	4	2-3 times per month
1698	5	1 time per week
733	6	2 times per week
215	7	3-4 times per week
24	8	5-6 times per week
22	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB76</i>		<i>eat bacon</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
28		Missing
6260	0	Never
1075	1	1-6 times per year
240	2	7-11 times per year
1459	3	1 time per month
899	4	2-3 times per month
837	5	1 time per week
406	6	2 times per week
195	7	3-4 times per week
29	8	5-6 times per week
64	9	1 time per day
0	10	2 or more times per day

<i>FPEB77</i>		<i>eat sausage</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
29		Missing
4788	0	Never
1071	1	1-6 times per year
273	2	7-11 times per year
1906	3	1 time per month
1337	4	2-3 times per month
1319	5	1 time per week
501	6	2 times per week
193	7	3-4 times per week
16	8	5-6 times per week
56	9	1 time per day
3	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB78</i>		<i>eat smoked fish</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33		Missing
8142	0	Never
695	1	1-6 times per year
132	2	7-11 times per year
894	3	1 time per month
657	4	2-3 times per month
471	5	1 time per week
269	6	2 times per week
164	7	3-4 times per week
13	8	5-6 times per week
21	9	1 time per day
1	10	2 or more times per day

<i>FPEB79</i>		<i>eat other fish</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32		Missing
1715	0	Never
829	1	1-6 times per year
304	2	7-11 times per year
2096	3	1 time per month
2229	4	2-3 times per month
2335	5	1 time per week
1201	6	2 times per week
634	7	3-4 times per week
53	8	5-6 times per week
60	9	1 time per day
4	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB80</i>		<i>eat soups</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
31		Missing
1142	0	Never
450	1	1-6 times per year
247	2	7-11 times per year
1492	3	1 time per month
2043	4	2-3 times per month
2703	5	1 time per week
1688	6	2 times per week
1112	7	3-4 times per week
151	8	5-6 times per week
420	9	1 time per day
13	10	2 or more times per day

<i>FPEB80A</i>		<i>ate bean soups</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
69		Missing
1103	.S	Legitimately skipped
6425	0	Almost never or never
1731	1	About 1/4 of the time
1059	2	About 1/2 of the time
391	3	About 3/4 of the time
714	4	Almost always or always

<i>FPEB80B</i>		<i>ate cream soups</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
80		Missing
1104	.S	Legitimately skipped
7554	0	Almost never or never
1477	1	About 1/4 of the time
774	2	About 1/2 of the time
204	3	About 3/4 of the time
299	4	Almost always or always

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB80C</i>		<i>tomato or vegetable soups</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
70		Missing
1107	.S	Legitimately skipped
1864	0	Almost never or never
1422	1	About 1/4 of the time
1544	2	About 1/2 of the time
773	3	About 3/4 of the time
4712	4	Almost always or always

<i>FPEB81</i>		<i>eat pizza</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
31		Missing
2392	0	Never
1787	1	1-6 times per year
534	2	7-11 times per year
3213	3	1 time per month
1862	4	2-3 times per month
1218	5	1 time per week
257	6	2 times per week
147	7	3-4 times per week
24	8	5-6 times per week
23	9	1 time per day
4	10	2 or more times per day

<i>FPEB81A</i>		<i>eat pepperoni pizza</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
75		Missing
2455	0	Almost never or never
386	1	About 1/4 of the time
942	2	About 1/2 of the time
252	3	About 3/4 of the time
5036	4	Almost always or always
2346	~	Legitimately skipped

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB82</i>		<i>eat crackers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
109		Missing
3518	0	Never
1000	1	1-6 times per year
201	2	7-11 times per year
1757	3	1 time per month
1179	4	2-3 times per month
1313	5	1 time per week
884	6	2 times per week
690	7	3-4 times per week
135	8	5-6 times per week
659	9	1 time per day
47	10	2 or more times per day

<i>FPEB83</i>		<i>eat corn bread</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
37		Missing
7540	0	Never
1365	1	1-6 times per year
175	2	7-11 times per year
1098	3	1 time per month
463	4	2-3 times per month
464	5	1 time per week
184	6	2 times per week
101	7	3-4 times per week
14	8	5-6 times per week
51	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB84</i>		<i>eat biscuits</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
31		Missing
6732	0	Never
1179	1	1-6 times per year
195	2	7-11 times per year
1318	3	1 time per month
633	4	2-3 times per month
661	5	1 time per week
354	6	2 times per week
195	7	3-4 times per week
37	8	5-6 times per week
147	9	1 time per day
10	10	2 or more times per day

<i>FPEB85</i>		<i>eat tortilla chips</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
30		Missing
5033	0	Never
955	1	1-6 times per year
277	2	7-11 times per year
1773	3	1 time per month
1159	4	2-3 times per month
1292	5	1 time per week
502	6	2 times per week
298	7	3-4 times per week
44	8	5-6 times per week
115	9	1 time per day
14	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB86</i>		<i>eat popcorn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35		Missing
5514	0	Never
1740	1	1-6 times per year
331	2	7-11 times per year
1921	3	1 time per month
876	4	2-3 times per month
675	5	1 time per week
236	6	2 times per week
122	7	3-4 times per week
17	8	5-6 times per week
24	9	1 time per day
1	10	2 or more times per day

<i>FPEB87</i>		<i>eat peanuts, walnuts</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
28		Missing
3170	0	Never
892	1	1-6 times per year
263	2	7-11 times per year
1768	3	1 time per month
1268	4	2-3 times per month
1371	5	1 time per week
959	6	2 times per week
813	7	3-4 times per week
194	8	5-6 times per week
735	9	1 time per day
31	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB88</i>		<i>eat yogurt</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
31		Missing
2785	0	Never
487	1	1-6 times per year
193	2	7-11 times per year
1095	3	1 time per month
1056	4	2-3 times per month
1385	5	1 time per week
1337	6	2 times per week
1329	7	3-4 times per week
311	8	5-6 times per week
1419	9	1 time per day
64	10	2 or more times per day

<i>FPEB89</i>		<i>eat cottage cheese</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
31		Missing
6905	0	Never
779	1	1-6 times per year
124	2	7-11 times per year
983	3	1 time per month
584	4	2-3 times per month
879	5	1 time per week
573	6	2 times per week
351	7	3-4 times per week
52	8	5-6 times per week
224	9	1 time per day
7	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB90</i>		<i>eat cheese</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
29		Missing
864	0	Never
264	1	1-6 times per year
101	2	7-11 times per year
786	3	1 time per month
963	4	2-3 times per month
1961	5	1 time per week
2120	6	2 times per week
2293	7	3-4 times per week
477	8	5-6 times per week
1560	9	1 time per day
74	10	2 or more times per day

<i>FPEB91</i>		<i>eat frozen yogurt</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
30		Missing
8073	0	Never
602	1	1-6 times per year
197	2	7-11 times per year
797	3	1 time per month
506	4	2-3 times per month
600	5	1 time per week
329	6	2 times per week
192	7	3-4 times per week
38	8	5-6 times per week
116	9	1 time per day
12	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB92</i>		<i>eat ice cream</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32		Missing
3204	0	Never
1137	1	1-6 times per year
394	2	7-11 times per year
2027	3	1 time per month
1419	4	2-3 times per month
1605	5	1 time per week
830	6	2 times per week
487	7	3-4 times per week
87	8	5-6 times per week
252	9	1 time per day
18	10	2 or more times per day

<i>FPEB93</i>		<i>eat pudding</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35		Missing
5603	0	Never
1863	1	1-6 times per year
353	2	7-11 times per year
1897	3	1 time per month
791	4	2-3 times per month
596	5	1 time per week
215	6	2 times per week
92	7	3-4 times per week
14	8	5-6 times per week
31	9	1 time per day
2	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB94</i>		<i>eat cake</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
31		Missing
3189	0	Never
2553	1	1-6 times per year
691	2	7-11 times per year
2681	3	1 time per month
1122	4	2-3 times per month
718	5	1 time per week
248	6	2 times per week
146	7	3-4 times per week
38	8	5-6 times per week
72	9	1 time per day
3	10	2 or more times per day

<i>FPEB95</i>		<i>eat cookies</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35		Missing
6160	0	Never
947	1	1-6 times per year
230	2	7-11 times per year
1359	3	1 time per month
880	4	2-3 times per month
869	5	1 time per week
501	6	2 times per week
282	7	3-4 times per week
30	8	5-6 times per week
190	9	1 time per day
9	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB96</i>		<i>eat doughnuts</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33		Missing
4892	0	Never
1085	1	1-6 times per year
295	2	7-11 times per year
1665	3	1 time per month
989	4	2-3 times per month
1212	5	1 time per week
582	6	2 times per week
379	7	3-4 times per week
61	8	5-6 times per week
285	9	1 time per day
14	10	2 or more times per day

<i>FPEB97</i>		<i>eat sweet muffins</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33		Missing
7681	0	Never
862	1	1-6 times per year
180	2	7-11 times per year
1119	3	1 time per month
530	4	2-3 times per month
623	5	1 time per week
257	6	2 times per week
85	7	3-4 times per week
18	8	5-6 times per week
100	9	1 time per day
4	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB98</i>		<i>eat fruit crisp</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
37		Missing
8195	0	Never
1084	1	1-6 times per year
195	2	7-11 times per year
1040	3	1 time per month
377	4	2-3 times per month
359	5	1 time per week
118	6	2 times per week
60	7	3-4 times per week
5	8	5-6 times per week
22	9	1 time per day
0	10	2 or more times per day

<i>FPEB99</i>		<i>eat pie</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32		Missing
6547	0	Never
2152	1	1-6 times per year
293	2	7-11 times per year
1469	3	1 time per month
460	4	2-3 times per month
356	5	1 time per week
111	6	2 times per week
44	7	3-4 times per week
7	8	5-6 times per week
21	9	1 time per day
0	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB99A</i>		<i>ate fruit pie</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
106		Missing
6459	.S	Legitimately skipped
491	0	Almost never or never
198	1	About 1/4 of the time
403	2	About 1/2 of the time
107	3	About 3/4 of the time
3728	4	Almost always or always

<i>FPEB100</i>		<i>eat chocolate candy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
70		Missing
4638	0	Never
1071	1	1-6 times per year
244	2	7-11 times per year
1633	3	1 time per month
984	4	2-3 times per month
1192	5	1 time per week
634	6	2 times per week
513	7	3-4 times per week
92	8	5-6 times per week
390	9	1 time per day
31	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB101</i>		<i>eat other candy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
35		Missing
5507	0	Never
973	1	1-6 times per year
210	2	7-11 times per year
1202	3	1 time per month
729	4	2-3 times per month
1104	5	1 time per week
610	6	2 times per week
413	7	3-4 times per week
120	8	5-6 times per week
544	9	1 time per day
45	10	2 or more times per day

<i>FPEB102</i>		<i>eat eggs, egg whites</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32		Missing
750	0	Never
271	1	1-6 times per year
116	2	7-11 times per year
903	3	1 time per month
1333	4	2-3 times per month
2367	5	1 time per week
2583	6	2 times per week
2144	7	3-4 times per week
303	8	5-6 times per week
658	9	1 time per day
32	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB103</i>		<i>cups of coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33		Missing
2173	0	None
280	1	Less than 1 cup per month
471	2	1-3 cups per month
494	3	1 cup per week
1101	4	2-4 cups per week
212	5	5-6 cups per week
4153	6	1 cup per day
2111	7	2-3 cups per day
322	8	4-5 cups per day
142	9	6 or more cups per day

<i>FPEB104</i>		<i>glasses of ICED tea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
40		Missing
6765	0	None
542	1	Less than 1 cup per month
751	2	1-3 cups per month
692	3	1 cup per week
1263	4	2-4 cups per week
186	5	5-6 cups per week
823	6	1 cup per day
330	7	2-3 cups per day
59	8	4-5 cups per day
41	9	6 or more cups per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB105</i>		<i>glasses of HOT tea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
37		Missing
5457	0	None
897	1	Less than 1 cup per month
968	2	1-3 cups per month
801	3	1 cup per week
1486	4	2-4 cups per week
191	5	5-6 cups per week
1298	6	1 cup per day
282	7	2-3 cups per day
33	8	4-5 cups per day
42	9	6 or more cups per day

<i>FPEB106</i>		<i>did you add sugar</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
72		Missing
4116	0	Never
290	1	1 time per month or less
400	2	2-3 times per month
457	3	1-2 times per week
1023	4	3-4 times per week
211	5	5-6 times per week
3114	6	1 time per day
1427	7	2-3 times per day
241	8	4-5 times per day
141	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB107</i>		<i>add artificial sweetener</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
58		Missing
8751	0	Never
145	1	1 time per month or less
167	2	2-3 times per month
206	3	1-2 times per week
407	4	3-4 times per week
82	5	5-6 times per week
1043	6	1 time per day
535	7	2-3 times per day
71	8	4-5 times per day
27	9	6 or more times per day

<i>FPEB108</i>		<i>added non-dairy creamer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
64		Missing
9183	0	Never
170	1	1 time per month or less
208	2	2-3 times per month
219	3	1-2 times per week
368	4	3-4 times per week
73	5	5-6 times per week
799	6	1 time per day
349	7	2-3 times per day
40	8	4-5 times per day
19	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB109</i>		<i>added cream or half and half</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
60		Missing
9541	0	Never
187	1	1 time per month or less
188	2	2-3 times per month
202	3	1-2 times per week
353	4	3-4 times per week
65	5	5-6 times per week
580	6	1 time per day
270	7	2-3 times per day
28	8	4-5 times per day
18	9	6 or more times per day

<i>FPEB110</i>		<i>added milk to coffee:tea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
64		Missing
6499	0	Never
260	1	1 time per month or less
342	2	2-3 times per month
400	3	1-2 times per week
806	4	3-4 times per week
128	5	5-6 times per week
2125	6	1 time per day
731	7	2-3 times per day
88	8	4-5 times per day
49	9	6 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB111</i>		<i>added sugar-honney to foods</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
39		Missing
8632	0	Never
432	1	1-6 times per year
89	2	7-11 times per year
503	3	1 time per month
350	4	2-3 times per month
477	5	1 time per week
331	6	2 times per week
275	7	3-4 times per week
49	8	5-6 times per week
299	9	1 time per day
16	10	2 or more times per day

<i>FPEB112</i>		<i>eat sour cream</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
37		Missing
6971	0	Never
592	1	1-6 times per year
112	2	7-11 times per year
998	3	1 time per month
813	4	2-3 times per month
923	5	1 time per week
596	6	2 times per week
352	7	3-4 times per week
23	8	5-6 times per week
69	9	1 time per day
6	10	2 or more times per day

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB113</i>		<i>eat fresh cream</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
38		Missing
8317	0	Never
412	1	1-6 times per year
91	2	7-11 times per year
689	3	1 time per month
449	4	2-3 times per month
738	5	1 time per week
451	6	2 times per week
210	7	3-4 times per week
12	8	5-6 times per week
81	9	1 time per day
4	10	2 or more times per day

<i>FPEB114</i>		<i>eat foods with added oils</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
56		Missing
1	.Q	DK/Refused
280	0	Never
66	1	1-6 times per year
16	2	7-11 times per year
203	3	1 time per month
300	4	2-3 times per month
652	5	1 time per week
970	6	2 times per week
1739	7	3-4 times per week
860	8	5-6 times per week
5504	9	1 time per day
845	10	2 or more times per day

<i>FPEB115A</i>		<i>Olive oil</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
56		Missing
1	.Q	DK/Refused
4694	0	No
6741	1	Yes

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPEB115B</i>		<i>Corn oil</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
61		Missing
1	.Q	DK/Refused
5676	0	No
5754	1	Yes

<i>FPEB115C</i>		<i>Canola/rapeseed oil</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
61		Missing
1	.Q	DK/Refused
8245	0	No
3185	1	Yes

<i>FPEB115D</i>		<i>Other oil</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
61		Missing
1	.Q	DK/Refused
9565	0	No
1865	1	Yes

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

Food Propensity Questionnaire - FPEA harmonized with FPEB: FORM CODE=FPE, VERSION=AFUINV14

ID		HCCH Participant ID
N	Value	Description
13879	Present	Text suppressed

FPE0A		Date of completion
N	Value	Description
24		Missing
13855	Range	12/15/2008 - 12/15/2012

FPE1F		drink orange juice
N	Value	Description
13879	Range	0 - 6 (median=0.2142857143 mean=0.40720270157 std=0.71879994333)

FPE2F		drink apple juice
N	Value	Description
5		Missing
13874	Range	0 - 6 (median=0.0328542094 mean=0.18361972330 std=0.48497251502)

FPE3F		drink grape juice
N	Value	Description
8		Missing
13871	Range	0 - 6 (median=0 mean=0.1 std=0.3)

FPE4F		drink other 100% juice
N	Value	Description
10		Missing
13869	Range	0 - 6 (median=0 mean=0.2 std=0.5)

FPE5F		drink other fruit drinks
N	Value	Description
5		Missing
13874	Range	0 - 6 (median=0.0328542094 mean=0.27289293665 std=0.59797817410)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE5AP</i>		<i>drink diet fruit drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9		Missing
13870	Range	0 - 1 (median=0 mean=0.2 std=0.3)

<i>FPE6F</i>		<i>drink milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
23		Missing
13856	Range	0 - 6 (median=0.2142857143 mean=0.65297658707 std=0.94408793712)

<i>FPE7F</i>		<i>drink meal replacement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7		Missing
13872	Range	0 - 6 (median=0 mean=0.1 std=0.4)

<i>FPE8F</i>		<i>drink soft drink-sodas</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10		Missing
13869	Range	0 - 6 (median=0.0821355236 mean=0.40277572615 std=0.78574010458)

<i>FPE8AP</i>		<i>drink Diet soft drink-sodas</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
21		Missing
13858	Range	0 - 1 (median=0 mean=0.2 std=0.3)

<i>FPE9F</i>		<i>drink beer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10		Missing
13869	Range	0 - 6 (median=0 mean=0.1 std=0.4)

<i>FPE10F</i>		<i>drink wine</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8		Missing
13871	Range	0 - 6 (median=0 mean=0.0 std=0.2)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE11F</i>		<i>eat oatmeal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10		Missing
13869	Range	0 - 2 (median=0.0821355236 mean=0.23987167870 std=0.33763956929)

<i>FPE11AP</i>		<i>cooked cereal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11		Missing
13868	Range	0 - 1 (median=1 mean=0.6 std=0.5)

<i>FPE12F</i>		<i>eat cold cereal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
24		Missing
13855	Range	0 - 2 (median=0.1428571429 mean=0.31041271827 std=0.35833632097)

<i>FPE12AP</i>		<i>cold cereal: whole grain type</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13		Missing
13866	Range	0 - 1 (median=1 mean=0.6 std=0.5)

<i>FPE13F</i>		<i>eat applesauce</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18		Missing
13861	Range	0 - 2 (median=0 mean=0.0 std=0.1)

<i>FPE14F</i>		<i>eat apples</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
14		Missing
13865	Range	0 - 2 (median=0.1428571429 mean=0.30294255489 std=0.37013161396)

<i>FPE15F</i>		<i>eat pears</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11		Missing
13868	Range	0 - 2 (median=0.0328542094 mean=0.13975490008 std=0.26074141123)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE16F</i>		<i>eat bananas</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12		Missing
13867	Range	0 - 2 (median=0.2857142857 mean=0.45650084046 std=0.41743700560)

<i>FPE17F</i>		<i>eat pineapple</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
17		Missing
13862	Range	0 - 2 (median=0.0328542094 mean=0.11728824223 std=0.22278803979)

<i>FPE18F</i>		<i>eat dried fruit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16		Missing
13863	Range	0 - 2 (median=0.0095824778 mean=0.13666603560 std=0.27259134308)

<i>FPE19F</i>		<i>eat peaches</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18		Missing
13861	Range	0 - 2 (median=0.0328542094 mean=0.13068438256 std=0.24259471317)

<i>FPE20F</i>		<i>eat grapes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
22		Missing
13857	Range	0 - 2 (median=0.0821355236 mean=0.18983337459 std=0.26685382741)

<i>FPE21F</i>		<i>eat melons</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
20		Missing
13859	Range	0 - 2 (median=0.0698151951 mean=0.14586684149 std=0.23224273032)

<i>FPE22F</i>		<i>eat strawberries</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
21		Missing
13858	Range	0 - 2 (median=0.0821355236 mean=0.16056780388 std=0.24807181845)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE23F</i>		<i>eat oranges</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
23		Missing
13856	Range	0 - 2 (median=0.1428571429 mean=0.25362743459 std=0.34322445613)

<i>FPE24F</i>		<i>eat grapefruit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
17		Missing
13862	Range	0 - 2 (median=0 mean=0.0 std=0.2)

<i>FPE25F</i>		<i>eat mango</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
206		Missing
13673	Range	0 - 2 (median=0.0328542094 mean=0.13600801054 std=0.24405511774)

<i>FPE26F</i>		<i>eat papaya</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
207		Missing
13672	Range	0 - 2 (median=0.0246406571 mean=0.12588145384 std=0.23735789796)

<i>FPE27F</i>		<i>eat other kind of fruits</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
23		Missing
13856	Range	0 - 2 (median=0.0095824778 mean=0.09685383213 std=0.22208944189)

<i>FPE28F</i>		<i>eat COOKED greens</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16		Missing
13863	Range	0 - 2 (median=0.0328542094 mean=0.17117308834 std=0.27825824291)

<i>FPE29F</i>		<i>eat RAW greens</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
17		Missing
13862	Range	0 - 2 (median=0.0328542094 mean=0.18044734900 std=0.29227046620)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE30F</i>		<i>eat carrots</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
22		Missing
13857	Range	0 - 2 (median=0.1428571429 mean=0.27914426872 std=0.31292587038)

<i>FPE31F</i>		<i>eat string bean</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
22		Missing
13857	Range	0 - 2 (median=0.0821355236 mean=0.17350502756 std=0.25381358107)

<i>FPE32F</i>		<i>eat peas</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
26		Missing
13853	Range	0 - 2 (median=0.0328542094 mean=0.10702209276 std=0.18777379241)

<i>FPE33F</i>		<i>eat corn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
31		Missing
13848	Range	0 - 2 (median=0.1326085362 mean=0.18439577639 std=0.22696038615)

<i>FPE34F</i>		<i>eat broccoli</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
27		Missing
13852	Range	0 - 2 (median=0.1428571429 mean=0.20628634064 std=0.25381657536)

<i>FPE35F</i>		<i>eat mixed vegetables</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
25		Missing
13854	Range	0 - 2 (median=0.1428571429 mean=0.21396871852 std=0.27214397822)

<i>FPE36F</i>		<i>eat fresh tomatoes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32		Missing
13847	Range	0 - 2 (median=0.5 mean=0.48 std=0.40)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE37F</i>		<i>eat summer squash</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
30		Missing
13849	Range	0 - 2 (median=0.0328542094 mean=0.13081053620 std=0.21237889447)

<i>FPE38F</i>		<i>eat lettuce salads</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
26		Missing
13853	Range	0 - 2 (median=0.2857142857 mean=0.41471061252 std=0.34790408965)

<i>FPE38AP</i>		<i>salads made with dark green leaves</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
29		Missing
13850	Range	0 - 1 (median=0.5 mean=0.51 std=0.44)

<i>FPE39F</i>		<i>eat sweet potato</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
105		Missing
13774	Range	0 - 2 (median=0.0095824778 mean=0.07834953652 std=0.15213805822)

<i>FPE40F</i>		<i>eat French fries</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
39		Missing
13840	Range	0 - 2 (median=0.0328542094 mean=0.10954278627 std=0.18283109382)

<i>FPE41F</i>		<i>eat potato salad</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
40		Missing
13839	Range	0 - 2 (median=0.0095824778 mean=0.05007508826 std=0.09742880004)

<i>FPE42F</i>		<i>eat mashed potatoes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
40		Missing
13839	Range	0 - 2 (median=0.0821355236 mean=0.11876581950 std=0.16229448951)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE43F</i>		<i>eat salsa or pico de gallo</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
43		Missing
13836	Range	0 - 2 (median=0.0328542094 mean=0.30266044768 std=0.45719084668)

<i>FPE44F</i>		<i>eat ketchup</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
41		Missing
13838	Range	0 - 2 (median=0.0328542094 mean=0.15114412590 std=0.26217862570)

<i>FPE45F</i>		<i>eat chili con carne</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
39		Missing
13840	Range	0 - 2 (median=0 mean=0.0 std=0.1)

<i>FPE46F</i>		<i>eat tortillas-tacos</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
42		Missing
13837	Range	0 - 2 (median=0.1428571429 mean=0.46427276300 std=0.63065681009)

<i>FPE46AP</i>		<i>eat corn tortillas-tacos</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
47		Missing
13832	Range	0 - 1 (median=1 mean=0.6 std=0.5)

<i>FPE47F</i>		<i>eat cooked dried beans</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
76		Missing
13803	Range	0 - 2 (median=0.2857142857 mean=0.44561046296 std=0.38157145375)

<i>FPE48F</i>		<i>eat winter squash</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
46		Missing
13833	Range	0 - 2 (median=0 mean=0.1 std=0.1)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE49F</i>		<i>eat avocado</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
43		Missing
13836	Range	0 - 2 (median=0.1428571429 mean=0.24601687332 std=0.27975299619)

<i>FPE50F</i>		<i>eat nopal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
48		Missing
13831	Range	0 - 2 (median=0 mean=0.1 std=0.2)

<i>FPE51F</i>		<i>eat plantain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
46		Missing
13833	Range	0 - 2 (median=0.0328542094 mean=0.13992537122 std=0.22781532317)

<i>FPE52F</i>		<i>eat other kinds of vegetables</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
46		Missing
13833	Range	0 - 2 (median=0.0821355236 mean=0.21006014268 std=0.30638829275)

<i>FPE53F</i>		<i>eat rice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
46		Missing
13833	Range	0 - 2 (median=0.5 mean=0.52 std=0.38)

<i>FPE53AP</i>		<i>other cooked grains</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
49		Missing
13830	Range	0 - 1 (median=0 mean=0.2 std=0.3)

<i>FPE54F</i>		<i>eat pancakes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
71		Missing
13808	Range	0 - 2 (median=0.0095824778 mean=0.06558822932 std=0.12838260265)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE55F</i>		<i>eat bagels</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
59		Missing
13820	Range	0 - 2 (median=0 mean=0.1 std=0.2)

<i>FPE56F</i>		<i>eat breads</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
55		Missing
13824	Range	0 - 2 (median=0.1428571429 mean=0.26354203872 std=0.31152301718)

<i>FPE56AP</i>		<i>eat breads or rolls in sandwich</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
64		Missing
13815	Range	0 - 1 (median=0.25 mean=0.435 std=0.451)

<i>FPE57F</i>		<i>eat breads or rolls alone</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
87		Missing
13792	Range	0 - 2 (median=0.0095824778 mean=0.16395096393 std=0.30611327005)

<i>FPE57AP</i>		<i>white breads and rolls</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
68		Missing
13811	Range	0 - 1 (median=0 mean=0.3 std=0.4)

<i>FPE58F</i>		<i>eat jam, jelly, guava paste</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
69		Missing
13810	Range	0 - 2 (median=0 mean=0.1 std=0.2)

<i>FPE59F</i>		<i>eat roast beef</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
71		Missing
13808	Range	0 - 2 (median=0 mean=0.0 std=0.1)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE60F</i>		<i>eat turkey</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
65		Missing
13814	Range	0 - 2 (median=0.0821355236 mean=0.16328059082 std=0.22848988997)

<i>FPE61F</i>		<i>eat deli-luncheon</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74		Missing
13805	Range	0 - 2 (median=0.0095824778 mean=0.11356620506 std=0.20550909124)

<i>FPE62F</i>		<i>eat other cold cuts</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
67		Missing
13812	Range	0 - 2 (median=0 mean=0.1 std=0.1)

<i>FPE63F</i>		<i>eat canned tuna</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
70		Missing
13809	Range	0 - 2 (median=0.0328542094 mean=0.10748904495 std=0.16418234334)

<i>FPE64F</i>		<i>eat beef hamburger</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
62		Missing
13817	Range	0 - 2 (median=0.0246406571 mean=0.05618530502 std=0.10825464187)

<i>FPE65F</i>		<i>eat ground beef</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
63		Missing
13816	Range	0 - 2 (median=0.0328542094 mean=0.06601534852 std=0.10044538795)

<i>FPE66F</i>		<i>eat hot dogs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
66		Missing
13813	Range	0 - 2 (median=0.0095824778 mean=0.04486786379 std=0.10396391976)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE67F</i>		<i>eat beef mixtures</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
63		Missing
13816	Range	0 - 2 (median=0.0328542094 mean=0.07348409333 std=0.12328763217)

<i>FPE68F</i>		<i>eat roast beef</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
66		Missing
13813	Range	0 - 2 (median=0.0095824778 mean=0.05708112093 std=0.10443162684)

<i>FPE69F</i>		<i>eat steak</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
64		Missing
13815	Range	0 - 2 (median=0.0821355236 mean=0.10991478597 std=0.14204346271)

<i>FPE70F</i>		<i>eat ribs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
64		Missing
13815	Range	0 - 2 (median=0.0246406571 mean=0.05042775114 std=0.08415253347)

<i>FPE71F</i>		<i>eat roast turkey</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
71		Missing
13808	Range	0 - 2 (median=0.0095824778 mean=0.03172385035 std=0.09186556866)

<i>FPE72F</i>		<i>eat chicken</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
71		Missing
13808	Range	0 - 2 (median=0.1428571429 mean=0.19242242591 std=0.22580139290)

<i>FPE73F</i>		<i>eat baked, boiled, fried chicken</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
73		Missing
13806	Range	0 - 2 (median=0.1428571429 mean=0.23250100454 std=0.22902581980)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE74F</i>		<i>eat baked ham</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74		Missing
13805	Range	0 - 2 (median=0 mean=0.0 std=0.1)

<i>FPE75F</i>		<i>eat pork</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
68		Missing
13811	Range	0 - 1 (median=0.0328542094 mean=0.06936232625 std=0.10886082950)

<i>FPE76F</i>		<i>eat bacon</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
67		Missing
13812	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>FPE77F</i>		<i>eat sausage</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
69		Missing
13810	Range	0 - 2 (median=0.0095824778 mean=0.05963924136 std=0.11970098020)

<i>FPE78F</i>		<i>eat smoked fish</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
72		Missing
13807	Range	0 - 2 (median=0 mean=0.0 std=0.1)

<i>FPE79F</i>		<i>eat other fish</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74		Missing
13805	Range	0 - 3.1428571429 (median=0.0821355236 mean=0.12262413939 std=0.16484471275)

<i>FPE80F</i>		<i>eat soups</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
77		Missing
13802	Range	0 - 2 (median=0.1428571429 mean=0.19053502555 std=0.23061588162)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE80AP</i>		<i>ate bean soups</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74		Missing
13805	Range	0 - 1 (median=0 mean=0.2 std=0.3)

<i>FPE80BP</i>		<i>ate cream soups</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
97		Missing
13782	Range	0 - 1 (median=0 mean=0.1 std=0.2)

<i>FPE80CP</i>		<i>tomato or vegetable soups</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82		Missing
13797	Range	0 - 1 (median=0.5 mean=0.54 std=0.42)

<i>FPE81F</i>		<i>eat pizza</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74		Missing
13805	Range	0 - 2 (median=0.0328542094 mean=0.05769788213 std=0.10466070307)

<i>FPE81AP</i>		<i>eat pepperoni pizza</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
81		Missing
13798	Range	0 - 1 (median=0.5 mean=0.50 std=0.47)

<i>FPE82F</i>		<i>eat crackers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
152		Missing
13727	Range	0 - 2 (median=0.0328542094 mean=0.15788948628 std=0.28505732651)

<i>FPE83F</i>		<i>eat corn bread</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
80		Missing
13799	Range	0 - 1 (median=0 mean=0.0 std=0.1)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE84F</i>		<i>eat biscuits</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
76		Missing
13803	Range	0 - 2 (median=0 mean=0.1 std=0.2)

<i>FPE85F</i>		<i>eat tortilla chips</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
83		Missing
13796	Range	0 - 2 (median=0.0095824778 mean=0.06833225517 std=0.15415416221)

<i>FPE86F</i>		<i>eat popcorn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
88		Missing
13791	Range	0 - 2 (median=0.0095824778 mean=0.03686340022 std=0.09035752074)

<i>FPE87F</i>		<i>eat peanuts, walnuts</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
76		Missing
13803	Range	0 - 2 (median=0.0328542094 mean=0.17095112007 std=0.28633311257)

<i>FPE88F</i>		<i>eat yogurt</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
79		Missing
13800	Range	0 - 2 (median=0.1428571429 mean=0.27598245905 std=0.36033369046)

<i>FPE89F</i>		<i>eat cottage cheese</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
79		Missing
13800	Range	0 - 2 (median=0 mean=0.1 std=0.2)

<i>FPE90F</i>		<i>eat cheese</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
77		Missing
13802	Range	0 - 2 (median=0.2857142857 mean=0.36747502112 std=0.34783773951)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE91F</i>		<i>eat frozen yogurt</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
80		Missing
13799	Range	0 - 2 (median=0 mean=0.0 std=0.1)

<i>FPE92F</i>		<i>eat ice cream</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82		Missing
13797	Range	0 - 2 (median=0.0328542094 mean=0.10674915413 std=0.19907937786)

<i>FPE93F</i>		<i>eat pudding</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
85		Missing
13794	Range	0 - 2 (median=0.0095824778 mean=0.03360030058 std=0.09106067421)

<i>FPE94F</i>		<i>eat cake</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
80		Missing
13799	Range	0 - 2 (median=0.0095824778 mean=0.05069063713 std=0.12088415572)

<i>FPE95F</i>		<i>eat cookies</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
84		Missing
13795	Range	0 - 2 (median=0 mean=0.1 std=0.2)

<i>FPE96F</i>		<i>eat doughnuts</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
83		Missing
13796	Range	0 - 2 (median=0.0095824778 mean=0.09071459360 std=0.20235826910)

<i>FPE97F</i>		<i>eat sweet muffins</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82		Missing
13797	Range	0 - 2 (median=0 mean=0.0 std=0.1)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE98F</i>		<i>eat fruit crisp</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
86		Missing
13793	Range	0 - 2 (median=0 mean=0.0 std=0.1)

<i>FPE99F</i>		<i>eat pie</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
81		Missing
13798	Range	0 - 1 (median=0 mean=0.0 std=0.1)

<i>FPE100F</i>		<i>eat chocolate candy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
119		Missing
13760	Range	0 - 2 (median=0.0246406571 mean=0.11179509296 std=0.23782517888)

<i>FPE101F</i>		<i>eat other candy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
85		Missing
13794	Range	0 - 2 (median=0.0095824778 mean=0.11610408140 std=0.26441841902)

<i>FPE102F</i>		<i>eat eggs, egg whites</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
83		Missing
13796	Range	0 - 2 (median=0.1428571429 mean=0.27907490471 std=0.27405150576)

<i>FPE103F</i>		<i>cups of coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
83		Missing
13796	Range	0 - 6 (median=1 mean=1.1 std=1.2)

<i>FPE104F</i>		<i>glasses of ICED tea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
91		Missing
13788	Range	0 - 6 (median=0 mean=0.3 std=0.7)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE105F</i>		<i>glasses of HOT tea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
89		Missing
13790	Range	0 - 6 (median=0.0328542094 mean=0.30196732150 std=0.64193411508)

<i>FPE106F</i>		<i>did you add sugar</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
124		Missing
13755	Range	0 - 6 (median=0.4285714286 mean=0.81107671559 std=1.13854424568)

<i>FPE107F</i>		<i>add artificial sweetener</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
111		Missing
13768	Range	0 - 6 (median=0 mean=0.3 std=0.7)

<i>FPE108F</i>		<i>added non-dairy creamer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
118		Missing
13761	Range	0 - 6 (median=0 mean=0.2 std=0.6)

<i>FPE109F</i>		<i>added cream or half and half</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
117		Missing
13762	Range	0 - 6 (median=0 mean=0.1 std=0.5)

<i>FPE110F</i>		<i>added milk to coffee:tea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
115		Missing
13764	Range	0 - 6 (median=0 mean=0.5 std=0.9)

<i>FPE111F</i>		<i>added sugar-honney to foods</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
90		Missing
13789	Range	0 - 2 (median=0 mean=0.1 std=0.2)

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE112F</i>		<i>eat sour cream</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
93		Missing
13786	Range	0 - 2 (median=0 mean=0.1 std=0.1)

<i>FPE113F</i>		<i>eat fresh cream</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
106		Missing
13773	Range	0 - 2 (median=0 mean=0.0 std=0.1)

<i>FPE114F</i>		<i>eat foods with added oils</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
119		Missing
13760	Range	0 - 2 (median=1 mean=0.8 std=0.5)

<i>FPE115A</i>		<i>Olive oil</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
120		Missing
1	.Q	DK/Refused
5655	0	No
8103	1	Yes

<i>FPE115B</i>		<i>Corn oil</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
128		Missing
1	.Q	DK/Refused
6754	0	No
6996	1	Yes

<i>FPE115C</i>		<i>Canola/rapeseed oil</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
131		Missing
1	.Q	DK/Refused
9877	0	No
3870	1	Yes

Chapter 2: Food Propensity Questionnaire

Section A: Food Propensity Questionnaire

<i>FPE115D</i>		<i>Other oil</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
131		Missing
1	.Q	DK/Refused
11627	0	No
2120	1	Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section A: COVID19 Wave 1 Interview

COVID19 Psychosocial Check-In Wave 1: FORM CODE=CPE, VERSION=1

ID		HCHS Participant ID
N	Value	Description
11136	Present	Text suppressed

VISIT		Visit
N	Value	Description
11136	3	Visit 3

OCCURRENCE		Occurrence
N	Value	Description
11136	1	Occurrence 1

CPE0A		Completion date
N	Value	Description
19		Missing
11117	Range	05/06/2020 - 05/21/2021

CPE0C		Will participate now
N	Value	Description
7		Missing
98	0	0=No
10977	1	1=Yes
54	2	2=Reported deceased

CPE0D		Administered
N	Value	Description
85		Missing
4472	1	1=After AFU interview
6579	2	2=As a separate call

CPE2H		Plans to move
N	Value	Description
243		Missing
10495	0	0=No
398	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section A: COVID19 Wave 1 Interview

CPE2H1		Weeks until move
N	Value	Description
10805		Missing
331	Range	0 - 51 (median=0 mean=0.7 std=3.2)

CPE2H2		Months until move
N	Value	Description
10789		Missing
347	Range	0 - 48 (median=2 mean=3.7 std=5.2)

CPE3		Covid 19 concern level
N	Value	Description
207		Missing
1555	1	1=Not at all concerned
2535	2	2=A little concerned
2675	3	3=Moderately concerned
2947	4	4=Very concerned
1217	5	5=Extremely concerned

CPE4		Feel nervous past two weeks
N	Value	Description
184		Missing
5805	0	0=Not at all
3607	1	1=Several days
488	2	2=More than half the days
1052	3	3=Nearly every day

CPE5		Unable to stop worry past two weeks
N	Value	Description
187		Missing
7054	0	0=Not at all
2694	1	1=Several days
436	2	2=More than half the days
765	3	3=Nearly every day

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section A: COVID19 Wave 1 Interview

CPE6		No pleasure in doing things past two weeks
N	Value	Description
191		Missing
7068	0	0=Not at all
2901	1	1=Several days
394	2	2=More than half the days
582	3	3=Nearly every day

CPE7		Feel depressed past two weeks
N	Value	Description
189		Missing
7538	0	0=Not at all
2532	1	1=Several days
369	2	2=More than half the days
508	3	3=Nearly every day

CPE8		Feel isolated past two weeks
N	Value	Description
198		Missing
7138	0	0=Not at all
2296	1	1=Several days
483	2	2=More than half the days
1021	3	3=Nearly every day

CPE9		Self work status Jan 2020
N	Value	Description
191		Missing
5025	0	0=No
1660	1	1=Yes, I worked part time for less than 30 hours per week on average
4260	2	2=Yes, I worked full time for 30 hours per week or more

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section A: COVID19 Wave 1 Interview

CPE10		Self work status after Mar 2020
N	Value	Description
5240		Missing
2802	0	0=No, I have not lost my job and my hours have not been reduced
766	1	1=Yes, I was required to take leave without pay (I was furloughed) BUT I have not lost my job
1144	2	2=Yes, my hours were reduced
1184	3	3=Yes, I lost my job

CPE11		Household member work status Jan 2020
N	Value	Description
194		Missing
5085	0	0=No
5857	1	1=Yes

CPE12		Household member work status after Mar 2020
N	Value	Description
5305		Missing
2854	0	0=No, no one else in my household lost their job or had their hours reduced
726	1	1=Yes, someone in my household was required to take leave without pay (they were furloughed) BUT they did not lose their job
1125	2	2=Yes, someone in my household had their hours reduced
1126	3	3=Yes, someone in my household lost their job

CPE13		Without phone/internet because couldn't pay
N	Value	Description
196		Missing
9753	0	0=No
1187	1	1=Yes

CPE14		Did not pay full rent or mortgage
N	Value	Description
234		Missing
8863	0	0=No
2039	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section A: COVID19 Wave 1 Interview

CPE15		Evicted for not paying rent or mortgage
N	Value	Description
221		Missing
10816	0	0=No
99	1	1=Yes

CPE16		Did not pay full gas, electricity or oil bill
N	Value	Description
234		Missing
9207	0	0=No
1695	1	1=Yes

CPE17		Had gas, electric or oil service turned off because did not pay
N	Value	Description
223		Missing
10753	0	0=No
160	1	1=Yes

CPE18		Worried food would run out before getting more money
N	Value	Description
197		Missing
8213	0	0=No
2726	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section A: COVID19 Wave 1 Interview

COVID19 Questionnaire Wave 1: FORM CODE=CVE, VERSION=1

ID		HCHS Participant ID
N	Value	Description
11349	Present	Text suppressed

VISIT		Visit
N	Value	Description
11349	3	Visit 3

OCCURRENCE		Occurrence
N	Value	Description
11349	1	Occurrence 1

CVE0A		Completion date
N	Value	Description
19		Missing
11330	Range	06/03/2020 - 05/21/2021

CVE0C		Agreement for COVID19 questions
N	Value	Description
3		Missing
53	0	0=No, participant refused
10749	1	1=Yes, participant agreed
22	2	2=No, respondent refused to answer
522	3	3=Yes, respondent agreed

CVE0C1		Call back?
N	Value	Description
11277		Missing
70	0	0=No
2	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section A: COVID19 Wave 1 Interview

CVE1		Has had COVID19
N	Value	Description
91		Missing
10175	0	0=No
836	1	1=Yes, definitely
137	2	2=Yes, I think so
110	3	3=Maybe

CVE2		Doctor ever told you had COVID19
N	Value	Description
95		Missing
10691	0	0=No
535	1	1=Yes, definitely
28	2	2=Yes, probably or suspected

CVE2F		Returned to usual health after COVID19
N	Value	Description
10526		Missing
118	0	0=No
705	1	1=Yes

CVE2G		Days to recover from COVID19
N	Value	Description
10685		Missing
664	Range	0 - 210 (median=20 mean=23.8 std=22.2)

CVE3		Cold/flu-like since 1/1/2020
N	Value	Description
134		Missing
9426	0	0=No
1789	1	1=Yes

CVE3A_Y		Year of Date cold/flu-like illness since 1/1/2020
N	Value	Description
9648		Missing
1661	2020	Year 2020
40	2021	Year 2021

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section A: COVID19 Wave 1 Interview

CVE3B		How many days did cold or flu-like symptoms last
N	Value	Description
9611		Missing
1738	Range	1 - 193 (median=7 mean=10.2 std=12.9)

CVE4		Ever tested for COVID19
N	Value	Description
108		Missing
6996	0	0=No
4218	1	1=Yes
27	2	2=Unsure

CVE4A		Num times tested for COVID19
N	Value	Description
7150		Missing
4199	Range	1 - 99 (median=1 mean=2.0 std=2.7)

CVE4B_Y		Year of Date of first COVID19 test
N	Value	Description
7373		Missing
3832	2020	Year 2020
144	2021	Year 2021

CVE4C1		First test because had symptoms
N	Value	Description
7184		Missing
3289	0	0=No
876	1	1=Yes

CVE4C2		First test because someone else had symptoms
N	Value	Description
7190		Missing
3131	0	0=No
1028	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section A: COVID19 Wave 1 Interview

CVE4C3		First test because doctor recommended it
N	Value	Description
7189		Missing
3372	0	0=No
788	1	1=Yes

CVE4C4		First test because worried about COVID19
N	Value	Description
7177		Missing
2447	0	0=No
1725	1	1=Yes

CVE4C5		First test other
N	Value	Description
7184		Missing
2613	0	0=No
1552	1	1=Yes

CVE4C5A		First test for other reason specify
N	Value	Description
9810		Missing
1539	Present	Text suppressed

CVE4D		First test, test type
N	Value	Description
7177		Missing
3457	1	1=Nasopharyngeal swab
482	2	2=Blood test
186	3	3=Saliva test
47	4	4=Other

CVE4D1		First test, other test type
N	Value	Description
11303		Missing
46	Present	Text suppressed

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section A: COVID19 Wave 1 Interview

CVE4E		First test result
N	Value	Description
7157		Missing
3345	0	0=Negative
699	1	1=Positive
148	2	2=Unsure

CVE4F		Positive COVID-19 test ever
N	Value	Description
10011		Missing
1249	0	0=No
89	1	1=Yes

CVE5		Overnight hospital stay ever for suspected or diagnosed COVID-19
N	Value	Description
166		Missing
11036	0	0=No
147	1	1=Yes

CVE5A		Nights in hospital
N	Value	Description
11205		Missing
144	Range	1 - 99 (median=6 mean=10.1 std=12.8)

CVE5A1_Y		Year of Date arrived at hospital
N	Value	Description
11209		Missing
137	2020	Year 2020
3	2021	Year 2021

CVE5A2_Y		Year of Date discharged from hospital
N	Value	Description
11210		Missing
134	2020	Year 2020
5	2021	Year 2021

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section A: COVID19 Wave 1 Interview

CVE5B2		Hospital state COVID19 stay
N	Value	Description
11212		Missing
137	Present	Text suppressed

CVE6		How many people live in household
N	Value	Description
125		Missing
1673	1	1=Live alone
3273	2	2=Two people
2260	3	3=Three people
4018	4	4=More than three people

CVE6A		Number of other people in household who have been tested for COVID19
N	Value	Description
1876		Missing
5543	0	0=None
2226	1	1=One person
846	2	2=Two people
392	3	3=Three people
466	4	4=More than three people

CVE6B		Number of other people in household with positive COVID19 test results
N	Value	Description
7452		Missing
3123	0	0=None
448	1	1=One person
183	2	2=Two people
78	3	3=Three people
65	4	4=More than three people

CVE6C		Behavior in home changed
N	Value	Description
10583		Missing
147	0	0=No
619	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section A: COVID19 Wave 1 Interview

CVE6C1		<i>Ppt wore mask at home</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10736		Missing
48	0	0=No
565	1	1=Yes

CVE6C2		<i>Infected people wore mask at home</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10734		Missing
77	0	0=No
538	1	1=Yes

CVE6C3		<i>Infected people stayed away from ppt</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10733		Missing
66	0	0=No
550	1	1=Yes

CVE7		<i>Does anyone in the home go out regularly (as to work)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
142		Missing
3925	0	0=No
7282	1	1=Yes

CVE7A		<i>Can ppt stay 6ft away from that person</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4115		Missing
1519	0	0=No
5715	1	1=Yes

CVE8		<i>Questions about Covid19</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
159		Missing
10530	0	0=No
660	1	1=Yes [See FAQs]

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

COVID19 Psychosocial Check-In Wave 2: FORM CODE=CPEB, VERSION=1

ID		HCHS Participant ID
N	Value	Description
7442	Present	Text suppressed

VISIT		Visit
N	Value	Description
7442	3	Visit 3

OCCURRENCE		Occurrence
N	Value	Description
7442	1	Occurrence 1

CPEB0A		Completion date
N	Value	Description
10		Missing
7432	Range	05/11/2021 - 02/28/2023

CPEB0C		Will participate now
N	Value	Description
19		Missing
377	0	0=No
7022	1	1=Yes
24	2	2=Reported deceased

CPEB0D		Administered
N	Value	Description
317		Missing
3946	1	1=After AFU interview
3179	2	2=As a separate call

CPEB2H		Plans to move
N	Value	Description
473		Missing
6693	0	0=No
276	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CPEB2H1		Weeks until move
N	Value	Description
7215		Missing
227	Range	0 - 12 (median=0 mean=0.6 std=1.6)

CPEB2H2		Months until move
N	Value	Description
7204		Missing
238	Range	0 - 24 (median=2 mean=3.6 std=4.5)

CPEB3		Now walk for exercise
N	Value	Description
443		Missing
2624	0	0=No
4375	1	1=Yes

CPEB3A		Walking frequency now compared to before pandemic
N	Value	Description
3072		Missing
982	1	1=More frequently
1322	2	2=Less frequently
2066	3	3=Same amount

CPEB4		Now do vigorous activities
N	Value	Description
446		Missing
5444	0	0=No
1552	1	1=Yes

CPEB4A		Vigorous activities frequency now compared to before pandemic
N	Value	Description
5891		Missing
428	1	1=More frequently
339	2	2=Less frequently
784	3	3=Same amount

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

<i>CPEB5</i>		<i>Drink alcohol</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
448		Missing
4787	0	0=No
2207	1	1=Yes

<i>CPEB5A</i>		<i>Drinking alcohol frequency now compared to before pandemic</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5239		Missing
160	1	1=More frequently
816	2	2=Less frequently
1227	3	3=Same amount

<i>CPEB6</i>		<i>Smoke cigarettes or pipe</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
443		Missing
6300	0	0=No
699	1	1=Yes

<i>CPEB6A</i>		<i>Smoking frequency now compared to before pandemic</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6750		Missing
123	1	1=More frequently
221	2	2=Less frequently
348	3	3=Same amount

<i>CPEB6B</i>		<i>Cigarettes per day now</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6785		Missing
657	Range	0 - 60 (median=5 mean=7.3 std=6.8)

<i>CPEB7</i>		<i>Smoke medical or recreational marijuana</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
455		Missing
6738	0	0=No
249	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CPEB7A		Smoking medical or recreational marijuana frequency now compared to before pandemic
N	Value	Description
7195		Missing
54	1	1=More frequently
55	2	2=Less frequently
138	3	3=Same amount

CPEB7B		Times per month smoking medical or recreational marijuana now
N	Value	Description
7205		Missing
237	Range	0 - 150 (median=15 mean=19.6 std=21.0)

CPEB8		Smoke e-cigarettes
N	Value	Description
454		Missing
6928	0	0=No
60	1	1=Yes

CPEB8A		Smoking e-cigarettes frequency now compared to before pandemic
N	Value	Description
7383		Missing
19	1	1=More frequently
17	2	2=Less frequently
23	3	3=Same amount

CPEB8B		Times per day smoking e-cigarettes now compared to before pandemic
N	Value	Description
7395		Missing
47	Range	0 - 30 (median=1 mean=2.3 std=4.9)

CPEB9		Eating or snacking frequency now compared to before pandemic
N	Value	Description
447		Missing
1459	1	1=More
1733	2	2=Less
3803	3	3=Same amount

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CPEB10		<i>Sleeping frequency now compared to before pandemic</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
448		Missing
883	1	1=More
2077	2	2=Less
4034	3	3=Same amount

CPEB11		<i>Confusion or memory loss more often or worsening in past 12 months</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
447		Missing
5556	0	0=No
1439	1	1=Yes

CPEB12A		<i>Feel nervous past two weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
449		Missing
4064	0	0=Not at all
2238	1	1=Several days
292	2	2=More than half the days
399	3	3=Nearly every day

CPEB12B		<i>Unable to stop worry past two weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
453		Missing
4639	0	0=Not at all
1786	1	1=Several days
261	2	2=More than half the days
303	3	3=Nearly every day

CPEB12C		<i>No pleasure in doing things past two weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
451		Missing
4431	0	0=Not at all
2072	1	1=Several days
233	2	2=More than half the days
255	3	3=Nearly every day

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

<i>CPEB12D</i>		<i>Feel depressed past two weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
454		Missing
4963	0	0=Not at all
1598	1	1=Several days
187	2	2=More than half the days
240	3	3=Nearly every day

<i>CPEB12E</i>		<i>Feel isolated past two weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
456		Missing
5505	0	0=Not at all
1063	1	1=Several days
149	2	2=More than half the days
269	3	3=Nearly every day

<i>CPEB13A</i>		<i>Felt fatigue during past week</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
450		Missing
3851	0	0=Not at all
1848	1	1=A little bit
732	2	2=Somewhat
350	3	3=Quite a bit
211	4	4=Very much

<i>CPEB13B</i>		<i>Trouble starting things due to tiredness during past week</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
451		Missing
4392	0	0=Not at all
1506	1	1=A little bit
625	2	2=Somewhat
288	3	3=Quite a bit
180	4	4=Very much

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CPEB13C		<i>Felt run down during past week</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
449		Missing
3157	0	0=Not at all
2290	1	1=A little bit
904	2	2=Somewhat
424	3	3=Quite a bit
218	4	4=Very much

CPEB13D		<i>Average fatigue during past week</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
454		Missing
3525	0	0=Not at all
2082	1	1=A little bit
804	2	2=Somewhat
360	3	3=Quite a bit
217	4	4=Very much

CPEB14		<i>Bounce back quickly after hard times</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
457		Missing
114	0	0=Strongly disagree
590	1	1=Disagree
934	2	2=Neutral
3877	3	3=Agree
1470	4	4=Strongly agree

CPEB15		<i>Healthcare services missed or delayed since 3/2020</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
457		Missing
4961	0	0=No
2024	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CPEB15A		Skilled home care missed or delayed
N	Value	Description
5420		Missing
1902	0	0=No
120	1	1=Yes

CPEB15B		Medical provider appointment missed or delayed
N	Value	Description
5420		Missing
249	0	0=No
1773	1	1=Yes

CPEB15C		Physical or occupational therapist appointment missed or delayed
N	Value	Description
5422		Missing
1710	0	0=No
310	1	1=Yes

CPEB15D		Chemo or other infusion therapy missed or delayed
N	Value	Description
5420		Missing
1985	0	0=No
37	1	1=Yes

CPEB15E		Psychiatrist or therapist appointment missed or delayed
N	Value	Description
5419		Missing
1871	0	0=No
152	1	1=Yes

CPEB15F		Elective surgery missed or delayed
N	Value	Description
5421		Missing
1888	0	0=No
133	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CPEB15G		<i>X-ray CAT, MRI, PET, ultrasound scans missed or delayed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5421		Missing
1720	0	0=No
301	1	1=Yes

CPEB15H		<i>Biopsy missed or delayed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5419		Missing
1980	0	0=No
43	1	1=Yes

CPEB15I		<i>Cancer surgery missed or delayed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5421		Missing
2008	0	0=No
13	1	1=Yes

CPEB15J		<i>Heart disease evaluation missed or delayed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5420		Missing
1928	0	0=No
94	1	1=Yes

CPEB15K		<i>Other healthcare service missed or delayed</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5426		Missing
1636	0	0=No
380	1	1=Yes

CPEB15K1		<i>Other healthcare service, specify</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7063		Missing
379	Present	Text suppressed

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CPEB16		Did not go to ER or urgent care when should have during pandemic
N	Value	Description
480		Missing
6586	0	0=No
376	1	1=Yes

CPEB17		Prescribed medications
N	Value	Description
511		Missing
4597	0	0=No
2334	1	1=Yes

CPEB18		Trouble taking medications during pandemic
N	Value	Description
5111		Missing
2187	0	0=No
144	1	1=Yes

CPEB18A		Difficulty getting medications from pharmacy during pandemic
N	Value	Description
7299		Missing
71	0	0=No
72	1	1=Yes

CPEB18B		Difficulty getting in touch with doctor during pandemic
N	Value	Description
7299		Missing
57	0	0=No
86	1	1=Yes

CPEB18C		Difficulty paying for medications during pandemic
N	Value	Description
7299		Missing
104	0	0=No
39	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CPEB18D		Other difficulty during pandemic
N	Value	Description
7300		Missing
108	0	0=No
34	1	1=Yes

CPEB18D1		Other difficulty, specify
N	Value	Description
7408		Missing
34	Present	Text suppressed

CPEB20A		Without phone/internet because couldn't pay
N	Value	Description
453		Missing
6157	0	0=No
832	1	1=Yes

CPEB20B		Did not pay full rent or mortgage
N	Value	Description
459		Missing
5773	0	0=No
1210	1	1=Yes

CPEB20C		Evicted for not paying rent or mortgage
N	Value	Description
455		Missing
6884	0	0=No
103	1	1=Yes

CPEB20D		Did not pay full gas, electricity or oil bill
N	Value	Description
459		Missing
5919	0	0=No
1064	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

<i>CPEB20E</i>		<i>Had gas, electric or oil service turned off because did not pay</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
458		Missing
6801	0	0=No
183	1	1=Yes

<i>CPEB20F</i>		<i>Worried food would run out before getting more money</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
454		Missing
5694	0	0=No
1294	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

COVID19 Questionnaire Wave 2: FORM CODE=CVEB, VERSION=1,2

ID		HCHS Participant ID
N	Value	Description
7103	Present	Text suppressed

VISIT		Visit
N	Value	Description
7103	3	Visit 3

OCCURRENCE		Occurrence
N	Value	Description
7103	1	Occurrence 1

CVEB0A		Completion date
N	Value	Description
11		Missing
7092	Range	06/11/2021 - 02/28/2023

CVEB0C		COVID diagnosis or hospitalization reported in Wave 1
N	Value	Description
6566	0	0=No
537	1	1=Yes

CVEB0D		Ok to ask COVID questions
N	Value	Description
2		Missing
25	0	0=No
7076	1	1=Yes

CVEB0E		Call back to ask questions
N	Value	Description
7079		Missing
21	0	0=No [END FORM]
3	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CVEB1_Y		Year of Date of COVID19 diagnosis
N	Value	Description
6651		Missing
373	2020	Year 2020
75	2021	Year 2021
4	2022	Year 2022

CVEB2		Had COVID test since last call
N	Value	Description
424		Missing
1373	0	0=No
5287	1	1=Yes
19	2	2=Unsure

CVEB3A		Test type: Nose swab
N	Value	Description
1825		Missing
220	0	0=No
5058	1	1=Yes

CVEB3B		Test type: Throat swab
N	Value	Description
1840		Missing
4498	0	0=No
765	1	1=Yes

CVEB3C		Test type: Spit test
N	Value	Description
1842		Missing
4591	0	0=No
670	1	1=Yes

CVEB3D		Test type: Blood test
N	Value	Description
1837		Missing
4654	0	0=No
612	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CVEB3E		Test type: Other test
N	Value	Description
1846		Missing
5237	0	0=No
20	1	1=Yes

CVEB3E1		Other test type specify
N	Value	Description
7094		Missing
9	Present	Text suppressed

CVEB4		Positive COVID test
N	Value	Description
1816		Missing
3575	0	0=No
1701	1	1=Yes
11	2	2=Unsure

CVEB5_Y		Year of Date of first positive COVID test
N	Value	Description
5449		Missing
522	2020	Year 2020
796	2021	Year 2021
335	2022	Year 2022
1	2023	Year 2023

CVEB6		May have had COVID despite negative test
N	Value	Description
3566		Missing
3184	0	0=No
88	1	1=Yes, definitely
174	2	2=Yes, I think so
91	3	3=Maybe

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CVEB7_Y		Year of Date may have had COVID despite negative test
N	Value	Description
6795		Missing
137	2020	Year 2020
140	2021	Year 2021
31	2022	Year 2022

CVEB8		May have had COVID even though was not tested
N	Value	Description
5721		Missing
1270	0	0=No
35	1	1=Yes, definitely
52	2	2=Yes, I think so
25	3	3=Maybe

CVEB9A		Not tested: didn't know where/how
N	Value	Description
6992		Missing
84	0	0=No
27	1	1=Yes

CVEB9B		Not tested: hard to get a test
N	Value	Description
6992		Missing
88	0	0=No
23	1	1=Yes

CVEB9C		Not tested: afraid
N	Value	Description
6993		Missing
81	0	0=No
29	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CVEB9D		Not tested: didn't think it was needed
N	Value	Description
6993		Missing
54	0	0=No
56	1	1=Yes

CVEB9E		Not tested: worried about cost
N	Value	Description
6993		Missing
102	0	0=No
8	1	1=Yes

CVEB9F		Not tested: worried about consequences of a positive test
N	Value	Description
6993		Missing
84	0	0=No
26	1	1=Yes

CVEB9G		Not tested: provider told me not necessary
N	Value	Description
6994		Missing
98	0	0=No
11	1	1=Yes

CVEB10_Y		Year of Date may have had COVID despite no test
N	Value	Description
7004		Missing
48	2020	Year 2020
40	2021	Year 2021
11	2022	Year 2022

CVEB11A		Had COVID symptoms without test
N	Value	Description
6991		Missing
24	0	0=No
88	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CVEB11B		Had contact with someone who had COVID
N	Value	Description
6992		Missing
48	0	0=No
63	1	1=Yes

CVEB11C		Had Other at time may have had COVID without testing
N	Value	Description
6991		Missing
98	0	0=No
14	1	1=Yes

CVEB11C1		Had other without test specify
N	Value	Description
7089		Missing
14	Present	Text suppressed

CVEB11D		Re-infected
N	Value	Description
6251		Missing
750	0	0=No
102	1	1=Yes

CVEB11E_Y		Year of When re-infected
N	Value	Description
7002		Missing
6	2020	Year 2020
36	2021	Year 2021
59	2022	Year 2022

CVEB11F1		Had test showing re-infection
N	Value	Description
7002		Missing
19	0	0=No
82	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CVEB11F2		Re-infected, had symptoms
N	Value	Description
7002		Missing
26	0	0=No
75	1	1=Yes

CVEB11F3		Re-infected, had contact with COVID-19
N	Value	Description
7002		Missing
39	0	0=No
62	1	1=Yes

CVEB11F4		Re-infected, other
N	Value	Description
7003		Missing
98	0	0=No
2	1	1=Yes

CVEB11F5		Re-infected, specify other
N	Value	Description
7101		Missing
2	Present	Text suppressed

CVEB11G		Re-infection symptoms better or worse
N	Value	Description
7002		Missing
19	1	1=Worse than the first infection
13	2	2=About the same as the first infection
59	3	3=Better than the first infection
10	4	4=I had no symptoms

CVEB11H		Second re-infection
N	Value	Description
7001		Missing
94	0	0=No
8	1	1=Yes
0	9	9=Do not know

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CVEB11_Y		Year of When second re-infection
N	Value	Description
7095		Missing
3	2021	Year 2021
5	2022	Year 2022

CVEB11J		Confirm COVID-19 infection dates
N	Value	Description
7002		Missing
5	0	0=No
96	1	1=Yes

CVEB12		Overnight hospitalization for COVID-related illness
N	Value	Description
4592		Missing
2359	0	0=No
150	1	1=Yes
2	2	2=Unsure

CVEB13		How many times admitted to hospital for COVID or COVID complications
N	Value	Description
6953		Missing
150	Range	1 - 10 (median=1 mean=1.3 std=1.1)

CVEB14_Y		Year of Date first hospitalized for COVID or COVID complications
N	Value	Description
6959		Missing
60	2020	Year 2020
77	2021	Year 2021
7	2022	Year 2022

CVEB15C		Hospital state or country
N	Value	Description
6957		Missing
146	Present	Text suppressed

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CVEB16		Nights spent in the hospital for first COVID-related stay
N	Value	Description
6956		Missing
147	Range	0 - 90 (median=6 mean=10.0 std=12.8)

CVEB17A		In hospital had oxygen
N	Value	Description
6954		Missing
32	0	0=No
115	1	1=Yes
2	2	2=Do not know

CVEB17A1		Days had oxygen
N	Value	Description
6998		Missing
105	Range	1 - 160 (median=5 mean=12.4 std=20.6)

CVEB17B		In hospital on ventilator
N	Value	Description
6954		Missing
133	0	0=No
13	1	1=Yes
3	2	2=Do not know

CVEB17B1		Days on ventilator
N	Value	Description
7093		Missing
10	Range	1 - 30 (median=5.5 mean=9.50 std=9.55)

CVEB17C		In hospital in ICU
N	Value	Description
6954		Missing
93	0	0=No
47	1	1=Yes
9	2	2=Do not know

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CVEB17C1		Days in ICU
N	Value	Description
7059		Missing
44	Range	1 - 30 (median=5 mean=8.3 std=7.8)

CVEB17D		In hospital had dialysis
N	Value	Description
6954		Missing
142	0	0=No
3	1	1=Yes
4	2	2=Do not know

CVEB17D1		Days had dialysis
N	Value	Description
7101		Missing
2	Range	1 - 9 (median=5 mean=5.0 std=5.7)

CVEB18		Disposition after hospitalization
N	Value	Description
6954		Missing
141	1	1=Return home
3	2	2=Go to a nursing home or rehabilitation facility
3	3	3=Go to live with a family member or friend
2	4	4=Other

CVEB18A		Other disposition after hospitalization
N	Value	Description
7101		Missing
2	Present	Text suppressed

CVEB19		Had COVID symptoms
N	Value	Description
4594		Missing
431	0	0=No
2031	1	1=Yes
47	2	2=Unsure

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CVEB20		COVID symptoms interfered with daily activities
N	Value	Description
5079		Missing
237	1	1=Not at all
168	2	2=A little bit
484	3	3=Somewhat
450	4	4=Quite a bit
656	5	5=Very much
29	6	6=I do not remember

CVEB21		Completely recovered from COVID
N	Value	Description
4561		Missing
379	0	0=No
1988	1	1=Yes
175	2	2=Unsure

CVEB22A		Months to recover
N	Value	Description
5410		Missing
1693	Range	0 - 24 (median=0 mean=0.6 std=1.5)

CVEB22B		Days to recover
N	Value	Description
5215		Missing
1888	Range	0 - 60 (median=7 mean=8.9 std=7.4)

CVEB23A		Currently have memory problems
N	Value	Description
5124		Missing
1639	0	0=No
340	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CVEB23B		Currently have attention problems
N	Value	Description
5123		Missing
1721	0	0=No
259	1	1=Yes

CVEB23C		Currently have appetite problems
N	Value	Description
5123		Missing
1736	0	0=No
244	1	1=Yes

CVEB23D		Currently feeling lightheaded
N	Value	Description
5123		Missing
1737	0	0=No
243	1	1=Yes

CVEB23E		Currently having trouble sleeping
N	Value	Description
5124		Missing
1423	0	0=No
556	1	1=Yes

CVEB23F		Currently having periods of racing heart rate
N	Value	Description
5123		Missing
1745	0	0=No
235	1	1=Yes

CVEB23G		Currently unable to exercise at pre-COVID level
N	Value	Description
5126		Missing
1754	0	0=No
223	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CVEB23H		Currently unable to return to work or school
N	Value	Description
5135		Missing
1889	0	0=No
79	1	1=Yes

CVEB23I		Currently unable to return to usual pre-COVID activities
N	Value	Description
5123		Missing
1825	0	0=No
155	1	1=Yes

CVEB23J		Currently feeling weak, tired or sick 24-48 hours after physical activity
N	Value	Description
5124		Missing
1629	0	0=No
350	1	1=Yes

CVEB23K		Other current COVID symptoms
N	Value	Description
5127		Missing
1836	0	0=No
140	1	1=Yes

CVEB23K1		Other current COVID symptoms specify
N	Value	Description
6967		Missing
136	Present	Text suppressed

CVEB24		How worried COVID will affect health long-term
N	Value	Description
4571		Missing
1067	1	1=Not at all worried
914	2	2=A little worried
551	3	3=Very worried

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section B: COVID19 Wave 2 Interview

CVEB25		Has received COVID vaccine
N	Value	Description
44		Missing
918	0	0=No [END FORM]
6127	1	1=Yes
14	2	2=Unsure [END FORM]

CVEB26		Vaccine brand received
N	Value	Description
1010		Missing
2506	1	1=Moderna
2980	2	2=Pfizer
35	3	3=AstraZeneca
439	4	4=Janssen or Johnson & Johnson / J&J
73	5	5=Don't know
60	6	6=Other

CVEB26A		Other vaccine, specify
N	Value	Description
7043		Missing
60	Present	Text suppressed

CVEB27		Vaccine doses received
N	Value	Description
1022		Missing
388	1	1=One
93	2	2=One, but plan to get a second one
4415	3	3=Two
1185	4	4=Three or more

CVEB28_Y		Year of Date vaccinated
N	Value	Description
1097		Missing
20	2020	Year 2020
4781	2021	Year 2021
1193	2022	Year 2022
12	2023	Year 2023

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

COVID19 Questionnaire Wave 3: FORM CODE=CVEC, VERSION=1

ID		HCHS Participant ID
N	Value	Description
7820	Present	Text suppressed

VISIT		Visit
N	Value	Description
7820	3	Visit 3

OCCURRENCE		Occurrence
N	Value	Description
7820	1	Occurrence 1

CVEC0A		Completion Date
N	Value	Description
31		Missing
7789	Range	01/06/2023 - 12/01/2024

CVEC0C		Want to participate in C4R Wave 3
N	Value	Description
21		Missing
54	0	0=No
7745	1	1=Yes

CVEC0D		Sex assigned at birth
N	Value	Description
7820	Range	1 - 2 (median=2 mean=1.7 std=0.5)

CVEC1		Ever infected with COVID-19
N	Value	Description
7		Missing
75	.S	Legitimately skipped
3406	0	0=No
4332	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC2		Number COVID-19 infections
N	Value	Description
11		Missing
3488	.S	Legitimately skipped
2842	1	1=1 infection (only once)
1110	2	2=2 infections (reinfected once)
291	3	3=3 infections (reinfected twice)
70	4	4=More than 3 infections
8	9	9=Don't know

CVEC2A		Number of COVID-19 infections if more than 3
N	Value	Description
3		Missing
7750	.S	Legitimately skipped
67	Range	4 - 7 (median=4 mean=4.4 std=0.7)

CVEC3		Ever hospitalized for COVID-19
N	Value	Description
6		Missing
3488	.S	Legitimately skipped
4026	0	0=No
300	1	1=Yes

CVEC4		Number hospitalizations for COVID-19
N	Value	Description
4		Missing
7520	.S	Legitimately skipped
273	1	1=1 COVID hospitalization
14	2	2=2 COVID hospitalizations
4	3	3=3 COVID hospitalizations
1	4	4=More than 3 COVID-19 hospitalizations
4	9	9=Don't know

CVEC4A		Number of COVID-19 hospitalizations if more than 3
N	Value	Description
7819	.S	Legitimately skipped
1	Range	4 - 4 (median=4 mean=4.0 std=.)

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC5A		Last COVID-19 infection - Month
N	Value	Description
1014		Missing
3488	.S	Legitimately skipped
3318	Range	0 - 12 (median=6 mean=6.5 std=3.8)

CVEC5B		Last COVID-19 infection - Year
N	Value	Description
67		Missing
3488	.S	Legitimately skipped
939	1	1=2020
888	2	2=2021
1218	3	3=2022
1033	4	4=2023
187	5	5=2024

CVEC6		Took COVID test when last infected
N	Value	Description
5		Missing
3488	.S	Legitimately skipped
244	0	0=No
4083	1	1=Yes

CVEC7		Tested positive when last infected
N	Value	Description
3		Missing
3737	.S	Legitimately skipped
85	0	0=No
3984	1	1=Yes
11	9	9=Don't know

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC8		Had symptoms when last infected
N	Value	Description
3		Missing
3488	.S	Legitimately skipped
614	0	0=No
3715	1	1=Yes

CVEC9		Symptoms prevented daily activities
N	Value	Description
6		Missing
4105	.S	Legitimately skipped
834	0	0=Not at all
581	1	1=A little bit
842	2	2=Somewhat
707	3	3=Quite a bit
745	4	4=Very much

CVEC10		Medications prescribed when last infected
N	Value	Description
5		Missing
3488	.S	Legitimately skipped
3056	0	0=No
1219	1	1=Yes
52	9	9=Don't know

CVEC11A		Prescribed antiviral pill when last infected
N	Value	Description
3		Missing
6601	.S	Legitimately skipped
451	0	0=No
534	1	1=Yes
231	9	9=Don't know

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC11B		Prescribed oral steroids when last infected
N	Value	Description
5		Missing
6601	.S	Legitimately skipped
788	0	0=No
206	1	1=Yes
220	9	9=Don't know

CVEC11C		Prescribed antibiotics when last infected
N	Value	Description
5		Missing
6601	.S	Legitimately skipped
599	0	0=No
409	1	1=Yes
206	9	9=Don't know

CVEC11D		Prescribed other medication when last infected
N	Value	Description
9		Missing
6601	.S	Legitimately skipped
690	0	0=No
319	1	1=Yes
201	9	9=Don't know

CVEC11D1		Other medication prescribed when last infected SPECIFIED
N	Value	Description
7		Missing
7501	~	Legitimately skipped
312	Present	Text suppressed

CVEC12		Completely recovered from COVID-19
N	Value	Description
8		Missing
3488	.S	Legitimately skipped
385	0	0=No
3939	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC13		Number days to recover from last infection
N	Value	Description
39		Missing
3881	.S	Legitimately skipped
3900	Range	0 - 720 (median=7 mean=13.1 std=27.9)

CVEC14		Ever vaccinated against COVID-19
N	Value	Description
6		Missing
75	.S	Legitimately skipped
838	0	0=No
6898	1	1=Yes
3	9	9=Don't know

CVEC15		Number COVID-19 vaccinations received
N	Value	Description
22		Missing
919	.S	Legitimately skipped
397	1	1=1
2209	2	2=2
2429	3	3=3
1226	4	4=4
456	5	5=5
122	6	6=More than 5
40	9	9=Don't know

CVEC15A		Number COVID-19 vaccinations received if more than 5
N	Value	Description
8		Missing
7698	.S	Legitimately skipped
114	Range	5 - 7 (median=6 mean=6.0 std=0.3)

CVEC16A		Last COVID vaccine - Month
N	Value	Description
2315		Missing
922	.S	Legitimately skipped
4583	Range	-9 - 12 (median=6 mean=6.4 std=3.6)

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC16B		Last COVID vaccine - Year
N	Value	Description
264		Missing
922	.S	Legitimately skipped
184	1	1=2020
1994	2	2=2021
2478	3	3=2022
1733	4	4=2023
245	5	5=2024

CVEC17		Last COVID vaccine type
N	Value	Description
19		Missing
922	.S	Legitimately skipped
3701	1	1=Pfizer
2486	2	2=Moderna
302	3	3=Janssen
19	4	4=Novavax
48	8	8=Other
323	9	9=Don't know

CVEC17A		Last COVID vaccine type Other SPECIFIED
N	Value	Description
7772	~	Legitimately skipped
48	Present	Text suppressed

CVEC18		General physical health rating
N	Value	Description
13		Missing
75	.S	Legitimately skipped
752	1	1=Excellent
1120	2	2=Very good
3323	3	3=Good
2246	4	4=Fair
291	5	5=Poor

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC19		Able to do everyday physical activities
N	Value	Description
14		Missing
75	.S	Legitimately skipped
3766	1	1=Completely
1211	2	2=Mostly
1845	3	3=Moderately
758	4	4=A little
151	5	5=Not at all

CVEC20		Average fatigue rating past 7 days
N	Value	Description
13		Missing
75	.S	Legitimately skipped
3786	1	1=None
1666	2	2=Mild
1816	3	3=Moderate
360	4	4=Severe
104	5	5=Very severe

CVEC21		Average pain rating past 7 days
N	Value	Description
18		Missing
75	.S	Legitimately skipped
7727	Range	0 - 10 (median=2 mean=3.6 std=2.9)

CVEC22		Headache in last 2 weeks
N	Value	Description
15		Missing
75	.S	Legitimately skipped
5639	0	0=No
2091	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC23		Body or muscle aches in last 2 weeks
N	Value	Description
14		Missing
75	.S	Legitimately skipped
3746	0	0=No
3985	1	1=Yes

CVEC24		Fever, chills, sweats or flushing in last 2 weeks
N	Value	Description
15		Missing
75	.S	Legitimately skipped
7067	0	0=No
663	1	1=Yes

CVEC25		Dizzy after standing up in last 2 weeks
N	Value	Description
13		Missing
75	.S	Legitimately skipped
6298	0	0=No
1434	1	1=Yes

CVEC26		Post-exertional malaise in last 2 weeks
N	Value	Description
14		Missing
75	.S	Legitimately skipped
6474	0	0=No
1257	1	1=Yes

CVEC27		Shortness of breath in last 2 weeks
N	Value	Description
15		Missing
75	.S	Legitimately skipped
6530	0	0=No
1200	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC28		<i>Cough in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16		Missing
75	.S	Legitimately skipped
6511	0	0=No
1218	1	1=Yes

CVEC29		<i>Heart palpitations in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16		Missing
75	.S	Legitimately skipped
6728	0	0=No
1001	1	1=Yes

CVEC30		<i>Swelling of legs in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15		Missing
75	.S	Legitimately skipped
6414	0	0=No
1316	1	1=Yes

CVEC31		<i>GI problems in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18		Missing
75	.S	Legitimately skipped
6405	0	0=No
1322	1	1=Yes

CVEC32		<i>Bladder problems in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16		Missing
75	.S	Legitimately skipped
6571	0	0=No
1158	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC33		<i>Nerve problems in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18		Missing
75	.S	Legitimately skipped
6402	0	0=No
1325	1	1=Yes

CVEC34		<i>Problems thinking or concentrating in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16		Missing
75	.S	Legitimately skipped
6258	0	0=No
1471	1	1=Yes

CVEC35		<i>Difficulty sleeping in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15		Missing
75	.S	Legitimately skipped
4987	0	0=No
2743	1	1=Yes

CVEC36		<i>Difficulty staying awake in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15		Missing
75	.S	Legitimately skipped
6205	0	0=No
1525	1	1=Yes

CVEC37		<i>Sleep apnea in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
43		Missing
75	.S	Legitimately skipped
5668	0	0=No
2034	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC38		<i>Skin rash in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18		Missing
75	.S	Legitimately skipped
7274	0	0=No
453	1	1=Yes

CVEC39		<i>Loss or change in smell or taste in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
17		Missing
75	.S	Legitimately skipped
7271	0	0=No
457	1	1=Yes

CVEC40		<i>Excessively dry mouth in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18		Missing
75	.S	Legitimately skipped
6275	0	0=No
1452	1	1=Yes

CVEC41		<i>Vision problems in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
17		Missing
75	.S	Legitimately skipped
5351	0	0=No
2377	1	1=Yes

CVEC42		<i>Hearing problems in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15		Missing
75	.S	Legitimately skipped
6544	0	0=No
1186	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC43		<i>Fertility, menstrual cycle, or menopause problems in last 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
20		Missing
2708	.S	Legitimately skipped
4627	0	0=No
465	1	1=Yes

CVEC44		<i>General mental health rating</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33		Missing
75	.S	Legitimately skipped
1322	1	1=Excellent
1591	2	2=Very good
3066	3	3=Good
1593	4	4=Fair
140	5	5=Poor

CVEC45		<i>General satisfaction with social activities and relationships rating</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
38		Missing
75	.S	Legitimately skipped
1554	1	1=Excellent
1689	2	2=Very good
3093	3	3=Good
1198	4	4=Fair
173	5	5=Poor

CVEC46		<i>Bothered by loss of interest in past 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
41		Missing
75	.S	Legitimately skipped
5467	1	1=Not at all
1555	2	2=Several days
361	3	3=More than half the days
321	4	4=Nearly every day

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC47		<i>Bothered by depression in past 2 weeks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
42		Missing
75	.S	Legitimately skipped
5519	1	1=Not at all
1605	2	2=Several days
292	3	3=More than half the days
287	4	4=Nearly every day

CVEC48A		<i>No new diagnoses since beginning of 2020</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
92		Missing
75	.S	Legitimately skipped
6189	0	0=No
1361	1	1=Yes
103	9	9=Not sure

CVEC48B		<i>Heart problems diagnosis since beginning of 2020</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15		Missing
75	.S	Legitimately skipped
7285	0	0=No
393	1	1=Yes
52	9	9=Not sure

CVEC48C		<i>Lung problems diagnosis since beginning of 2020</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
14		Missing
75	.S	Legitimately skipped
7339	0	0=No
368	1	1=Yes
24	9	9=Not sure

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC48D		Blood clots diagnosis since beginning of 2020
N	Value	Description
16		Missing
75	.S	Legitimately skipped
7640	0	0=No
78	1	1=Yes
11	9	9=Not sure

CVEC48E		Sleep apnea or insomnia diagnosis since beginning of 2020
N	Value	Description
15		Missing
75	.S	Legitimately skipped
7032	0	0=No
634	1	1=Yes
64	9	9=Not sure

CVEC48F		Cognitive impairment diagnosis since beginning of 2020
N	Value	Description
14		Missing
75	.S	Legitimately skipped
7395	0	0=No
260	1	1=Yes
76	9	9=Not sure

CVEC48G		Migraine or other headache disorder diagnosis since beginning of 2020
N	Value	Description
15		Missing
75	.S	Legitimately skipped
7325	0	0=No
384	1	1=Yes
21	9	9=Not sure

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC48H		Stroke diagnosis since beginning of 2020
N	Value	Description
13		Missing
75	.S	Legitimately skipped
7639	0	0=No
78	1	1=Yes
15	9	9=Not sure

CVEC48I		Seizure or epilepsy diagnosis since beginning of 2020
N	Value	Description
15		Missing
75	.S	Legitimately skipped
7689	0	0=No
37	1	1=Yes
4	9	9=Not sure

CVEC48J		Kidney problems diagnosis since beginning of 2020
N	Value	Description
16		Missing
75	.S	Legitimately skipped
7466	0	0=No
244	1	1=Yes
19	9	9=Not sure

CVEC48K		Stomach problems diagnosis since beginning of 2020
N	Value	Description
14		Missing
75	.S	Legitimately skipped
7063	0	0=No
643	1	1=Yes
25	9	9=Not sure

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC48L		Psychiatric diagnosis since beginning of 2020
N	Value	Description
15		Missing
75	.S	Legitimately skipped
7046	0	0=No
652	1	1=Yes
32	9	9=Not sure

CVEC48M		Diabetes diagnosis since beginning of 2020
N	Value	Description
14		Missing
75	.S	Legitimately skipped
7028	0	0=No
674	1	1=Yes
29	9	9=Not sure

CVEC48N		Autoimmune disease diagnosis since beginning of 2020
N	Value	Description
17		Missing
75	.S	Legitimately skipped
7452	0	0=No
253	1	1=Yes
23	9	9=Not sure

CVEC48O		ME-CFS, POTS, or EDS diagnosis since beginning of 2020
N	Value	Description
16		Missing
75	.S	Legitimately skipped
7638	0	0=No
72	1	1=Yes
19	9	9=Not sure

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC48P		Other diagnosis since beginning of 2020
N	Value	Description
34		Missing
75	.S	Legitimately skipped
7049	0	0=No
650	1	1=Yes
12	9	9=Not sure

CVEC48P1		Other diagnosis since beginning of 2020 SPECIFIED
N	Value	Description
5		Missing
7170	~	Legitimately skipped
645	Present	Text suppressed

CVEC49		Long COVID a month or more after infection
N	Value	Description
14		Missing
3488	.S	Legitimately skipped
3444	0	0=No
640	1	1=Yes
234	9	9=Don't know

CVEC50		Current health insurance
N	Value	Description
27		Missing
75	.S	Legitimately skipped
1176	0	0=No
6542	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC51		Difficulty paying for things in past month rating
N	Value	Description
32		Missing
75	.S	Legitimately skipped
1090	1	1=Very difficult
2845	2	2=Somewhat difficult
3507	3	3=Not at all difficult
198	8	8=Prefer not to answer
73	9	9=Don't know

CVEC52A		Working outside the home currently
N	Value	Description
29		Missing
75	.S	Legitimately skipped
4463	0	0=No
3253	1	1=Yes

CVEC52B		Working outside the home and remotely currently
N	Value	Description
29		Missing
75	.S	Legitimately skipped
7355	0	0=No
361	1	1=Yes

CVEC52C		Working remotely currently
N	Value	Description
29		Missing
75	.S	Legitimately skipped
7446	0	0=No
270	1	1=Yes

CVEC52D		Working at home domestically currently
N	Value	Description
30		Missing
75	.S	Legitimately skipped
7060	0	0=No
655	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC52E		On leave from job outside the home currently
N	Value	Description
30		Missing
75	.S	Legitimately skipped
7455	0	0=No
260	1	1=Yes

CVEC52F		Working inside the home currently
N	Value	Description
30		Missing
75	.S	Legitimately skipped
7153	0	0=No
562	1	1=Yes

CVEC52G		Unemployed currently
N	Value	Description
31		Missing
75	.S	Legitimately skipped
7223	0	0=No
491	1	1=Yes

CVEC52H		Retired currently
N	Value	Description
32		Missing
75	.S	Legitimately skipped
5191	0	0=No
2522	1	1=Yes

CVEC52I		Disabled currently
N	Value	Description
32		Missing
75	.S	Legitimately skipped
6839	0	0=No
874	1	1=Yes

Chapter 3: COVID19 Psychosocial Interview Questionnaires

Section C: COVID19 Wave 3 Interview

CVEC52J		Student currently
N	Value	Description
32		Missing
75	.S	Legitimately skipped
7601	0	0=No
112	1	1=Yes

CVEC52K		Don't know current work situation
N	Value	Description
35		Missing
75	.S	Legitimately skipped
7690	0	0=No
20	1	1=Yes

CVEC52L		Prefer not to answer current work situation
N	Value	Description
40		Missing
75	.S	Legitimately skipped
7679	0	0=No
26	1	1=Yes

Chapter 4: Additional Interview Questionnaires

Section A: Childhood Factors Interview

Childhood Factors Questionnaire: FORM CODE=CFE, VERSION=1

ID		HCHS Participant ID
N	Value	Description
7587	Present	Text suppressed

OCCURRENCE		Occurrence
N	Value	Description
7587	1	Occurrence 1

CFE0A		Completion Date
N	Value	Description
7587	Range	03/17/2025 - 05/11/2026

CFE0AY		Year of CFE0A
N	Value	Description
7587	Range	2025 - 2026 (median=2025 mean=2025.2 std=0.4)

CFE1		Childhood setting
N	Value	Description
12		Missing
974	1	1=Rural area
1937	2	2=Small town
522	3	3=Large town
4142	4	4=Large city

CFE2		Someone to talk to
N	Value	Description
18		Missing
639	1	1=None of the time
715	2	2=A little of the time
810	3	3=Some of the time
1094	4	4=Most of the time
4311	5	5=All of the time

Chapter 4: Additional Interview Questionnaires

Section A: Childhood Factors Interview

CFE3		Someone who showed love and affection
N	Value	Description
17		Missing
302	1	1=None of the time
631	2	2=A little of the time
682	3	3=Some of the time
1069	4	4=Most of the time
4886	5	5=All of the time

CFE4		Someone to help with homework
N	Value	Description
40		Missing
1552	1	1=None of the time
931	2	2=A little of the time
984	3	3=Some of the time
969	4	4=Most of the time
3111	5	5=All of the time

CFE5		Someone who encouraged in school
N	Value	Description
34		Missing
1081	1	1=None of the time
716	2	2=A little of the time
808	3	3=Some of the time
1053	4	4=Most of the time
3895	5	5=All of the time

CFE6		Had as much contact as you would like
N	Value	Description
35		Missing
732	1	1=None of the time
833	2	2=A little of the time
934	3	3=Some of the time
1084	4	4=Most of the time
3969	5	5=All of the time

Chapter 4: Additional Interview Questionnaires

Section A: Childhood Factors Interview

CFE7A		Lived with biological mother
N	Value	Description
9		Missing
839	0	0=No
6739	1	1=Yes

CFE7B		Lived with biological father
N	Value	Description
10		Missing
2318	0	0=No
5259	1	1=Yes

CFE7C		Lived with adoptive, step, or foster mother
N	Value	Description
20		Missing
7406	0	0=No
161	1	1=Yes

CFE7D		Lived with adoptive, step, or foster father
N	Value	Description
22		Missing
7009	0	0=No
556	1	1=Yes

CFE7E		Lived with biological brother(s) or sister(s)
N	Value	Description
15		Missing
1083	0	0=No
6489	1	1=Yes

CFE7F		Lived with adoptive, step, foster, or half brother(s) or sister(s)
N	Value	Description
16		Missing
6906	0	0=No
665	1	1=Yes

Chapter 4: Additional Interview Questionnaires

Section A: Childhood Factors Interview

<i>CFE7G</i>		<i>Lived with grandparent(s)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13		Missing
5654	0	0=No
1920	1	1=Yes

<i>CFE7H</i>		<i>Lived with other relative(s)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
18		Missing
6419	0	0=No
1150	1	1=Yes

<i>CFE7H1</i>		<i>Specify other relative(s)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6		Missing
6437	~	Legitimately skipped
1144	Present	Text suppressed

<i>CFE7I</i>		<i>Lived with other non-relative(s)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
56		Missing
7281	0	0=No
250	1	1=Yes

<i>CFE7I1</i>		<i>Specify other non-relative(s)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8		Missing
7337	~	Legitimately skipped
242	Present	Text suppressed

<i>CFE8</i>		<i>Family financial status</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
24		Missing
1186	1	1=Pretty well off financially
3235	2	2=About average
2561	3	3=Poor
581	4	4=It varied

Chapter 4: Additional Interview Questionnaires

Section A: Childhood Factors Interview

CFE9		Moved due to financial difficulties
N	Value	Description
25		Missing
5954	0	0=No
1608	1	1=Yes

CFE10		Received help due to financial difficulties
N	Value	Description
39		Missing
6173	0	0=No
1375	1	1=Yes

CFE11		Time when father had no job
N	Value	Description
35		Missing
4835	0	0=No
1231	1	1=Yes
37	2	2=Father never worked/always disabled
1449	3	3=Never lived with father/father was not alive