

NHLBI grant: Ancillary to HCHS/SOL: Hispanic Community Children's Health Study of Latino Youth (R01 HL102130; S Bangdiwala, G Ayala, M Carnethon, A Delamater, J Eckfeldt, J Himes, C Isasi, & K Perreira)



Hispanic Community Children's Health/ Study of Latino Youth (SOL Youth)

Investigator Use Dietary Data Codebook

**February 2016
INV version 2.0**

Prepared by
SOL Youth Coordinating Center
Collaborative Studies Coordinating Center
UNC Department of Biostatistics

Franklyn Gonzalez II
Daniela Sotres-Alvarez
Marston Youngblood

Table of Contents

Chapter 1. Nutrition Reading Center Data.....	3
Section A: Nutrition Reading Center Data.....	3
Nutrients at the Component/Ingredient Level (NDSR1) (Y01A)	3
Nutrients at the Whole Food Level (NDSR2) (Y02A)	27
Nutrients at the Meal Level (NDSR3) (Y03A)	57
Nutrients at the Daily Totals Level (NDSR4) (Y04A)	86
Food groups at the Whole Food Level (NDSR7) (Y07A)	110
Food Group Servings at the Meal Level (NDSR8) (Y08A)	136
Food Group Servings at the Daily Totals Level (NDSR9) (Y09A)	157
Total 24-hr Supplement Intake (NDSR12) (Y12A)	176
Averaged 30-day Supplement Intake (NDSR13) (Y13A)	197
Product file for 24-hr Supplement Intake (NDSR14) (Y14A)	217
Product File for 30-day Supplement Intake (NDSR15) (Y15A)	237
Product Ingredients for 24-hr Supplement Intake (NDSR16) (Y16A)	257
Product Ingredients for 30-day Supplement Intake (NDSR17) (Y17A)	276
Blend Ingredients for 24-hr supplement intake (NDSR18) (Y18A)	295
Blend Ingredients for 30-day Supplement Intake (NDSR19) (Y19A)	298
Chapter 2. Food Groups - Recall Level.....	301
Food Group Derived Variables (SYOUTH_FOOD_GROUP_DERV)	301

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Nutrients at the Component/Ingredient Level (NDSR1): FORM CODE=Y01

<i>RECALLNUM</i>		<i>First or second dietary recall</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
42678	1	First Dietary Recall
39966	2	Second Dietary Recall

<i>COMPID</i>		<i>Component file ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Present	Variable/Text Values Suppressed

<i>Y01A1</i>		<i>Project Abbreviation</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Present	Variable/Text Values Suppressed

<i>Y01A2</i>		<i>Participant/Recipe/Menu ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644		Missing

<i>Y01A3</i>		<i>Date of Intake</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	12/16/2011 - 01/15/2014

<i>Y01A4</i>		<i>Component File ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

<i>Y01A5</i>		<i>Foods Report Item Number</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Present	Variable/Text Values Suppressed

<i>Y01A6</i>		<i>Food Name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Present	Variable/Text Values Suppressed

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A7		Food ID
N	Value	Description
82644	Present	Variable/Text Values Suppressed

Y01A8		Gram Amount of Food
N	Value	Description
82644	Range	-585.148 - 3792 (median=16 mean=65.2 std=121.9)

Y01A9		FDA Serving Size (Grams)
N	Value	Description
81719	Range	0.13 - 353 (median=50 mean=84.1 std=88.6)
925		Missing

Y01A10		NCC Database Food Group ID
N	Value	Description
82644	Range	2 - 135 (median=69 mean=77.5 std=36.9)

Y01A11		Energy (kcal)
N	Value	Description
82644	Range	0 - 1925.877 (median=14.91 mean=56.932 std=89.498)

Y01A12		Total Fat (g)
N	Value	Description
82644	Range	0 - 142.884 (median=0.092 mean=2.0265 std=4.7072)

Y01A13		Total Carbohydrate (g)
N	Value	Description
82644	Range	0 - 292.945 (median=0.39 mean=7.552 std=15.228)

Y01A14		Total Protein (g)
N	Value	Description
82644	Range	0 - 197.032 (median=0.124 mean=2.2779 std=5.7770)

Y01A15		Animal Protein (g)
N	Value	Description
82644	Range	0 - 197.032 (median=0 mean=1.6 std=5.6)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A16		Vegetable Protein (g)
N	Value	Description
82644	Range	0 - 42.308 (median=0 mean=0.7 std=1.9)

Y01A17		Alcohol (g)
N	Value	Description
82644	Range	0 - 38.955 (median=0 mean=0.0 std=0.2)

Y01A18		Cholesterol (mg)
N	Value	Description
82644	Range	0 - 1273.969 (median=0 mean=7.4 std=33.2)

Y01A19		Total Saturated Fatty Acids (SFA) (g)
N	Value	Description
82644	Range	0 - 91.272 (median=0.015 mean=0.7070 std=1.9278)

Y01A20		Total Monounsaturated Fatty Acids (MUFA) (g)
N	Value	Description
82644	Range	0 - 43.335 (median=0.012 mean=0.6884 std=1.7540)

Y01A21		Total Polyunsaturated Fatty Acids (PUFA) (g)
N	Value	Description
82644	Range	0 - 62.357 (median=0.0225 mean=0.45176 std=1.45679)

Y01A22		Fructose (g)
N	Value	Description
82097	Range	0 - 81.048 (median=0 mean=0.7 std=2.8)
547		Missing

Y01A23		Galactose (g)
N	Value	Description
82289	Range	0 - 11.529 (median=0 mean=0.0 std=0.1)
355		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A24		Glucose (g)
N	Value	Description
82097	Range	0 - 138.013 (median=0 mean=0.7 std=2.6)
547		Missing

Y01A25		Lactose (g)
N	Value	Description
82644	Range	0 - 71.37 (median=0 mean=0.6 std=2.6)

Y01A26		Maltose (g)
N	Value	Description
82445	Range	0 - 36.214 (median=0 mean=0.1 std=0.4)
199		Missing

Y01A27		Sucrose (g)
N	Value	Description
82339	Range	0 - 201.532 (median=0 mean=1.4 std=5.0)
305		Missing

Y01A28		Starch (g)
N	Value	Description
82362	Range	0 - 280.239 (median=0 mean=3.2 std=10.0)
282		Missing

Y01A29		Total Dietary Fiber (g)
N	Value	Description
82644	Range	0 - 54.026 (median=0 mean=0.4 std=1.3)

Y01A30		Soluble Dietary Fiber (g)
N	Value	Description
81175	Range	0 - 26.104 (median=0 mean=0.1 std=0.5)
1469		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A31		<i>Insoluble Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
81175	Range	0 - 53.57 (median=0 mean=0.3 std=0.9)
1469		Missing

Y01A32		<i>Pectins (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
75918	Range	0 - 10.404 (median=0 mean=0.1 std=0.2)
6726		Missing

Y01A33		<i>Total Vitamin A Activity (International Units) (IU)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 50735.52 (median=0.043 mean=132.6650 std=743.9681)

Y01A34		<i>Beta-Carotene Equivalents (derived from provitamin A carotenoids) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 30440.52 (median=0 mean=47.6 std=426.2)

Y01A35		<i>Retinol (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 8018.379 (median=0 mean=16.0 std=69.5)

Y01A36		<i>Vitamin D (calciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 23.13 (median=0 mean=0.2 std=0.8)

Y01A37		<i>Total Alpha-Tocopherol Equivalents (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 67.4 (median=0.028 mean=0.2749 std=1.3187)

Y01A38		<i>Vitamin E (Total Alpha-Tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 31.233 (median=0.023 mean=0.2071 std=0.7629)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A39		Beta-Tocopherol (mg)
N	Value	Description
82644	Range	0 - 2.44 (median=0 mean=0.0 std=0.0)

Y01A40		Gamma-Tocopherol (mg)
N	Value	Description
82644	Range	0 - 49.77 (median=0 mean=0.4 std=1.4)

Y01A41		Delta-Tocopherol (mg)
N	Value	Description
82644	Range	0 - 14.585 (median=0 mean=0.1 std=0.4)

Y01A42		Vitamin K (phylloquinone) (mcg)
N	Value	Description
82620	Range	0 - 1284.163 (median=0.084 mean=1.7004 std=9.3851)
24		Missing

Y01A43		Vitamin C (ascorbic acid) (mg)
N	Value	Description
82644	Range	-28.874 - 511.704 (median=0 mean=2.6 std=12.6)

Y01A44		Thiamin (vitamin B1) (mg)
N	Value	Description
82644	Range	0 - 3.373 (median=0.003 mean=0.0532 std=0.1379)

Y01A45		Riboflavin (vitamin B2) (mg)
N	Value	Description
82644	Range	0 - 3.824 (median=0.004 mean=0.0624 std=0.1524)

Y01A46		Niacin (vitamin B3) (mg)
N	Value	Description
82644	Range	0 - 45.267 (median=0.018 mean=0.6596 std=1.9346)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A47		<i>Pantothenic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82285	Range	0 - 22.498 (median=0.01 mean=0.142 std=0.390)
359		Missing

Y01A48		<i>Vitamin B-6 (pyridoxine, pyridoxyl, & pyridoxamine) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 6.001 (median=0.005 mean=0.0563 std=0.1652)

Y01A49		<i>Total Folate (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 1600.56 (median=0.583 mean=12.7184 std=43.7574)

Y01A50		<i>Vitamin B-12 (cobalamin) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 60.027 (median=0 mean=0.2 std=0.6)

Y01A51		<i>Calcium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	-117.096 - 3905.725 (median=3.02 mean=31.359 std=88.001)

Y01A52		<i>Phosphorus (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	-104.832 - 2796.961 (median=3.123 mean=37.3335 std=79.1679)

Y01A53		<i>Magnesium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	-0.024 - 421.146 (median=1.481 mean=7.2203 std=14.1564)

Y01A54		<i>Iron (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	-0.008 - 43.2 (median=0.037 mean=0.4656 std=1.4947)

Y01A55		<i>Zinc (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	-0.002 - 33.747 (median=0.027 mean=0.3319 std=0.9595)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A56		Copper (mg)
N	Value	Description
82644	Range	0 - 12.147 (median=0.007 mean=0.0306 std=0.1004)

Y01A57		Selenium (mcg)
N	Value	Description
82644	Range	-0.002 - 467.84 (median=0.099 mean=3.2037 std=8.3045)

Y01A58		Sodium (mg)
N	Value	Description
82632	Range	-920.89 - 15704 (median=7.9595 mean=96.13069 std=224.51085)
12		Missing

Y01A59		Potassium (mg)
N	Value	Description
82644	Range	-0.19 - 4147.8 (median=9.395 mean=66.4600 std=140.5628)

Y01A60		SFA 4:0 (butyric acid) (g)
N	Value	Description
82644	Range	0 - 5.619 (median=0 mean=0.0 std=0.1)

Y01A61		SFA 6:0 (caproic acid) (g)
N	Value	Description
82644	Range	0 - 2.518 (median=0 mean=0.0 std=0.0)

Y01A62		SFA 8:0 (caprylic acid) (g)
N	Value	Description
82644	Range	0 - 1.85 (median=0 mean=0.0 std=0.0)

Y01A63		SFA 10:0 (capric acid) (g)
N	Value	Description
82644	Range	0 - 3.229 (median=0 mean=0.0 std=0.1)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A64		SFA 12:0 (lauric acid) (g)
N	Value	Description
82644	Range	0 - 13.169 (median=0 mean=0.0 std=0.2)

Y01A65		SFA 14:0 (myristic acid) (g)
N	Value	Description
82644	Range	0 - 15.678 (median=0 mean=0.1 std=0.3)

Y01A66		SFA 16:0 (palmitic acid) (g)
N	Value	Description
82644	Range	0 - 39.931 (median=0.012 mean=0.3797 std=0.9757)

Y01A67		SFA 17:0 (margaric acid) (g)
N	Value	Description
82644	Range	0 - 0.551 (median=0 mean=0.0 std=0.0)

Y01A68		SFA 18:0 (stearic acid) (g)
N	Value	Description
82644	Range	0 - 16.721 (median=0.002 mean=0.1656 std=0.4577)

Y01A69		SFA 20:0 (arachidic acid) (g)
N	Value	Description
82644	Range	0 - 0.61 (median=0 mean=0.0 std=0.0)

Y01A70		SFA 22:0 (behenic acid) (g)
N	Value	Description
82644	Range	0 - 1.354 (median=0 mean=0.0 std=0.0)

Y01A71		MUFA 14:1 (myristoleic acid) (g)
N	Value	Description
82644	Range	0 - 1.502 (median=0 mean=0.0 std=0.0)

Y01A72		MUFA 16:1 (palmitoleic acid) (g)
N	Value	Description
82644	Range	0 - 5.89 (median=0 mean=0.0 std=0.1)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A73		MUFA 18:1 (oleic acid) (g)
N	Value	Description
82644	Range	0 - 37.907 (median=0.01 mean=0.640 std=1.624)

Y01A74		MUFA 20:1 (gadoleic acid) (g)
N	Value	Description
82644	Range	0 - 1.163 (median=0 mean=0.0 std=0.0)

Y01A75		MUFA 22:1 (erucic acid) (g)
N	Value	Description
82644	Range	0 - 0.951 (median=0 mean=0.0 std=0.0)

Y01A76		PUFA 18:2 (linoleic acid) (g)
N	Value	Description
82644	Range	0 - 61.032 (median=0.018 mean=0.3989 std=1.3294)

Y01A77		PUFA 18:3 (linolenic acid) (g)
N	Value	Description
82644	Range	0 - 5.905 (median=0.002 mean=0.0434 std=0.1518)

Y01A78		PUFA 18:4 (parinaric acid) (g)
N	Value	Description
82644	Range	0 - 0.169 (median=0 mean=0.0 std=0.0)

Y01A79		PUFA 20:4 (arachidonic acid) (g)
N	Value	Description
82644	Range	0 - 1.083 (median=0 mean=0.0 std=0.0)

Y01A80		PUFA 20:5 (eicosapentaenoic acid [EPA]) (g)
N	Value	Description
82644	Range	0 - 0.757 (median=0 mean=0.0 std=0.0)

Y01A81		PUFA 22:5 (docosapentaenoic acid [DPA]) (g)
N	Value	Description
82644	Range	0 - 0.381 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A82		<i>PUFA 22:6 (docosahexaenoic acid [DHA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 2.452 (median=0 mean=0.0 std=0.0)

Y01A83		<i>Tryptophan (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82144	Range	0 - 2.239 (median=0.001 mean=0.0265 std=0.0675)
500		Missing

Y01A84		<i>Threonine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82144	Range	0 - 8.765 (median=0.003 mean=0.0895 std=0.2409)
500		Missing

Y01A85		<i>Isoleucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82144	Range	0 - 10.246 (median=0.003 mean=0.1054 std=0.2852)
500		Missing

Y01A86		<i>Leucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82144	Range	0 - 15.696 (median=0.005 mean=0.1832 std=0.4644)
500		Missing

Y01A87		<i>Lysine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82144	Range	0 - 18.568 (median=0.004 mean=0.1561 std=0.4765)
500		Missing

Y01A88		<i>Methionine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82144	Range	0 - 5.704 (median=0.001 mean=0.0534 std=0.1521)
500		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A89		<i>Cystine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82129	Range	0 - 2.058 (median=0.001 mean=0.0286 std=0.0741)
515		Missing

Y01A90		<i>Phenylalanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82144	Range	0 - 8.184 (median=0.003 mean=0.1032 std=0.2481)
500		Missing

Y01A91		<i>Tyrosine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82144	Range	0 - 8.337 (median=0.002 mean=0.0824 std=0.2117)
500		Missing

Y01A92		<i>Valine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82144	Range	0 - 10.535 (median=0.004 mean=0.1199 std=0.3053)
500		Missing

Y01A93		<i>Arginine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82144	Range	0 - 13.745 (median=0.005 mean=0.1174 std=0.3473)
500		Missing

Y01A94		<i>Histidine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82144	Range	0 - 6.148 (median=0.002 mean=0.0644 std=0.1792)
500		Missing

Y01A95		<i>Alanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82142	Range	0 - 12.198 (median=0.004 mean=0.1080 std=0.3161)
502		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A96		<i>Aspartic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82142	Range	0 - 19.135 (median=0.011 mean=0.1978 std=0.5204)
502		Missing

Y01A97		<i>Glutamic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82142	Range	0 - 32.156 (median=0.019 mean=0.4517 std=1.0238)
502		Missing

Y01A98		<i>Glycine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82142	Range	0 - 9.77 (median=0.003 mean=0.0930 std=0.2994)
502		Missing

Y01A99		<i>Proline (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82142	Range	0 - 18.168 (median=0.004 mean=0.1579 std=0.3657)
502		Missing

Y01A100		<i>Serine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82142	Range	0 - 8.765 (median=0.004 mean=0.1069 std=0.2528)
502		Missing

Y01A101		<i>Aspartame (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 364.435 (median=0 mean=0.2 std=4.9)

Y01A102		<i>Saccharin (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 32.967 (median=0 mean=0.0 std=0.1)

Y01A103		<i>Caffeine (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 236.8 (median=0 mean=0.6 std=5.9)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A104		<i>Phytic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82373	Range	0 - 4426.063 (median=0 mean=16.7 std=61.1)
271		Missing

Y01A105		<i>Oxalic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82635	Range	0 - 1663.2 (median=0.276 mean=3.5965 std=20.6359)
9		Missing

Y01A106		<i>3-Methylhistidine (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82643	Range	0 - 89.98 (median=0 mean=0.5 std=2.5)
1		Missing

Y01A107		<i>Sucrose Polyester (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 1.178 (median=0 mean=0.0 std=0.0)

Y01A108		<i>Ash (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	-2.371 - 38.884 (median=0.175 mean=0.4901 std=0.8071)

Y01A109		<i>Water (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	-585.148 - 3791.242 (median=6.15 mean=52.823 std=115.853)

Y01A110		<i>% Calories from Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 100.022 (median=6.278 mean=24.6156 std=33.2615)

Y01A111		<i>% Calories from Carbohydrate</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 107.1 (median=43.122 mean=44.1863 std=40.4247)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A112		% Calories from Protein
N	Value	Description
82644	Range	0 - 100.001 (median=6.72 mean=11.761 std=16.264)

Y01A113		% Calories from Alcohol
N	Value	Description
82644	Range	0 - 100.055 (median=0 mean=0.3 std=4.8)

Y01A114		% Calories from SFA
N	Value	Description
82644	Range	0 - 94.5 (median=1.053 mean=7.6590 std=12.1152)

Y01A115		% Calories from MUFA
N	Value	Description
82644	Range	0 - 83.689 (median=0.694 mean=8.5181 std=14.2005)

Y01A116		% Calories from PUFA
N	Value	Description
82644	Range	0 - 69.9 (median=1.399 mean=6.2149 std=12.9776)

Y01A117		Polyunsaturated to Saturated Fat Ratio
N	Value	Description
82644	Range	0 - 20 (median=0.701 mean=1.2744 std=1.4982)

Y01A118		Cholesterol to Saturated Fatty Acid Index
N	Value	Description
82644	Range	0 - 115.951 (median=0.015 mean=1.0858 std=3.0543)

Y01A119		Total Vitamin A Activity (Retinol Equivalentents) (mcg)
N	Value	Description
82644	Range	0 - 8042.901 (median=0.002 mean=23.9484 std=98.6584)

Y01A120		TRANS 18:1 (trans-octadecenoic acid [elaidic acid]) (g)
N	Value	Description
82641	Range	0 - 9.191 (median=0 mean=0.1 std=0.2)
3		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A121		<i>TRANS 18:2 (trans-octadecadienoic acid [linoleic acid]; incl. c-t, t-c, t-t) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82641	Range	0 - 1.854 (median=0 mean=0.0 std=0.0)
3		Missing

Y01A122		<i>TRANS 16:1 (trans-hexadecenoic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82641	Range	0 - 0.296 (median=0 mean=0.0 std=0.0)
3		Missing

Y01A123		<i>Total Trans-Fatty Acids (TRANS) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 9.908 (median=0 mean=0.1 std=0.3)

Y01A124		<i>User Nutrient 1 (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A125		<i>User Nutrient 2 (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A126		<i>User Nutrient 3 (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A127		<i>User Nutrient 4 (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A128		<i>User Nutrient 5 (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A129		User Nutrient 6 (mg)
N	Value	Description
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A130		User Nutrient 7 (mg)
N	Value	Description
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A131		User Nutrient 8 (mg)
N	Value	Description
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A132		User Nutrient 9 (mg)
N	Value	Description
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A133		User Nutrient 10 (mg)
N	Value	Description
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A134		Food Detail Notes
N	Value	Description
24487	Present	Variable/Text Values Suppressed
58157		Missing

Y01A135		Beta-Carotene (provitamin A carotenoid) (mcg)
N	Value	Description
82644	Range	0 - 30383.76 (median=0 mean=41.9 std=377.0)

Y01A136		Alpha-Carotene (provitamin A carotenoid) (mcg)
N	Value	Description
82644	Range	0 - 10421.76 (median=0 mean=8.4 std=124.7)

Y01A137		Beta-Cryptoxanthin (provitamin A carotenoid) (mcg)
N	Value	Description
82644	Range	0 - 2664.375 (median=0 mean=2.8 std=26.8)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A138		<i>Lutein + Zeaxanthin (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 37263.75 (median=0 mean=23.9 std=203.6)

Y01A139		<i>Lycopene (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 122552.325 (median=0 mean=155.6 std=1447.6)

Y01A140		<i>Dietary Folate Equivalents (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 2715.44 (median=0.586 mean=17.9740 std=69.8352)

Y01A141		<i>Natural Folate (food folate) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 611.14 (median=0.525 mean=5.2146 std=17.3009)

Y01A142		<i>Synthetic Folate (folic acid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 1592.24 (median=0 mean=7.5 std=39.2)

Y01A143		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644		Missing

Y01A144		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644		Missing

Y01A145		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644		Missing

Y01A146		<i>User Nutrient 11 (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A147		User Nutrient 12 (mg)
N	Value	Description
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A148		User Nutrient 13 (mg)
N	Value	Description
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A149		User Nutrient 14 (mg)
N	Value	Description
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A150		User Nutrient 15 (mg)
N	Value	Description
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A151		User Nutrient 16 (mg)
N	Value	Description
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A152		User Nutrient 17 (mg)
N	Value	Description
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A153		User Nutrient 18 (mg)
N	Value	Description
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A154		User Nutrient 19 (mg)
N	Value	Description
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A155		User Nutrient 20 (mg)
N	Value	Description
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A156		Total Vitamin A Activity (Retinol Activity Equivalents) (mcg)
N	Value	Description
82644	Range	0 - 8030.64 (median=0.001 mean=19.9854 std=77.5950)

Y01A157		Energy (kj)
N	Value	Description
82644	Range	0 - 8057.869 (median=62.383 mean=238.2050 std=374.4593)

Y01A158		Niacin Equivalents (mg)
N	Value	Description
82644	Range	0 - 82.576 (median=0.057 mean=1.0984 std=2.7507)

Y01A159		Total Sugars (g)
N	Value	Description
82644	Range	0 - 247.966 (median=0.071 mean=3.4315 std=8.8111)

Y01A160		Omega-3 Fatty Acids (g)
N	Value	Description
82644	Range	0 - 5.905 (median=0.002 mean=0.0465 std=0.1568)

Y01A161		Manganese (mg)
N	Value	Description
82644	Range	-0.002 - 8.583 (median=0.005 mean=0.0766 std=0.2243)

Y01A162		Vitamin E (International Units) (IU)
N	Value	Description
82644	Range	0 - 67.501 (median=0.032 mean=0.3251 std=1.4203)

Y01A163		Natural Alpha-Tocopherol (RRR-alpha-tocopherol or d-alpha-tocopherol) (mg)
N	Value	Description
82644	Range	0 - 31.233 (median=0.023 mean=0.1844 std=0.5583)

Y01A164		Synthetic Alpha-Tocopherol (all rac-alpha-tocopherol or dl-alpha-tocopherol) (mg)
N	Value	Description
82644	Range	0 - 67.039 (median=0 mean=0.1 std=1.1)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A165		<i>Daidzein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 20.575 (median=0 mean=0.0 std=0.2)

Y01A166		<i>Genistein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 22.125 (median=0 mean=0.0 std=0.3)

Y01A167		<i>Glycitein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 3.625 (median=0 mean=0.0 std=0.0)

Y01A168		<i>Coumestrol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 1.476 (median=0 mean=0.0 std=0.0)

Y01A169		<i>Biochanin A (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 4.117 (median=0 mean=0.0 std=0.0)

Y01A170		<i>Formononetin (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 0.427 (median=0 mean=0.0 std=0.0)

Y01A171		<i>Preparation Ingredient Flag</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3277	Y	
79367		Missing

Y01A172		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644		Missing

Y01A173		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A174		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644		Missing

Y01A175		<i>Added Sugars (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 261.854 (median=0 mean=2.2 std=8.0)

Y01A176		<i>Acesulfame Potassium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 162.6 (median=0 mean=0.0 std=1.0)

Y01A177		<i>Sucralose (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 4771.026 (median=0 mean=0.1 std=19.6)

Y01A178		<i>Available Carbohydrate (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 281.275 (median=0.283 mean=7.0996 std=14.5184)

Y01A179		<i>Glycemic Index (glucose reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 105.105 (median=41 mean=34.3 std=28.8)

Y01A180		<i>Glycemic Index (bread reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 150.15 (median=58.63 mean=48.992 std=41.184)

Y01A181		<i>Glycemic Load (glucose reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 274.947 (median=0.116 mean=4.2975 std=9.4409)

Y01A182		<i>Glycemic Load (bread reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 393.174 (median=0.166 mean=6.1428 std=13.4945)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A183		<i>Choline (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 1003.464 (median=0.734 mean=8.9687 std=28.2215)

Y01A184		<i>Betaine (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 1246 (median=0.019 mean=3.3162 std=15.9045)

Y01A185		<i>Erythritol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 0.024 (median=0 mean=0.0 std=0.0)

Y01A186		<i>Inositol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 1.384 (median=0 mean=0.0 std=0.0)

Y01A187		<i>Isomalt (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y01A188		<i>Lactitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 1.488 (median=0 mean=0.0 std=0.0)

Y01A189		<i>Maltitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 50.117 (median=0 mean=0.0 std=0.2)

Y01A190		<i>Mannitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 4 (median=0 mean=0.0 std=0.1)

Y01A191		<i>Pinitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 0.213 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y01A192		<i>Sorbitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 10.353 (median=0 mean=0.0 std=0.1)

Y01A193		<i>Xylitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 0.272 (median=0 mean=0.0 std=0.0)

Y01A194		<i>Nitrogen (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 31.523 (median=0.02 mean=0.367 std=0.926)

Y01A195		<i>Total Conjugated Linoleic Acid (CLA 18:2) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 0.906 (median=0 mean=0.0 std=0.0)

Y01A196		<i>CLA cis-9, trans-11 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 0.774 (median=0 mean=0.0 std=0.0)

Y01A197		<i>CLA trans-10, cis-12 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 0.155 (median=0 mean=0.0 std=0.0)

Y01A198		<i>Tagatose (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 36.037 (median=0 mean=0.0 std=0.3)

Y01A199		<i>Vitamin D2 (ergocalciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 3.918 (median=0 mean=0.0 std=0.1)

Y01A200		<i>Vitamin D3 (cholecalciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
82644	Range	0 - 23.13 (median=0 mean=0.2 std=0.8)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Nutrients at the Whole Food Level (NDSR2): FORM CODE=Y02

<i>RECALLNUM</i>		<i>First or Second dietary recall</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
17532	1	First Dietary Recall
16452	2	Second Dietary Recall

<i>FOODID</i>		<i>Food File ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33984	Present	Variable/Text Values Suppressed

<i>Y02A1</i>		<i>Project Abbreviation</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33984	Present	Variable/Text Values Suppressed

<i>Y02A2</i>		<i>Participant/Recipe/Menu ID: (Refer to ID)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

<i>Y02A3</i>		<i>Date of Intake</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33984	Range	12/16/2011 - 01/15/2014

<i>Y02A4</i>		<i>Food File ID (Refer to FOODID)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

<i>Y02A5</i>		<i>Foods Report Item Number</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33984	Present	Variable/Text Values Suppressed

<i>Y02A6</i>		<i>Food Name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33984	Present	Variable/Text Values Suppressed

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A7		<i>Food ID (Removed due to data processing errors)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

Y02A8		<i>Gram Amount of Food</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	-0.24 - 3792 (median=114 mean=158.6 std=165.2)
578		Missing

Y02A9		<i>FDA Serving Size (Grams)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33070	Range	0.27 - 406 (median=140 mean=142.8 std=89.4)
914		Missing

Y02A10		<i>NCC Database Food Group ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33071	Range	2 - 135 (median=72 mean=68.2 std=35.7)
913		Missing

Y02A11		<i>Amount Reported</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33984	Present	Variable/Text Values Suppressed

Y02A12		<i>Food ID Type</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33071	0	NCC food
578	1	Assembled food or recipe description
335	2	User recipe

Y02A13		<i>Unknown (default) Food</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
29172	0	No
4812	1	Yes

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A14		<i>Addition and Assembled Food or Recipe/User Recipe Ingredients</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
27066	0	Not an addition or assembled food or recipe/user recipe ingredient
4791	1	Addition
2127	2	Ingredient of assembled food or recipe or user recipe ingredient

Y02A15		<i>Parent Food File ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33984	Present	Variable/Text Values Suppressed

Y02A16		<i>Preparation Food ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33984	Present	Variable/Text Values Suppressed

Y02A17		<i>Preparation Food Description</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3201	Present	Variable/Text Values Suppressed
30783		Missing

Y02A18		<i>Energy (kcal)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 2987.429 (median=102.48 mean=140.848 std=158.566)
578		Missing

Y02A19		<i>Total Fat (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 152.957 (median=1.51 mean=5.013 std=8.453)
578		Missing

Y02A20		<i>Total Carbohydrate (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 416.574 (median=13.176 mean=18.6832 std=21.9838)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A21		Total Protein (g)
N	Value	Description
33406	Range	0 - 197.032 (median=1.947 mean=5.6354 std=9.4624)
578		Missing

Y02A22		Animal Protein (g)
N	Value	Description
33406	Range	0 - 197.032 (median=0 mean=4.0 std=8.7)
578		Missing

Y02A23		Vegetable Protein (g)
N	Value	Description
33406	Range	0 - 52.648 (median=0.25 mean=1.655 std=3.005)
578		Missing

Y02A24		Alcohol (g)
N	Value	Description
33406	Range	0 - 38.955 (median=0 mean=0.0 std=0.3)
578		Missing

Y02A25		Cholesterol (mg)
N	Value	Description
33406	Range	0 - 1316.057 (median=0 mean=18.4 std=52.8)
578		Missing

Y02A26		Total Saturated Fatty Acids (SFA) (g)
N	Value	Description
33406	Range	0 - 92.958 (median=0.349 mean=1.7491 std=3.2574)
578		Missing

Y02A27		Total Monounsaturated Fatty Acids (MUFA) (g)
N	Value	Description
33406	Range	0 - 56.3 (median=0.387 mean=1.7031 std=3.1225)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A28		Total Polyunsaturated Fatty Acids (PUFA) (g)
N	Value	Description
33406	Range	0 - 67.639 (median=0.17 mean=1.118 std=2.456)
578		Missing

Y02A29		Fructose (g)
N	Value	Description
33398	Range	0 - 81.048 (median=0.045 mean=1.8178 std=4.1601)
586		Missing

Y02A30		Galactose (g)
N	Value	Description
33398	Range	0 - 11.529 (median=0 mean=0.0 std=0.2)
586		Missing

Y02A31		Glucose (g)
N	Value	Description
33398	Range	0 - 138.013 (median=0.131 mean=1.7244 std=3.9360)
586		Missing

Y02A32		Lactose (g)
N	Value	Description
33406	Range	0 - 71.37 (median=0 mean=1.4 std=4.0)
578		Missing

Y02A33		Maltose (g)
N	Value	Description
33398	Range	0 - 36.214 (median=0 mean=0.2 std=0.7)
586		Missing

Y02A34		Sucrose (g)
N	Value	Description
33398	Range	0 - 214.763 (median=0.111 mean=3.3950 std=7.8327)
586		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A35		<i>Starch (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 283.058 (median=0 mean=7.8 std=14.9)
578		Missing

Y02A36		<i>Total Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 54.829 (median=0.27 mean=1.105 std=2.049)
578		Missing

Y02A37		<i>Soluble Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33393	Range	0 - 26.104 (median=0.035 mean=0.3493 std=0.7235)
591		Missing

Y02A38		<i>Insoluble Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33393	Range	0 - 54.056 (median=0.135 mean=0.7486 std=1.5101)
591		Missing

Y02A39		<i>Pectins (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
32630	Range	0 - 10.404 (median=0 mean=0.1 std=0.4)
1354		Missing

Y02A40		<i>Total Vitamin A Activity (International Units) (IU)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 50991.07 (median=36.4 mean=328.21 std=1235.12)
578		Missing

Y02A41		<i>Beta-Carotene Equivalents (derived from provitamin A carotenoids) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 30476.659 (median=1.7935 mean=117.65194 std=715.07394)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A42		<i>Retinol (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 8018.379 (median=0 mean=39.6 std=107.2)
578		Missing

Y02A43		<i>Vitamin D (calciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 23.13 (median=0 mean=0.5 std=1.2)
578		Missing

Y02A44		<i>Total Alpha-Tocopherol Equivalentents (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 67.4 (median=0.142 mean=0.6802 std=2.1107)
578		Missing

Y02A45		<i>Vitamin E (Total Alpha-Tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 32.361 (median=0.1215 mean=0.51239 std=1.24988)
578		Missing

Y02A46		<i>Beta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 2.44 (median=0 mean=0.0 std=0.1)
578		Missing

Y02A47		<i>Gamma-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 52.147 (median=0.024 mean=0.8763 std=2.2960)
578		Missing

Y02A48		<i>Delta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 14.585 (median=0 mean=0.2 std=0.6)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A49		<i>Vitamin K (phylloquinone) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 1284.163 (median=0.495 mean=4.2053 std=16.8254)
578		Missing

Y02A50		<i>Vitamin C (ascorbic acid) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 511.704 (median=0.05 mean=6.538 std=19.571)
578		Missing

Y02A51		<i>Thiamin (vitamin B1) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 4.398 (median=0.049 mean=0.1317 std=0.2187)
578		Missing

Y02A52		<i>Riboflavin (vitamin B2) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 3.824 (median=0.055 mean=0.1545 std=0.2316)
578		Missing

Y02A53		<i>Niacin (vitamin B3) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 45.267 (median=0.308 mean=1.6319 std=3.0719)
578		Missing

Y02A54		<i>Pantothenic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 22.498 (median=0.151 mean=0.3509 std=0.5964)
578		Missing

Y02A55		<i>Vitamin B-6 (pyridoxine, pyridoxyl, & pyridoxamine) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 6.001 (median=0.054 mean=0.1392 std=0.2548)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A56		Total Folate (mcg)
N	Value	Description
33406	Range	0 - 1600.56 (median=7.97 mean=31.465 std=67.359)
578		Missing

Y02A57		Vitamin B-12 (cobalamin) (mcg)
N	Value	Description
33406	Range	0 - 60.027 (median=0 mean=0.4 std=1.0)
578		Missing

Y02A58		Calcium (mg)
N	Value	Description
33406	Range	-0.057 - 4453.69 (median=19.44 mean=77.585 std=138.936)
578		Missing

Y02A59		Phosphorus (mg)
N	Value	Description
33406	Range	0 - 4062.586 (median=40.08 mean=92.365 std=131.544)
578		Missing

Y02A60		Magnesium (mg)
N	Value	Description
33406	Range	-0.002 - 570.692 (median=10.463 mean=17.8629 std=22.5009)
578		Missing

Y02A61		Iron (mg)
N	Value	Description
33406	Range	0 - 43.2 (median=0.3 mean=1.15 std=2.33)
578		Missing

Y02A62		Zinc (mg)
N	Value	Description
33406	Range	0 - 33.747 (median=0.286 mean=0.8212 std=1.5142)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A63		<i>Copper (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 12.148 (median=0.036 mean=0.0758 std=0.1609)
578		Missing

Y02A64		<i>Selenium (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 467.845 (median=2.522 mean=7.9259 std=13.8766)
578		Missing

Y02A65		<i>Sodium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	-92.825 - 17857.475 (median=93.86 mean=237.788 std=426.777)
578		Missing

Y02A66		<i>Potassium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	-0.019 - 4390.34 (median=84.9465 mean=164.42400 std=223.39311)
578		Missing

Y02A67		<i>SFA 4:0 (butyric acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 5.619 (median=0 mean=0.0 std=0.1)
578		Missing

Y02A68		<i>SFA 6:0 (caproic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 2.518 (median=0 mean=0.0 std=0.1)
578		Missing

Y02A69		<i>SFA 8:0 (caprylic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 1.85 (median=0 mean=0.0 std=0.1)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A70		SFA 10:0 (capric acid) (g)
N	Value	Description
33406	Range	0 - 3.229 (median=0 mean=0.0 std=0.1)
578		Missing

Y02A71		SFA 12:0 (lauric acid) (g)
N	Value	Description
33406	Range	0 - 13.169 (median=0 mean=0.1 std=0.4)
578		Missing

Y02A72		SFA 14:0 (myristic acid) (g)
N	Value	Description
33406	Range	0 - 15.689 (median=0.003 mean=0.1628 std=0.4171)
578		Missing

Y02A73		SFA 16:0 (palmitic acid) (g)
N	Value	Description
33406	Range	0 - 41.379 (median=0.223 mean=0.9393 std=1.7029)
578		Missing

Y02A74		SFA 17:0 (margaric acid) (g)
N	Value	Description
33406	Range	0 - 0.555 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A75		SFA 18:0 (stearic acid) (g)
N	Value	Description
33406	Range	0 - 16.903 (median=0.07 mean=0.410 std=0.792)
578		Missing

Y02A76		SFA 20:0 (arachidic acid) (g)
N	Value	Description
33406	Range	0 - 0.626 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A77		<i>SFA 22:0 (behenic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 1.37 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A78		<i>MUFA 14:1 (myristoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 1.502 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A79		<i>MUFA 16:1 (palmitoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 5.89 (median=0.004 mean=0.0795 std=0.2041)
578		Missing

Y02A80		<i>MUFA 18:1 (oleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 50.886 (median=0.3605 mean=1.58413 std=2.89011)
578		Missing

Y02A81		<i>MUFA 20:1 (gadoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 1.163 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A82		<i>MUFA 22:1 (erucic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 0.951 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A83		<i>PUFA 18:2 (linoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 65.706 (median=0.136 mean=0.9867 std=2.2261)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A84		<i>PUFA 18:3 (linolenic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 5.955 (median=0.017 mean=0.1075 std=0.2549)
578		Missing

Y02A85		<i>PUFA 18:4 (parinaric acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 0.169 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A86		<i>PUFA 20:4 (arachidonic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 1.083 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A87		<i>PUFA 20:5 (eicosapentaenoic acid [EPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 0.757 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A88		<i>PUFA 22:5 (docosapentaenoic acid [DPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 0.381 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A89		<i>PUFA 22:6 (docosahexaenoic acid [DHA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 2.452 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A90		<i>Tryptophan (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33378	Range	0 - 2.26 (median=0.02 mean=0.065 std=0.112)
606		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A91		<i>Threonine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33378	Range	0 - 8.765 (median=0.063 mean=0.2204 std=0.3879)
606		Missing

Y02A92		<i>Isoleucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33378	Range	0 - 10.246 (median=0.071 mean=0.2594 std=0.4585)
606		Missing

Y02A93		<i>Leucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33378	Range	0 - 17.358 (median=0.154 mean=0.4508 std=0.7530)
606		Missing

Y02A94		<i>Lysine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33378	Range	0 - 18.568 (median=0.072 mean=0.3843 std=0.7456)
606		Missing

Y02A95		<i>Methionine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33378	Range	0 - 5.704 (median=0.033 mean=0.1315 std=0.2424)
606		Missing

Y02A96		<i>Cystine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33376	Range	0 - 2.058 (median=0.025 mean=0.0704 std=0.1219)
608		Missing

Y02A97		<i>Phenylalanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33378	Range	0 - 9.53 (median=0.09 mean=0.254 std=0.407)
606		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A98		Tyrosine (g)
N	Value	Description
33378	Range	0 - 9.366 (median=0.056 mean=0.2027 std=0.3427)
606		Missing

Y02A99		Valine (g)
N	Value	Description
33378	Range	0 - 11.895 (median=0.091 mean=0.2952 std=0.4911)
606		Missing

Y02A100		Arginine (g)
N	Value	Description
33378	Range	0 - 13.745 (median=0.098 mean=0.2889 std=0.5544)
606		Missing

Y02A101		Histidine (g)
N	Value	Description
33378	Range	0 - 6.148 (median=0.047 mean=0.1585 std=0.2878)
606		Missing

Y02A102		Alanine (g)
N	Value	Description
33378	Range	0 - 12.198 (median=0.088 mean=0.2657 std=0.5043)
606		Missing

Y02A103		Aspartic Acid (g)
N	Value	Description
33378	Range	0 - 19.135 (median=0.167 mean=0.4868 std=0.8310)
606		Missing

Y02A104		Glutamic Acid (g)
N	Value	Description
33378	Range	0 - 37.96 (median=0.393 mean=1.1115 std=1.7690)
606		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A105		<i>Glycine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33378	Range	0 - 9.77 (median=0.065 mean=0.2289 std=0.4756)
606		Missing

Y02A106		<i>Proline (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33378	Range	0 - 20.045 (median=0.136 mean=0.3885 std=0.6207)
606		Missing

Y02A107		<i>Serine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33378	Range	0 - 9.407 (median=0.089 mean=0.2632 std=0.4117)
606		Missing

Y02A108		<i>Aspartame (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 364.435 (median=0 mean=0.4 std=7.7)
578		Missing

Y02A109		<i>Saccharin (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 32.967 (median=0 mean=0.0 std=0.2)
578		Missing

Y02A110		<i>Caffeine (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 236.8 (median=0 mean=1.5 std=9.2)
578		Missing

Y02A111		<i>Phytic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33400	Range	0 - 4426.063 (median=1.264 mean=41.2952 std=93.4899)
584		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A112		<i>Oxalic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33398	Range	0 - 1663.2 (median=1.481 mean=8.8987 std=33.3144)
586		Missing

Y02A113		<i>3-Methylhistidine (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 89.98 (median=0 mean=1.1 std=3.9)
579		Missing

Y02A114		<i>Sucrose Polyester (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 1.178 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A115		<i>Ash (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	-0.239 - 66.853 (median=0.699 mean=1.2124 std=1.6123)
578		Missing

Y02A116		<i>Water (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 3791.242 (median=77.86 mean=130.684 std=161.351)
578		Missing

Y02A117		<i>% Calories from Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 100 (median=13.456 mean=23.1149 std=24.7183)
578		Missing

Y02A118		<i>% Calories from Carbohydrate</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 107.1 (median=53.585 mean=51.2934 std=36.1230)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A119		% Calories from Protein
N	Value	Description
33406	Range	0 - 93.903 (median=7.035 mean=12.8983 std=15.4630)
578		Missing

Y02A120		% Calories from Alcohol
N	Value	Description
33406	Range	0 - 100.055 (median=0 mean=0.0 std=0.8)
578		Missing

Y02A121		% Calories from SFA
N	Value	Description
33406	Range	0 - 62.974 (median=2.722 mean=8.2522 std=10.9824)
578		Missing

Y02A122		% Calories from MUFA
N	Value	Description
33406	Range	0 - 72.961 (median=3.763 mean=7.5806 std=9.3298)
578		Missing

Y02A123		% Calories from PUFA
N	Value	Description
33406	Range	0 - 60.374 (median=1.926 mean=5.1160 std=8.4415)
578		Missing

Y02A124		Polyunsaturated to Saturated Fat Ratio
N	Value	Description
33406	Range	0 - 20 (median=0.588 mean=1.1440 std=1.4203)
578		Missing

Y02A125		Cholesterol to Saturated Fatty Acid Index
N	Value	Description
33406	Range	0 - 117.654 (median=0.405 mean=2.6861 std=5.1445)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A126		Total Vitamin A Activity (Retinol Equivalents) (mcg)
N	Value	Description
33406	Range	0 - 8042.901 (median=5.845 mean=59.2493 std=158.1619)
578		Missing

Y02A127		TRANS 18:1 (trans-octadecenoic acid [elaidic acid]) (g)
N	Value	Description
33403	Range	0 - 11.73 (median=0 mean=0.1 std=0.4)
581		Missing

Y02A128		TRANS 18:2 (trans-octadecadienoic acid [linolelaidic acid]; incl. c-t, t-c, t-t) (g)
N	Value	Description
33403	Range	0 - 1.854 (median=0 mean=0.0 std=0.1)
581		Missing

Y02A129		TRANS 16:1 (trans-hexadecenoic acid) (g)
N	Value	Description
33403	Range	0 - 0.296 (median=0 mean=0.0 std=0.0)
581		Missing

Y02A130		Total Trans-Fatty Acids (TRANS) (g)
N	Value	Description
33406	Range	0 - 12.698 (median=0.006 mean=0.1587 std=0.4434)
578		Missing

Y02A131		User Nutrient 1 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A132		User Nutrient 2 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A133		User Nutrient 3 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A134		User Nutrient 4 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A135		User Nutrient 5 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A136		User Nutrient 6 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A137		User Nutrient 7 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A138		User Nutrient 8 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A139		User Nutrient 9 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A140		User Nutrient 10 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A141		Food Detail Notes
N	Value	Description
8905	Present	Variable/Text Values Suppressed
25079		Missing

Y02A142		Beta-Carotene (provitamin A carotenoid) (mcg)
N	Value	Description
33406	Range	0 - 30419.899 (median=1.46 mean=103.708 std=636.600)
578		Missing

Y02A143		Alpha-Carotene (provitamin A carotenoid) (mcg)
N	Value	Description
33406	Range	0 - 10421.76 (median=0 mean=20.9 std=196.6)
578		Missing

Y02A144		Beta-Cryptoxanthin (provitamin A carotenoid) (mcg)
N	Value	Description
33406	Range	0 - 2664.375 (median=0 mean=7.0 std=42.0)
578		Missing

Y02A145		Lutein + Zeaxanthin (mcg)
N	Value	Description
33406	Range	0 - 37263.75 (median=0.828 mean=59.0642 std=336.6658)
578		Missing

Y02A146		Lycopene (mcg)
N	Value	Description
33406	Range	0 - 122552.325 (median=0 mean=385.0 std=2320.6)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A147		<i>Dietary Folate Equivalent (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 2715.44 (median=8.55 mean=44.467 std=107.140)
578		Missing

Y02A148		<i>Natural Folate (food folate) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 611.14 (median=4.93 mean=12.901 std=27.590)
578		Missing

Y02A149		<i>Synthetic Folate (folic acid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 1592.24 (median=0 mean=18.6 std=60.1)
578		Missing

Y02A150		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33984		Missing

Y02A151		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33984		Missing

Y02A152		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33984		Missing

Y02A153		<i>User Nutrient 11 (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A154		<i>User Nutrient 12 (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A155		User Nutrient 13 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A156		User Nutrient 14 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A157		User Nutrient 15 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A158		User Nutrient 16 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A159		User Nutrient 17 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A160		User Nutrient 18 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A161		User Nutrient 19 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A162		User Nutrient 20 (mg)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A163		Total Vitamin A Activity (Retinol Activity Equivalents) (mcg)
N	Value	Description
33406	Range	0 - 8030.64 (median=3.66 mean=49.445 std=121.238)
578		Missing

Y02A164		Energy (kj)
N	Value	Description
33406	Range	0 - 12499.404 (median=428.776 mean=589.3099 std=663.4385)
578		Missing

Y02A165		Niacin Equivalents (mg)
N	Value	Description
33406	Range	0 - 82.576 (median=1.049 mean=2.7173 std=4.4973)
578		Missing

Y02A166		Total Sugars (g)
N	Value	Description
33406	Range	0 - 398.693 (median=2.609 mean=8.4894 std=13.0939)
578		Missing

Y02A167		Omega-3 Fatty Acids (g)
N	Value	Description
33406	Range	0 - 6.726 (median=0.02 mean=0.115 std=0.266)
578		Missing

Y02A168		Manganese (mg)
N	Value	Description
33406	Range	0 - 8.583 (median=0.048 mean=0.1895 std=0.3468)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A169		<i>Vitamin E (International Units) (IU)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 67.501 (median=0.181 mean=0.8042 std=2.2877)
578		Missing

Y02A170		<i>Natural Alpha-Tocopherol (RRR-alpha-tocopherol or d-alpha-tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 32.361 (median=0.119 mean=0.4561 std=0.9582)
578		Missing

Y02A171		<i>Synthetic Alpha-Tocopherol (all rac-alpha-tocopherol or dl-alpha-tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 67.039 (median=0 mean=0.1 std=1.8)
578		Missing

Y02A172		<i>Daidzein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 20.575 (median=0 mean=0.0 std=0.3)
578		Missing

Y02A173		<i>Genistein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 22.125 (median=0 mean=0.0 std=0.4)
578		Missing

Y02A174		<i>Glycitein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 3.625 (median=0 mean=0.0 std=0.1)
578		Missing

Y02A175		<i>Coumestrol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 1.476 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A176		Biochanin A (mg)
N	Value	Description
33406	Range	0 - 4.117 (median=0 mean=0.0 std=0.1)
578		Missing

Y02A177		Formononetin (mg)
N	Value	Description
33406	Range	0 - 0.427 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A178		Column intentionally left blank
N	Value	Description
33984		Missing

Y02A179		Column intentionally left blank
N	Value	Description
33984		Missing

Y02A180		Column intentionally left blank
N	Value	Description
33984		Missing

Y02A181		Column intentionally left blank
N	Value	Description
33984		Missing

Y02A182		Added Sugars (g)
N	Value	Description
33406	Range	0 - 261.854 (median=0 mean=5.4 std=12.2)
578		Missing

Y02A183		Acesulfame Potassium (mg)
N	Value	Description
33406	Range	0 - 162.6 (median=0 mean=0.1 std=1.6)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A184		<i>Sucralose (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 4771.026 (median=0 mean=0.3 std=30.8)
578		Missing

Y02A185		<i>Available Carbohydrate (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 399.056 (median=12.176 mean=17.5641 std=20.8691)
578		Missing

Y02A186		<i>Glycemic Index (glucose reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 105.105 (median=50 mean=45.8 std=26.5)
578		Missing

Y02A187		<i>Glycemic Index (bread reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 150.15 (median=71.5 mean=65.50 std=37.91)
578		Missing

Y02A188		<i>Glycemic Load (glucose reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 274.947 (median=6.243 mean=10.5806 std=13.6419)
578		Missing

Y02A189		<i>Glycemic Load (bread reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 393.174 (median=8.9235 mean=15.12350 std=19.49971)
578		Missing

Y02A190		<i>Choline (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 1071.168 (median=6.402 mean=22.1888 std=44.5698)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A191		Betaine (mg)
N	Value	Description
33406	Range	0 - 1251.127 (median=0.427 mean=8.2040 std=24.8280)
578		Missing

Y02A192		Erythritol (g)
N	Value	Description
33406	Range	0 - 0.024 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A193		Inositol (g)
N	Value	Description
33406	Range	0 - 1.384 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A194		Isomalt (g)
N	Value	Description
33406	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A195		Lactitol (g)
N	Value	Description
33406	Range	0 - 1.488 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A196		Maltitol (g)
N	Value	Description
33406	Range	0 - 50.117 (median=0 mean=0.0 std=0.3)
578		Missing

Y02A197		Mannitol (g)
N	Value	Description
33406	Range	0 - 4 (median=0 mean=0.0 std=0.1)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A198		<i>Pinitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 0.213 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A199		<i>Sorbitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 10.353 (median=0 mean=0.0 std=0.2)
578		Missing

Y02A200		<i>Xylitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 0.272 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A201		<i>Nitrogen (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 31.523 (median=0.317 mean=0.9092 std=1.5215)
578		Missing

Y02A202		<i>Total Conjugated Linoleic Acid (CLA 18:2) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 0.906 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A203		<i>CLA cis-9, trans-11 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 0.774 (median=0 mean=0.0 std=0.0)
578		Missing

Y02A204		<i>CLA trans-10, cis-12 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 0.155 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y02A205		<i>Tagatose (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 36.037 (median=0 mean=0.1 std=0.5)
578		Missing

Y02A206		<i>Vitamin D2 (ergocalciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 3.918 (median=0 mean=0.0 std=0.1)
578		Missing

Y02A207		<i>Vitamin D3 (cholecalciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33406	Range	0 - 23.13 (median=0 mean=0.5 std=1.2)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Nutrients at the Meal Level (NDSR3): FORM CODE=Y03

<i>RECALLNUM</i>		<i>First or second dietary recall</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6407	1	First Dietary Recall
5999	2	Second Dietary Recall

<i>MEALID</i>		<i>Index of meal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	1	meal 1
2809	2	meal 2
2719	3	meal 3
2168	4	meal 4
1178	5	meal 5
478	6	meal 6
161	7	meal 7
50	8	meal 8
17	9	meal 9
9	10	meal 10
2	11	meal 11
1	12	meal 12
1	13	meal 13
1	14	meal 14

<i>Y03A1</i>		<i>Project Abbreviation</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Present	Variable/Text Values Suppressed

<i>Y03A2</i>		<i>Participant/Menu ID: (Refer to ID)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

<i>Y03A3</i>		<i>Date of Intake</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	12/16/2011 - 01/15/2014

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A4		Meal File ID: (Refer to MEALID)
N	Value	Description
		This variable has been removed

Y03A5		Meal Time
N	Value	Description
12406	Range	0:00 - 23:59

Y03A6		Meal Name
N	Value	Description
2492	1	Breakfast
2118	3	Lunch
3215	4	Snack
2633	5	Dinner/Supper
1617	6	Other
330	7	School Lunch
1		Missing

Y03A7		Meal Location
N	Value	Description
8884	1	Home
17	2	Work
2282	3	School
10	4	Day care
24	6	Deli/take-out/store
412	7	Restaurant/cafeteria/fast food
225	10	Friend's home
1	11	Community meal program
57	12	Party/reception/sporting event
494	13	Other

Y03A8		Total Grams
N	Value	Description
12406	Range	0 - 3792 (median=377.9535 mean=427.11609 std=291.63980)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A9		<i>Energy (kcal)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 4242.085 (median=322.24 mean=379.323 std=317.306)
2		Missing

Y03A10		<i>Total Fat (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 231.194 (median=9.568 mean=13.5020 std=14.9599)
2		Missing

Y03A11		<i>Total Carbohydrate (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 571.092 (median=43.5095 mean=50.31629 std=41.21089)
2		Missing

Y03A12		<i>Total Protein (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 229.111 (median=10.828 mean=15.1766 std=16.2078)
2		Missing

Y03A13		<i>Animal Protein (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 197.032 (median=6.793 mean=10.7197 std=13.6889)
2		Missing

Y03A14		<i>Vegetable Protein (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 65.417 (median=3.0625 mean=4.45636 std=4.94965)
2		Missing

Y03A15		<i>Alcohol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 39.051 (median=0 mean=0.0 std=0.5)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A16		<i>Cholesterol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1418.332 (median=21.6905 mean=49.52994 std=86.77714)
2		Missing

Y03A17		<i>Total Saturated Fatty Acids (SFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 129.717 (median=3.229 mean=4.7105 std=5.5677)
2		Missing

Y03A18		<i>Total Monounsaturated Fatty Acids (MUFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 69.288 (median=2.885 mean=4.5868 std=5.5074)
2		Missing

Y03A19		<i>Total Polyunsaturated Fatty Acids (PUFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 68.368 (median=1.4555 mean=3.00998 std=4.34255)
2		Missing

Y03A20		<i>Fructose (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 82.706 (median=1.6795 mean=4.89436 std=6.85877)
2		Missing

Y03A21		<i>Galactose (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 11.529 (median=0.001 mean=0.0511 std=0.2956)
2		Missing

Y03A22		<i>Glucose (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 141.231 (median=2.044 mean=4.6431 std=6.6118)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A23		<i>Lactose (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 71.37 (median=0.1315 mean=3.70832 std=6.16132)
2		Missing

Y03A24		<i>Maltose (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 37.508 (median=0.091 mean=0.5362 std=1.1186)
2		Missing

Y03A25		<i>Sucrose (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 222.722 (median=4.8545 mean=9.14115 std=12.68660)
2		Missing

Y03A26		<i>Starch (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 283.058 (median=16.1755 mean=21.12508 std=23.17654)
2		Missing

Y03A27		<i>Total Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 55.635 (median=1.988 mean=2.9767 std=3.5161)
2		Missing

Y03A28		<i>Soluble Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 26.104 (median=0.599 mean=0.9404 std=1.2395)
2		Missing

Y03A29		<i>Insoluble Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 54.862 (median=1.23 mean=2.015 std=2.577)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A30		<i>Pectins (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12361	Range	0 - 10.404 (median=0.079 mean=0.3419 std=0.5964)
45		Missing

Y03A31		<i>Total Vitamin A Activity (International Units) (IU)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 50991.07 (median=413.651 mean=883.9060 std=2059.3117)
2		Missing

Y03A32		<i>Beta-Carotene Equivalent (derived from provitamin A carotenoids) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 30476.659 (median=34.5385 mean=316.85565 std=1191.05124)
2		Missing

Y03A33		<i>Retinol (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 8023.263 (median=35.0125 mean=106.75164 std=188.64818)
2		Missing

Y03A34		<i>Vitamin D (calciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 23.13 (median=0.2565 mean=1.40863 std=2.07729)
2		Missing

Y03A35		<i>Total Alpha-Tocopherol Equivalent (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 70.624 (median=0.92 mean=1.832 std=3.516)
2		Missing

Y03A36		<i>Vitamin E (Total Alpha-Tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 38.087 (median=0.743 mean=1.3799 std=2.1181)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A37		<i>Beta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 3.343 (median=0.021 mean=0.0630 std=0.1216)
2		Missing

Y03A38		<i>Gamma-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 52.311 (median=0.785 mean=2.3599 std=3.9793)
2		Missing

Y03A39		<i>Delta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 15.737 (median=0.084 mean=0.5519 std=1.0598)
2		Missing

Y03A40		<i>Vitamin K (phylloquinone) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1379.721 (median=4.004 mean=11.3256 std=29.4782)
2		Missing

Y03A41		<i>Vitamin C (ascorbic acid) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 511.704 (median=4.447 mean=17.6074 std=32.5089)
2		Missing

Y03A42		<i>Thiamin (vitamin B1) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 4.465 (median=0.271 mean=0.3547 std=0.3559)
2		Missing

Y03A43		<i>Riboflavin (vitamin B2) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 4.472 (median=0.297 mean=0.4159 std=0.4317)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A44		<i>Niacin (vitamin B3) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 67.872 (median=2.975 mean=4.3950 std=4.9485)
2		Missing

Y03A45		<i>Pantothenic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 23.863 (median=0.753 mean=0.9449 std=1.0586)
2		Missing

Y03A46		<i>Vitamin B-6 (pyridoxine, pyridoxyl, & pyridoxamine) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 6.279 (median=0.234 mean=0.3748 std=0.4388)
2		Missing

Y03A47		<i>Total Folate (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1691.537 (median=55.2 mean=84.74 std=107.32)
2		Missing

Y03A48		<i>Vitamin B-12 (cobalamin) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 60.028 (median=0.528 mean=1.0757 std=1.6682)
2		Missing

Y03A49		<i>Calcium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 5144.975 (median=125.958 mean=208.9333 std=236.8181)
2		Missing

Y03A50		<i>Phosphorus (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 4793.187 (median=211.2865 mean=248.74164 std=235.06927)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A51		Magnesium (mg)
N	Value	Description
12404	Range	0 - 697.146 (median=38.75 mean=48.106 std=43.557)
2		Missing

Y03A52		Iron (mg)
N	Value	Description
12404	Range	0 - 43.2 (median=2.141 mean=3.1018 std=3.6349)
2		Missing

Y03A53		Zinc (mg)
N	Value	Description
12404	Range	0 - 35.102 (median=1.4785 mean=2.21164 std=2.59712)
2		Missing

Y03A54		Copper (mg)
N	Value	Description
12404	Range	0 - 12.286 (median=0.143 mean=0.2040 std=0.2852)
2		Missing

Y03A55		Selenium (mcg)
N	Value	Description
12404	Range	0 - 581.738 (median=14.892 mean=21.3452 std=23.7907)
2		Missing

Y03A56		Sodium (mg)
N	Value	Description
12404	Range	0 - 19440.951 (median=410.575 mean=640.3958 std=746.2897)
2		Missing

Y03A57		Potassium (mg)
N	Value	Description
12404	Range	0 - 5900.736 (median=360.0165 mean=442.80226 std=422.18943)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A58		SFA 4:0 (butyric acid) (g)
N	Value	Description
12404	Range	0 - 7.717 (median=0.01 mean=0.109 std=0.206)
2		Missing

Y03A59		SFA 6:0 (caproic acid) (g)
N	Value	Description
12404	Range	0 - 3.683 (median=0.006 mean=0.0603 std=0.1102)
2		Missing

Y03A60		SFA 8:0 (caprylic acid) (g)
N	Value	Description
12404	Range	0 - 2.092 (median=0.006 mean=0.0535 std=0.1105)
2		Missing

Y03A61		SFA 10:0 (capric acid) (g)
N	Value	Description
12404	Range	0 - 4.564 (median=0.024 mean=0.0950 std=0.1639)
2		Missing

Y03A62		SFA 12:0 (lauric acid) (g)
N	Value	Description
12404	Range	0 - 13.169 (median=0.033 mean=0.1776 std=0.5877)
2		Missing

Y03A63		SFA 14:0 (myristic acid) (g)
N	Value	Description
12404	Range	0 - 21.185 (median=0.196 mean=0.4384 std=0.6961)
2		Missing

Y03A64		SFA 16:0 (palmitic acid) (g)
N	Value	Description
12404	Range	0 - 57.781 (median=1.745 mean=2.5295 std=2.9391)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A65		<i>SFA 17:0 (margaric acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 0.555 (median=0.004 mean=0.0191 std=0.0387)
2		Missing

Y03A66		<i>SFA 18:0 (stearic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 23.968 (median=0.7145 mean=1.10351 std=1.35286)
2		Missing

Y03A67		<i>SFA 20:0 (arachidic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 0.626 (median=0.01 mean=0.023 std=0.037)
2		Missing

Y03A68		<i>SFA 22:0 (behenic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1.37 (median=0.004 mean=0.0158 std=0.0450)
2		Missing

Y03A69		<i>MUFA 14:1 (myristoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1.502 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A70		<i>MUFA 16:1 (palmitoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 5.989 (median=0.077 mean=0.2142 std=0.3405)
2		Missing

Y03A71		<i>MUFA 18:1 (oleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 63.314 (median=2.6735 mean=4.26627 std=5.10958)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A72		<i>MUFA 20:1 (gadoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1.163 (median=0.012 mean=0.0399 std=0.0718)
2		Missing

Y03A73		<i>MUFA 22:1 (erucic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 0.951 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A74		<i>PUFA 18:2 (linoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 66.168 (median=1.2545 mean=2.65744 std=3.90892)
2		Missing

Y03A75		<i>PUFA 18:3 (linolenic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 10.418 (median=0.128 mean=0.2895 std=0.4651)
2		Missing

Y03A76		<i>PUFA 18:4 (parinaric acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 0.169 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A77		<i>PUFA 20:4 (arachidonic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1.083 (median=0 mean=0.0 std=0.1)
2		Missing

Y03A78		<i>PUFA 20:5 (eicosapentaenoic acid [EPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1.055 (median=0 mean=0.0 std=0.0)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A79		<i>PUFA 22:5 (docosapentaenoic acid [DPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 0.381 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A80		<i>PUFA 22:6 (docosahexaenoic acid [DHA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 2.452 (median=0 mean=0.0 std=0.1)
2		Missing

Y03A81		<i>Tryptophan (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 2.596 (median=0.129 mean=0.1754 std=0.1889)
2		Missing

Y03A82		<i>Threonine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 9.078 (median=0.409 mean=0.5929 std=0.6564)
2		Missing

Y03A83		<i>Isoleucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 10.683 (median=0.488 mean=0.6979 std=0.7742)
2		Missing

Y03A84		<i>Leucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 19.592 (median=0.903 mean=1.2129 std=1.2844)
2		Missing

Y03A85		<i>Lysine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 18.704 (median=0.678 mean=1.0340 std=1.2387)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A86		<i>Methionine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 5.77 (median=0.239 mean=0.3538 std=0.4046)
2		Missing

Y03A87		<i>Cystine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 2.992 (median=0.125 mean=0.1893 std=0.2097)
2		Missing

Y03A88		<i>Phenylalanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 10.759 (median=0.5175 mean=0.68366 std=0.70450)
2		Missing

Y03A89		<i>Tyrosine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 10.544 (median=0.416 mean=0.5456 std=0.5783)
2		Missing

Y03A90		<i>Valine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 13.442 (median=0.594 mean=0.7943 std=0.8409)
2		Missing

Y03A91		<i>Arginine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 16.374 (median=0.436 mean=0.7773 std=0.9651)
2		Missing

Y03A92		<i>Histidine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 7.038 (median=0.289 mean=0.4264 std=0.4852)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A93		<i>Alanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 12.442 (median=0.4275 mean=0.71505 std=0.85942)
2		Missing

Y03A94		<i>Aspartic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 19.853 (median=0.8805 mean=1.30990 std=1.45743)
2		Missing

Y03A95		<i>Glutamic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 43.251 (median=2.348 mean=2.9909 std=3.0044)
2		Missing

Y03A96		<i>Glycine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 11.675 (median=0.328 mean=0.6160 std=0.8028)
2		Missing

Y03A97		<i>Proline (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 22.536 (median=0.849 mean=1.0453 std=1.0476)
2		Missing

Y03A98		<i>Serine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 10.707 (median=0.553 mean=0.7083 std=0.7156)
2		Missing

Y03A99		<i>Aspartame (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 364.435 (median=0 mean=1.1 std=12.5)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A100		Saccharin (mg)
N	Value	Description
12404	Range	0 - 32.967 (median=0 mean=0.0 std=0.3)
2		Missing

Y03A101		Caffeine (mg)
N	Value	Description
12404	Range	0 - 236.8 (median=0 mean=4.1 std=14.9)
2		Missing

Y03A102		Phytic Acid (mg)
N	Value	Description
12404	Range	0 - 4492.507 (median=61.2745 mean=111.19481 std=153.61423)
2		Missing

Y03A103		Oxalic Acid (mg)
N	Value	Description
12404	Range	0 - 1663.2 (median=12.34 mean=23.960 std=55.909)
2		Missing

Y03A104		3-Methylhistidine (mg)
N	Value	Description
12404	Range	0 - 89.98 (median=0 mean=3.0 std=6.3)
2		Missing

Y03A105		Sucrose Polyester (g)
N	Value	Description
12404	Range	0 - 1.178 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A106		Ash (g)
N	Value	Description
12404	Range	0 - 75.917 (median=2.672 mean=3.2651 std=2.9756)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A107		<i>Water (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0.011 - 3791.242 (median=303.89 mean=351.943 std=261.324)
2		Missing

Y03A108		<i>% Calories from Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 86.315 (median=25.8415 mean=25.29079 std=17.08540)

Y03A109		<i>% Calories from Carbohydrate</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 107.1 (median=53.106 mean=51.2808 std=25.6798)

Y03A110		<i>% Calories from Protein</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 81.535 (median=12.836 mean=13.3362 std=10.2004)

Y03A111		<i>% Calories from Alcohol</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 77.602 (median=0 mean=0.0 std=0.9)

Y03A112		<i>% Calories from SFA</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 47.305 (median=8.3545 mean=9.13113 std=7.51141)

Y03A113		<i>% Calories from MUFA</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 46.593 (median=7.918 mean=8.3676 std=6.5336)

Y03A114		<i>% Calories from PUFA</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 47.292 (median=3.7045 mean=5.54655 std=6.15873)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A115		<i>Polyunsaturated to Saturated Fat Ratio</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 10.333 (median=0.454 mean=0.8713 std=1.1073)
2		Missing

Y03A116		<i>Cholesterol to Saturated Fatty Acid Index</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 163.021 (median=4.7985 mean=7.23415 std=8.74024)
2		Missing

Y03A117		<i>Total Vitamin A Activity (Retinol Equivalents) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 8048.287 (median=82.9155 mean=159.56090 std=268.59359)
2		Missing

Y03A118		<i>TRANS 18:1 (trans-octadecenoic acid [elaidic acid]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 13.853 (median=0.129 mean=0.3403 std=0.6636)
2		Missing

Y03A119		<i>TRANS 18:2 (trans-octadecadienoic acid [linolelaidic acid]; incl. c-t, t-c, t-t) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1.87 (median=0.035 mean=0.0671 std=0.0975)
2		Missing

Y03A120		<i>TRANS 16:1 (trans-hexadecenoic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 0.336 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A121		<i>Total Trans-Fatty Acids (TRANS) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 15.003 (median=0.184 mean=0.4275 std=0.7560)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A122		User Nutrient 1 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A123		User Nutrient 2 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A124		User Nutrient 3 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A125		User Nutrient 4 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A126		User Nutrient 5 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A127		User Nutrient 6 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A128		User Nutrient 7 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A129		User Nutrient 8 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A130		User Nutrient 9 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A131		User Nutrient 10 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A132		Meal Information Notes
N	Value	Description
3019	Present	Variable/Text Values Suppressed
9387		Missing

Y03A133		Beta-Carotene (provitamin A carotenoid) (mcg)
N	Value	Description
12404	Range	0 - 30419.899 (median=29.177 mean=279.3033 std=1061.2631)
2		Missing

Y03A134		Alpha-Carotene (provitamin A carotenoid) (mcg)
N	Value	Description
12404	Range	0 - 10422.704 (median=0 mean=56.3 std=322.0)
2		Missing

Y03A135		Beta-Cryptoxanthin (provitamin A carotenoid) (mcg)
N	Value	Description
12404	Range	0 - 2664.54 (median=0 mean=18.8 std=70.0)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A136		<i>Lutein + Zeaxanthin (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 37303.967 (median=42.344 mean=159.0695 std=564.4821)
2		Missing

Y03A137		<i>Lycopene (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 122552.325 (median=0 mean=1037.0 std=3821.4)
2		Missing

Y03A138		<i>Dietary Folate Equivalent (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 2806.417 (median=72.0445 mean=119.75537 std=167.68838)
2		Missing

Y03A139		<i>Natural Folate (food folate) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 854.529 (median=20.475 mean=34.7429 std=48.8728)
2		Missing

Y03A140		<i>Synthetic Folate (folic acid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1592.24 (median=19.434 mean=49.9961 std=92.6052)
2		Missing

Y03A141		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406		Missing

Y03A142		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406		Missing

Y03A143		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A144		User Nutrient 11 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A145		User Nutrient 12 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A146		User Nutrient 13 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A147		User Nutrient 14 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A148		User Nutrient 15 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A149		User Nutrient 16 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A150		User Nutrient 17 (mg)
N	Value	Description
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A151		<i>User Nutrient 18 (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A152		<i>User Nutrient 19 (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A153		<i>User Nutrient 20 (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A154		<i>Total Vitamin A Activity (Retinol Activity Equivalents) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 8035.775 (median=68.259 mean=133.1563 std=209.7949)
2		Missing

Y03A155		<i>Energy (kj)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 17748.883 (median=1348.252 mean=1587.0862 std=1327.6099)
2		Missing

Y03A156		<i>Niacin Equivalents (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 105.186 (median=5.701 mean=7.3182 std=7.5316)
2		Missing

Y03A157		<i>Total Sugars (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 454.595 (median=19.5065 mean=22.86277 std=22.18402)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A158		<i>Omega-3 Fatty Acids (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 10.739 (median=0.143 mean=0.3095 std=0.4866)
2		Missing

Y03A159		<i>Manganese (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 8.686 (median=0.338 mean=0.5104 std=0.5893)
2		Missing

Y03A160		<i>Vitamin E (International Units) (IU)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 76.057 (median=1.104 mean=2.1657 std=3.8348)
2		Missing

Y03A161		<i>Natural Alpha-Tocopherol (RRR-alpha-tocopherol or d-alpha-tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 33.922 (median=0.704 mean=1.2283 std=1.6603)
2		Missing

Y03A162		<i>Synthetic Alpha-Tocopherol (all rac-alpha-tocopherol or dl-alpha-tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 67.039 (median=0 mean=0.3 std=2.9)
2		Missing

Y03A163		<i>Daidzein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 20.605 (median=0 mean=0.1 std=0.6)
2		Missing

Y03A164		<i>Genistein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 22.125 (median=0 mean=0.1 std=0.7)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A165		<i>Glycitein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 3.625 (median=0 mean=0.0 std=0.1)
2		Missing

Y03A166		<i>Coumestrol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1.476 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A167		<i>Biochanin A (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 4.117 (median=0 mean=0.0 std=0.1)
2		Missing

Y03A168		<i>Formononetin (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 0.427 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A169		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406		Missing

Y03A170		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406		Missing

Y03A171		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406		Missing

Y03A172		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A173		<i>Added Sugars (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 295.165 (median=7.922 mean=14.5822 std=19.7671)
2		Missing

Y03A174		<i>Acesulfame Potassium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 162.6 (median=0 mean=0.2 std=2.7)
2		Missing

Y03A175		<i>Sucralose (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 4771.026 (median=0 mean=0.9 std=50.6)
2		Missing

Y03A176		<i>Available Carbohydrate (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 548.28 (median=40.973 mean=47.3024 std=38.9913)
2		Missing

Y03A177		<i>Glycemic Index (glucose reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 105.105 (median=59.635 mean=53.1432 std=21.1232)

Y03A178		<i>Glycemic Index (bread reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 150.15 (median=85.2435 mean=75.96141 std=30.19209)

Y03A179		<i>Glycemic Load (glucose reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 347.326 (median=23.612 mean=28.4904 std=24.9139)

Y03A180		<i>Glycemic Load (bread reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 496.662 (median=33.744 mean=40.7231 std=35.6115)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A181		<i>Choline (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1121.188 (median=38.2545 mean=59.75570 std=76.41901)
2		Missing

Y03A182		<i>Betaine (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1296.352 (median=7.32 mean=22.095 std=39.554)
2		Missing

Y03A183		<i>Erythritol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 0.024 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A184		<i>Inositol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1.384 (median=0 mean=0.0 std=0.1)
2		Missing

Y03A185		<i>Isomalt (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 0 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A186		<i>Lactitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1.488 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A187		<i>Maltitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 50.117 (median=0 mean=0.0 std=0.5)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A188		<i>Mannitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 4.056 (median=0 mean=0.1 std=0.2)
2		Missing

Y03A189		<i>Pinitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 0.213 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A190		<i>Sorbitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 10.365 (median=0 mean=0.1 std=0.4)
2		Missing

Y03A191		<i>Xylitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 0.272 (median=0 mean=0.0 std=0.0)
2		Missing

Y03A192		<i>Nitrogen (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 36.899 (median=1.751 mean=2.4484 std=2.6083)
2		Missing

Y03A193		<i>Total Conjugated Linoleic Acid (CLA 18:2) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1.274 (median=0.012 mean=0.0252 std=0.0399)
2		Missing

Y03A194		<i>CLA cis-9, trans-11 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 1.081 (median=0.01 mean=0.021 std=0.034)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y03A195		<i>CLA trans-10, cis-12 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 0.192 (median=0.002 mean=0.0040 std=0.0072)
2		Missing

Y03A196		<i>Tagatose (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 36.037 (median=0 mean=0.1 std=0.8)
2		Missing

Y03A197		<i>Vitamin D2 (ergocalciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 3.918 (median=0 mean=0.0 std=0.1)
2		Missing

Y03A198		<i>Vitamin D3 (cholecalciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12404	Range	0 - 23.13 (median=0.253 mean=1.4020 std=2.0749)
2		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Nutrients at the Daily Totals Level (NDSR4): FORM CODE=Y04

RECALLNUM		First or second dietary recall
N	Value	Description
1428	1	First Dietary Recall
1384	2	Second Dietary Recall

Y04A1		Project Abbreviation
N	Value	Description
2812	Present	Variable/Text Values Suppressed

Y04A2		Participant ID: (Refer to ID)
N	Value	Description
		This variable has been removed

Y04A3		Date of Intake
N	Value	Description
2812	Range	12/16/2011 - 01/15/2014

Y04A4		Project Name
N	Value	Description
2812	Present	Variable/Text Values Suppressed

Y04A5		Record Type
N	Value	Description
2812	0	Recall

Y04A6		Participant Name
N	Value	Description
		This variable has been removed

Y04A7		Gender: (Refer to Gender variable in the Participant Derived Variable File)
N	Value	Description
		This variable has been removed

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A8		Date of Birth: (Refer to Age variable in the Participant Derived Variable File)
N	Value	Description
		This variable has been removed

Y04A9		Date of Entry
N	Value	Description
2812	Range	12/17/2011 - 03/14/2014

Y04A10		Day of Intake
N	Value	Description
216	0	Sunday
425	1	Monday
395	2	Tuesday
502	3	Wednesday
426	4	Thursday
828	5	Friday
20	6	Saturday

Y04A11		Visit Number: (Refer to RECALLNUM)
N	Value	Description
		This variable has been removed

Y04A12		Interviewer ID
N	Value	Description
		This variable has been removed

Y04A13		Site ID (Note: Refer to INTERVIEW_ADMIN and INTERVIEW_TYPE derived variables at end of file)
N	Value	Description
		This variable has been removed

Y04A14		Life Stage Group
N	Value	Description
		This variable has been removed

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A15		<i>Intake Amount</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1992	0	Usual
264	1	Considerably more than usual
556	2	Considerably less than usual

Y04A16		<i>Intake Reliability</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	0	Reliable

Y04A17		<i>Data Collected in NCC Database Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1734	2012	
4	2010	2010
1074	2011	2011

Y04A18		<i>Data Collected in Software Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1734	2012	
4	2010	2010
1074	2011	2011

Y04A19		<i>Total Grams</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	184.722 - 10132.299 (median=1769.8645 mean=1884.35337 std=769.07264)

Y04A20		<i>Energy (kilocalories)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	195.492 - 6863.995 (median=1587.574 mean=1673.2286 std=687.7715)

Y04A21		<i>Total Fat (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.842 - 301.921 (median=54.316 mean=59.5588 std=31.9322)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A22		Total Carbohydrate (g)
N	Value	Description
2812	Range	9.505 - 929.04 (median=208.769 mean=221.9499 std=96.4648)

Y04A23		Total Protein (g)
N	Value	Description
2812	Range	3.059 - 333.532 (median=62.407 mean=66.9452 std=31.3185)

Y04A24		Animal Protein (g)
N	Value	Description
2812	Range	0 - 278.774 (median=42.579 mean=47.2855 std=27.2660)

Y04A25		Vegetable Protein (g)
N	Value	Description
2812	Range	1.417 - 86.617 (median=18.052 mean=19.6574 std=10.1188)

Y04A26		Alcohol (g)
N	Value	Description
2812	Range	0 - 39.051 (median=0 mean=0.1 std=1.1)

Y04A27		Cholesterol (mg)
N	Value	Description
2812	Range	0 - 1682.1 (median=164.682 mean=218.4812 std=177.0214)

Y04A28		Total Saturated Fatty Acids (SFA) (mg)
N	Value	Description
2812	Range	0.154 - 137.928 (median=18.4895 mean=20.77868 std=12.14219)

Y04A29		Total Monounsaturated Fatty Acids (MUFA) (g)
N	Value	Description
2812	Range	0.069 - 106.155 (median=18.144 mean=20.2327 std=11.5077)

Y04A30		Total Polyunsaturated Fatty Acids (PUFA) (g)
N	Value	Description
2812	Range	0.258 - 96.788 (median=11.1395 mean=13.27732 std=9.35825)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A31		Fructose (g)
N	Value	Description
2812	Range	0 - 187.167 (median=18.7775 mean=21.58945 std=16.21735)

Y04A32		Galactose (g)
N	Value	Description
2812	Range	0 - 16.128 (median=0.079 mean=0.2254 std=0.6996)

Y04A33		Glucose (g)
N	Value	Description
2812	Range	0 - 182.626 (median=17.183 mean=20.4811 std=15.4874)

Y04A34		Lactose (g)
N	Value	Description
2812	Range	0 - 133.567 (median=13.7605 mean=16.35778 std=13.81510)

Y04A35		Maltose (g)
N	Value	Description
2812	Range	0 - 38.329 (median=1.6955 mean=2.36515 std=2.44649)

Y04A36		Sucrose (g)
N	Value	Description
2812	Range	0.028 - 273.466 (median=33.3295 mean=40.32249 std=30.67016)

Y04A37		Starch (g)
N	Value	Description
2812	Range	0 - 396.369 (median=86.0035 mean=93.18472 std=47.03623)

Y04A38		Total Dietary Fiber (g)
N	Value	Description
2812	Range	0.269 - 64.226 (median=11.7945 mean=13.13053 std=7.76526)

Y04A39		Soluble Dietary Fiber (g)
N	Value	Description
2812	Range	0 - 28.266 (median=3.5825 mean=4.14824 std=2.80828)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A40		<i>Insoluble Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.084 - 56.382 (median=7.823 mean=8.8893 std=5.5734)

Y04A41		<i>Pectins (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 10.404 (median=1.188 mean=1.5027 std=1.3200)

Y04A42		<i>Total Vitamin A Activity (International Units)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 63105.433 (median=2561.634 mean=3898.9935 std=4557.2816)

Y04A43		<i>Beta-Carotene Equivalents (derived from provitamin A carotenoids) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 36343.845 (median=516.4105 mean=1397.68041 std=2587.02066)

Y04A44		<i>Retinol (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 8044.183 (median=398.403 mean=470.8916 std=399.1065)

Y04A45		<i>Vitamin D (calciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 42.215 (median=5.4965 mean=6.21351 std=4.48910)

Y04A46		<i>Total Alpha-Tocopherol Equivalents (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.201 - 108.58 (median=6.0745 mean=8.08025 std=8.19220)

Y04A47		<i>Vitamin E (Total Alpha-Tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.152 - 54.709 (median=4.889 mean=6.0869 std=4.8473)

Y04A48		<i>Beta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 4.541 (median=0.207 mean=0.2777 std=0.2734)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A49		<i>Gamma-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 76.631 (median=8.2195 mean=10.40971 std=8.47827)

Y04A50		<i>Delta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 21.253 (median=1.82 mean=2.434 std=2.269)

Y04A51		<i>Vitamin K (phylloquinone) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.346 - 1410.511 (median=34.906 mean=49.9582 std=62.8432)

Y04A52		<i>Vitamin C (ascorbic acid) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 610.049 (median=54.631 mean=77.6679 std=76.4262)

Y04A53		<i>Thiamin (vitamin B1) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.127 - 5.882 (median=1.432 mean=1.5644 std=0.7498)

Y04A54		<i>Riboflavin (vitamin B2) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.102 - 8.454 (median=1.687 mean=1.8347 std=0.9433)

Y04A55		<i>Niacin (vitamin B3) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	1.291 - 99.722 (median=17.466 mean=19.3867 std=10.0578)

Y04A56		<i>Pantothenic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.302 - 30.78 (median=3.7825 mean=4.16811 std=2.33863)

Y04A57		<i>Vitamin B6 (pyridoxine, pyridoxyl, and pyridoxamine) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.099 - 7.309 (median=1.4815 mean=1.65336 std=0.92482)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A58		Total Folate (mcg)
N	Value	Description
2812	Range	20.505 - 2569.73 (median=323.652 mean=373.7909 std=236.8877)

Y04A59		Vitamin B12 (cobalamin) (mcg)
N	Value	Description
2812	Range	0 - 61.01 (median=4.161 mean=4.7449 std=3.4665)

Y04A60		Calcium (mg)
N	Value	Description
2812	Range	44.046 - 6128.879 (median=829.8715 mean=921.62474 std=525.91348)

Y04A61		Phosphorus (mg)
N	Value	Description
2812	Range	66.835 - 5587.627 (median=1033.249 mean=1097.2230 std=501.3519)

Y04A62		Magnesium (mg)
N	Value	Description
2812	Range	20.013 - 844.947 (median=199.259 mean=212.2011 std=96.8576)

Y04A63		Iron (mg)
N	Value	Description
2812	Range	0.559 - 77.725 (median=12.0745 mean=13.68249 std=7.71006)

Y04A64		Zinc (mg)
N	Value	Description
2812	Range	0.435 - 50.033 (median=8.6705 mean=9.75571 std=5.51156)

Y04A65		Copper (mg)
N	Value	Description
2812	Range	0.063 - 13.815 (median=0.813 mean=0.8999 std=0.6194)

Y04A66		Selenium (mcg)
N	Value	Description
2812	Range	1.037 - 650.401 (median=86.1745 mean=94.15570 std=46.26608)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A67		Sodium (mg)
N	Value	Description
2812	Range	20.868 - 20196.149 (median=2568.4965 mean=2824.84688 std=1488.36936)

Y04A68		Potassium (mg)
N	Value	Description
2812	Range	173.006 - 7767.623 (median=1841.3275 mean=1953.24292 std=928.80509)

Y04A69		SFA 4:0 (butyric acid) (g)
N	Value	Description
2812	Range	0 - 8.187 (median=0.3795 mean=0.48292 std=0.44995)

Y04A70		SFA 6:0 (caproic acid) (g)
N	Value	Description
2812	Range	0 - 3.927 (median=0.2085 mean=0.26583 std=0.24466)

Y04A71		SFA 8:0 (caprylic acid) (g)
N	Value	Description
2812	Range	0 - 2.214 (median=0.1665 mean=0.23607 std=0.24628)

Y04A72		SFA 10:0 (capric acid) (g)
N	Value	Description
2812	Range	0 - 4.863 (median=0.338 mean=0.4192 std=0.3585)

Y04A73		SFA 12:0 (lauric acid) (g)
N	Value	Description
2812	Range	0 - 15.145 (median=0.3975 mean=0.78331 std=1.29218)

Y04A74		SFA 14:0 (myristic acid) (g)
N	Value	Description
2812	Range	0 - 22.257 (median=1.6065 mean=1.93387 std=1.51612)

Y04A75		SFA 16:0 (palmitic acid) (g)
N	Value	Description
2812	Range	0.133 - 61.635 (median=10.018 mean=11.1580 std=6.2898)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A76		SFA 17:0 (margaric acid) (g)
N	Value	Description
2812	Range	0 - 0.824 (median=0.062 mean=0.0845 std=0.0829)

Y04A77		SFA 18:0 (stearic acid) (g)
N	Value	Description
2812	Range	0.008 - 25.524 (median=4.236 mean=4.8677 std=2.9599)

Y04A78		SFA 20:0 (arachidic acid) (g)
N	Value	Description
2812	Range	0 - 0.737 (median=0.08 mean=0.100 std=0.080)

Y04A79		SFA 22:0 (behenic acid) (g)
N	Value	Description
2812	Range	0 - 1.424 (median=0.045 mean=0.0697 std=0.0974)

Y04A80		MUFA 14:1 (myristoleic acid) (g)
N	Value	Description
2812	Range	0 - 1.67 (median=0.061 mean=0.0880 std=0.1003)

Y04A81		MUFA 16:1 (palmitoleic acid) (g)
N	Value	Description
2812	Range	0 - 9.422 (median=0.801 mean=0.9449 std=0.6929)

Y04A82		MUFA 18:1 (oleic acid) (g)
N	Value	Description
2812	Range	0.069 - 98.41 (median=16.879 mean=18.8189 std=10.7230)

Y04A83		MUFA 20:1 (gadoleic acid) (g)
N	Value	Description
2812	Range	0 - 1.563 (median=0.1355 mean=0.17598 std=0.14778)

Y04A84		MUFA 22:1 (erucic acid) (g)
N	Value	Description
2812	Range	0 - 1.474 (median=0.002 mean=0.0123 std=0.0515)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A85		PUFA 18:2 (linoleic acid) (g)
N	Value	Description
2812	Range	0.193 - 90.429 (median=9.7335 mean=11.72223 std=8.48091)

Y04A86		PUFA 18:3 (linolenic acid) (g)
N	Value	Description
2812	Range	0.056 - 13.033 (median=1.026 mean=1.2769 std=0.9748)

Y04A87		PUFA 18:4 (parinaric acid) (g)
N	Value	Description
2812	Range	0 - 0.169 (median=0 mean=0.0 std=0.0)

Y04A88		PUFA 20:4 (arachidonic acid) (g)
N	Value	Description
2812	Range	0 - 1.386 (median=0.083 mean=0.1169 std=0.1168)

Y04A89		PUFA 20:5 (eicosapentaenoic acid [EPA]) (g)
N	Value	Description
2812	Range	0 - 1.073 (median=0.007 mean=0.0193 std=0.0618)

Y04A90		PUFA 22:5 (docosapentaenoic acid [DPA]) (g)
N	Value	Description
2812	Range	0 - 0.381 (median=0.012 mean=0.0181 std=0.0247)

Y04A91		PUFA 22:6 (docosahexaenoic acid [DHA]) (g)
N	Value	Description
2812	Range	0 - 2.47 (median=0.02 mean=0.047 std=0.113)

Y04A92		Tryptophan (g)
N	Value	Description
2812	Range	0.018 - 3.511 (median=0.719 mean=0.7737 std=0.3720)

Y04A93		Threonine (g)
N	Value	Description
2812	Range	0.066 - 13.228 (median=2.4215 mean=2.61550 std=1.26392)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A94		<i>Isoleucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.081 - 15.991 (median=2.842 mean=3.0784 std=1.5052)

Y04A95		<i>Leucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.117 - 26.018 (median=4.9585 mean=5.35022 std=2.51533)

Y04A96		<i>Lysine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.135 - 25.86 (median=4.1375 mean=4.56085 std=2.41177)

Y04A97		<i>Methionine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.032 - 8.391 (median=1.43 mean=1.561 std=0.787)

Y04A98		<i>Cystine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.019 - 4.143 (median=0.769 mean=0.8349 std=0.3971)

Y04A99		<i>Phenylalanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.093 - 14.285 (median=2.82 mean=3.016 std=1.380)

Y04A100		<i>Tyrosine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.057 - 11.776 (median=2.23 mean=2.407 std=1.155)

Y04A101		<i>Valine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.12 - 17.148 (median=3.252 mean=3.5038 std=1.6527)

Y04A102		<i>Arginine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.125 - 19.764 (median=3.105 mean=3.4286 std=1.8003)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A103		<i>Histidine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.057 - 10.382 (median=1.7205 mean=1.88096 std=0.93825)

Y04A104		<i>Alanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.121 - 17.224 (median=2.875 mean=3.1541 std=1.6188)

Y04A105		<i>Aspartic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.392 - 29.332 (median=5.344 mean=5.7781 std=2.7858)

Y04A106		<i>Glutamic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.304 - 58.735 (median=12.4435 mean=13.19332 std=5.93892)

Y04A107		<i>Glycine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.079 - 17.19 (median=2.4315 mean=2.71721 std=1.50993)

Y04A108		<i>Proline (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.161 - 24.777 (median=4.299 mean=4.6111 std=2.1578)

Y04A109		<i>Serine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.135 - 14.086 (median=2.9185 mean=3.12425 std=1.42163)

Y04A110		<i>Aspartame (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 563.803 (median=0 mean=4.7 std=31.0)

Y04A111		<i>Saccharin (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 32.967 (median=0 mean=0.0 std=0.6)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A112		<i>Caffeine (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 438.08 (median=2.931 mean=18.2652 std=36.5702)

Y04A113		<i>Phytic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	2.82 - 4660.47 (median=419.6935 mean=490.49091 std=339.57373)

Y04A114		<i>Oxalic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	1.482 - 1754.996 (median=79.1665 mean=105.68898 std=123.17225)

Y04A115		<i>3-Methylhistidine (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 113.586 (median=11.2005 mean=13.40223 std=11.93611)

Y04A116		<i>Sucrose Polyester (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1.178 (median=0 mean=0.0 std=0.0)

Y04A117		<i>Ash (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	1.195 - 83.744 (median=13.551 mean=14.4027 std=6.2511)

Y04A118		<i>Water (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	135.365 - 9335.292 (median=1446.7215 mean=1552.45329 std=692.58676)

Y04A119		<i>% Calories from Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.509 - 61.072 (median=30.509 mean=30.8153 std=8.1767)

Y04A120		<i>% Calories from Carbohydrate</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	10.113 - 98.352 (median=52.964 mean=52.6960 std=9.9519)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A121		% Calories from Protein
N	Value	Description
2812	Range	0.799 - 48.063 (median=15.8635 mean=16.47686 std=5.19457)

Y04A122		% Calories from Alcohol
N	Value	Description
2812	Range	0 - 14.68 (median=0 mean=0.0 std=0.4)

Y04A123		% Calories from SFA
N	Value	Description
2812	Range	0.106 - 30.216 (median=10.4895 mean=10.77883 std=3.71766)

Y04A124		% Calories from MUFA
N	Value	Description
2812	Range	0.042 - 31.613 (median=10.1775 mean=10.48730 std=3.47663)

Y04A125		% Calories from PUFA
N	Value	Description
2812	Range	0.213 - 28.041 (median=6.1955 mean=6.79469 std=3.36094)

Y04A126		Polyunsaturated to Saturated Fat Ratio
N	Value	Description
2812	Range	0.058 - 4.037 (median=0.602 mean=0.7252 std=0.4774)

Y04A127		Cholesterol to Saturated Fatty Acid Index
N	Value	Description
2812	Range	0.155 - 173.754 (median=28.526 mean=31.9105 std=18.4084)

Y04A128		Total Vitamin A Activity (Retinol Equivalent) (mcg)
N	Value	Description
2812	Range	0 - 8076.292 (median=562.7695 mean=703.83833 std=597.89082)

Y04A129		18:1 TRANS (trans-octadecenoic acid [elaidic acid]) (g)
N	Value	Description
2812	Range	0 - 14.428 (median=1.0835 mean=1.50126 std=1.40423)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A130		18:2 TRANS (trans-octadecadienoic acid [linolelaidic acid] (g)
N	Value	Description
2812	Range	0 - 2.287 (median=0.25 mean=0.296 std=0.215)

Y04A131		16:1 TRANS (trans-hexadecenoic acid) (g)
N	Value	Description
2812	Range	0 - 0.38 (median=0.025 mean=0.0409 std=0.0482)

Y04A132		Total Trans-Fatty Acids (TRANS) (g)
N	Value	Description
2812	Range	0 - 15.86 (median=1.4595 mean=1.88564 std=1.60756)

Y04A133		User Nutrient #1 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A134		User Nutrient #2 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A135		User Nutrient #3 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A136		User Nutrient #4 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A137		User Nutrient #5 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A138		User Nutrient #6 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A139		User Nutrient #7 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A140		User Nutrient #8 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A141		User Nutrient #9 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A142		User Nutrient #10 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A143		Notes from the Header Tab
N	Value	Description
2810	Present	Variable/Text Values Suppressed
2		Missing

Y04A144		Beta-Carotene (provitamin A carotenoid) (mcg)
N	Value	Description
2812	Range	0 - 36285.885 (median=458.3325 mean=1232.03361 std=2316.01598)

Y04A145		Alpha-Carotene (provitamin A carotenoid) (mcg)
N	Value	Description
2812	Range	0 - 10490.932 (median=32.0425 mean=248.18949 std=683.18394)

Y04A146		Beta-Cryptoxanthin (provitamin A carotenoid) (mcg)
N	Value	Description
2812	Range	0 - 2664.54 (median=26.292 mean=83.1039 std=156.9923)

Y04A147		Lutein + Zeaxanthin (mcg)
N	Value	Description
2812	Range	0 - 37407.86 (median=446.602 mean=701.6708 std=1222.1593)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A148		<i>Lycopene (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 122552.325 (median=1871.997 mean=4574.2009 std=7975.3634)

Y04A149		<i>Dietary Folate Equivalent (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	28.142 - 4279.148 (median=440.888 mean=528.2523 std=368.8704)

Y04A150		<i>Natural Folate (food folate) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	7.549 - 961.412 (median=126.2355 mean=153.25403 std=104.24372)

Y04A151		<i>Synthetic Folate (folic acid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 2441.336 (median=167.482 mean=220.5376 std=201.3459)

Y04A152		<i>Data Generated in NCC Database Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	2013 - 2013 (median=2013 mean=2013.0 std=0.0)

Y04A153		<i>Data Generated in Software Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	2011 - 2011 (median=2011 mean=2011.0 std=0.0)

Y04A154		<i>Notes from the Trailer Tab</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1160	Present	Variable/Text Values Suppressed
1652		Missing

Y04A155		<i>User Nutrient #11 (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A156		User Nutrient #12 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A157		User Nutrient #13 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A158		User Nutrient #14 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A159		User Nutrient #15 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A160		User Nutrient #16 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A161		User Nutrient #17 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A162		User Nutrient #18 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A163		User Nutrient #19 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A164		User Nutrient #20 (mg)
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A165		Total Vitamin A Activity (Retinol Activity Equivalents) (mcg)
N	Value	Description
2812	Range	0 - 8060.238 (median=493.9205 mean=587.36494 std=460.32903)

Y04A166		Energy (kilojoules - kj)
N	Value	Description
2812	Range	817.937 - 28718.955 (median=6642.4085 mean=7000.78837 std=2877.63585)

Y04A167		Niacin Equivalents (mg)
N	Value	Description
2812	Range	1.673 - 158.241 (median=30.0285 mean=32.28106 std=14.99401)

Y04A168		Total Sugars (g)
N	Value	Description
2812	Range	0.047 - 571.513 (median=92.831 mean=100.8499 std=56.2546)

Y04A169		Omega-3 Fatty Acids (g)
N	Value	Description
2812	Range	0.068 - 13.675 (median=1.1075 mean=1.36546 std=1.01102)

Y04A170		Manganese (mg)
N	Value	Description
2812	Range	0.06 - 13.734 (median=2.002 mean=2.2513 std=1.2824)

Y04A171		Vitamin E (International Units=IU)
N	Value	Description
2812	Range	0.227 - 110.789 (median=7.3135 mean=9.55332 std=8.89320)

Y04A172		Natural Alpha-Tocopherol (RRR-alpha-tocopherol or d-alpha-tocopherol) (mg)
N	Value	Description
2812	Range	0.152 - 41.425 (median=4.654 mean=5.4183 std=3.6512)

Y04A173		Synthetic Alpha-Tocopherol(all rac-alpha-tocopherol or dl-alpha-tocopherol) (mg)
N	Value	Description
2812	Range	0 - 102.386 (median=0 mean=1.5 std=6.9)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A174		<i>Daidzein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 20.605 (median=0.017 mean=0.2231 std=1.2980)

Y04A175		<i>Genistein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 25.442 (median=0.033 mean=0.3331 std=1.6190)

Y04A176		<i>Glycitein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 4.21 (median=0 mean=0.0 std=0.2)

Y04A177		<i>Coumestrol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1.476 (median=0 mean=0.0 std=0.1)

Y04A178		<i>Biochanin A (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 4.117 (median=0 mean=0.0 std=0.2)

Y04A179		<i>Formononetin (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0.427 (median=0 mean=0.0 std=0.0)

Y04A180		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812		Missing

Y04A181		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812		Missing

Y04A182		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A183		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812		Missing

Y04A184		<i>Added Sugars (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 531.021 (median=54.5285 mean=64.32332 std=49.31264)

Y04A185		<i>Acesulfame Potassium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 162.6 (median=0 mean=0.7 std=6.1)

Y04A186		<i>Sucralose (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 4771.026 (median=0 mean=4.0 std=106.2)

Y04A187		<i>Available Carbohydrate (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	8.062 - 896.452 (median=195.895 mean=208.6554 std=91.7461)

Y04A188		<i>Glycemic Index (glucose reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	37.229 - 88.907 (median=60.379 mean=60.0140 std=5.9842)

Y04A189		<i>Glycemic Index (bread reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	53.22 - 127.134 (median=86.2975 mean=85.78190 std=8.55411)

Y04A190		<i>Glycemic Load (glucose reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	4.909 - 607.059 (median=116.9215 mean=125.69396 std=58.46454)

Y04A191		<i>Glycemic Load (bread reference)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	7.015 - 867.692 (median=167.077 mean=179.6626 std=83.5676)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A192		<i>Choline (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	16.173 - 1418.031 (median=230.164 mean=263.5880 std=154.4887)

Y04A193		<i>Betaine (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0.603 - 1359.943 (median=77.6855 mean=97.46136 std=83.95228)

Y04A194		<i>Erythritol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0.024 (median=0 mean=0.0 std=0.0)

Y04A195		<i>Inositol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1.437 (median=0.026 mean=0.1014 std=0.1766)

Y04A196		<i>Isomalt (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y04A197		<i>Lactitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1.995 (median=0 mean=0.0 std=0.0)

Y04A198		<i>Maltitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 50.117 (median=0 mean=0.0 std=1.0)

Y04A199		<i>Mannitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 4.177 (median=0.087 mean=0.2441 std=0.3865)

Y04A200		<i>Pinitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0.213 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y04A201		Sorbitol (g)
N	Value	Description
2812	Range	0 - 14.508 (median=0.029 mean=0.3360 std=0.8799)

Y04A202		Xylitol (g)
N	Value	Description
2812	Range	0 - 0.294 (median=0.003 mean=0.0080 std=0.0148)

INTERVIEW_ADMIN		Diet Interview Administered
N	Value	Description
1724	1	In-person
1088	2	Phone

INTERVIEW_TYPE		Diet Interview Type
N	Value	Description
1673	1	Scheduled
1138	2	Unscheduled
1		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Food groups at the Whole Food Level (NDSR7): FORM CODE=Y07

<i>RECALLNUM</i>		<i>First or Second dietary recall</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
17531	1	First Dietary Recall
16452	2	Second Dietary Recall

<i>FOODID</i>		<i>Food File ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33983	Present	Variable/Text Values Suppressed

<i>Y07A1</i>		<i>Project Abbreviation</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33983	Present	Variable/Text Values Suppressed

<i>Y07A2</i>		<i>Participant/Recipe/Menu ID (Refer to ID)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

<i>Y07A3</i>		<i>Date of Intake</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33983	Range	12/16/2011 - 01/15/2014

<i>Y07A4</i>		<i>Food File ID (Refer to FOODID)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

<i>Y07A5</i>		<i>Foods Report Item Number</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33983	Present	Variable/Text Values Suppressed

<i>Y07A6</i>		<i>Food Name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33983	Present	Variable/Text Values Suppressed

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A7		Food ID
N	Value	Description
33405	Present	Variable/Text Values Suppressed
578		Missing

Y07A8		FRU0100 - Citrus Juice
N	Value	Description
33405	Range	0 - 8 (median=0 mean=0.0 std=0.3)
578		Missing

Y07A9		FRU0200 - Fruit Juice excluding Citrus Juice
N	Value	Description
33405	Range	0 - 6 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A10		FRU0300 - Citrus Fruit
N	Value	Description
33405	Range	0 - 5 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A11		FRU0400 - Fruit excluding Citrus Fruit
N	Value	Description
33405	Range	0 - 16 (median=0 mean=0.1 std=0.4)
578		Missing

Y07A12		FRU0500 - Avocado and Similar
N	Value	Description
33405	Range	0 - 2.027 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A13		FRU0600 - Fried Fruits
N	Value	Description
33405	Range	0 - 7.207 (median=0 mean=0.0 std=0.1)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A14		<i>FRU0700 - Fruit-based Savory Snack</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A15		<i>VEG0100 - Dark-green Vegetables</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3.574 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A16		<i>VEG0200 - Deep-yellow Vegetables</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3.538 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A17		<i>VEG0300 - Tomato</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 9 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A18		<i>VEG0400 - White Potatoes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 8.897 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A19		<i>VEG0800 - Fried Potatoes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 4.457 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A20		<i>VEG0450 - Other Starchy Vegetables</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 8.053 (median=0 mean=0.0 std=0.1)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A21		<i>VEG0700 - Legumes (cooked dried beans)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 5.176 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A22		<i>VEG0600 - Other Vegetables</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 6.545 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A23		<i>VEG0900 - Fried Vegetables</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1.167 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A24		<i>VEG0500 - Vegetable Juice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 6 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A25		<i>FMC0100 - Vegetable-based Savory Snack</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 7.055 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A26		<i>GRW0100 - Grains, Flour and Dry Mixes - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 8.016 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A27		<i>GRS0100 - Grains, Flour and Dry Mixes - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1.797 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A28		<i>GRR0100 - Grains, Flour and Dry Mixes - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 23.993 (median=0 mean=0.1 std=0.7)
578		Missing

Y07A29		<i>GRW0200 - Loaf-type Bread and Plain Rolls - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 4.81 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A30		<i>GRS0200 - Loaf-type Bread and Plain Rolls - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 8 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A31		<i>GRR0200 - Loaf-type Bread and Plain Rolls - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 10.605 (median=0 mean=0.1 std=0.5)
578		Missing

Y07A32		<i>GRW0300 - Other Breads (quick breads, corn muffins, tortillas) - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 10.159 (median=0 mean=0.0 std=0.3)
578		Missing

Y07A33		<i>GRS0300 - Other Breads (quick breads, corn muffins, tortillas) - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 2.552 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A34		<i>GRR0300 - Other Breads (quick breads, corn muffins, tortillas) - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 11.251 (median=0 mean=0.0 std=0.4)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A35		<i>GRW0400 - Crackers - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0.823 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A36		<i>GRS0400 - Crackers - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 2.116 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A37		<i>GRR0400 - Crackers - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 5.503 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A38		<i>GRW0500 - Pasta - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A39		<i>GRS0500 - Pasta - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A40		<i>GRR0500 - Pasta - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 7.111 (median=0 mean=0.0 std=0.3)
578		Missing

Y07A41		<i>GRW0600 - Ready-to-eat Cereal (not presweetened) - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 5.82 (median=0 mean=0.0 std=0.1)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A42		<i>GRS0600 - Ready-to-eat Cereal (not presweetened) - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3.175 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A43		<i>GRR0600 - Ready-to-eat Cereal (not presweetened) - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 8.466 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A44		<i>GRW0700 - Ready-to-eat Cereal (presweetened) - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 6.772 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A45		<i>GRS0700 - Ready-to-eat Cereal (presweetened) - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 4.092 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A46		<i>GRR0700 - Ready-to-eat Cereal (presweetened) - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 6.561 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A47		<i>GRW0800 - Cakes, Cookies, Pies, Pastries, Danish, Doughnuts and Cobblers - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 4.8 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A48		<i>GRS0800 - Cakes, Cookies, Pies, Pastries, Danish, Doughnuts and Cobblers - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3.267 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A49		<i>GRR0800 - Cakes, Cookies, Pies, Pastries, Danish, Doughnuts and Cobblers - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 12.24 (median=0 mean=0.0 std=0.3)
578		Missing

Y07A50		<i>GRW1000 - Snack Bars - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 2.367 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A51		<i>GRS1000 - Snack Bars - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3.4 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A52		<i>GRR1000 - Snack Bars - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1.1 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A53		<i>GRW0900 - Snack Chips - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 9.03 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A54		<i>GRS0900 - Snack Chips - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3.173 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A55		<i>GRR0900 - Snack Chips - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 4.938 (median=0 mean=0.0 std=0.1)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A56		<i>GRW1100 - Popcorn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 5.136 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A57		<i>GRW1200 - Flavored Popcorn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A58		<i>GRR1300 - Baby Food Grain Mixtures – Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A59		<i>MRF0100 - Beef</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 17.661 (median=0 mean=0.1 std=0.4)
578		Missing

Y07A60		<i>MRL0100 - Lean Beef</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 9 (median=0 mean=0.0 std=0.3)
578		Missing

Y07A61		<i>MRF0200 - Veal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A62		<i>MRL0200 - Lean Veal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A63		<i>MRF0300 - Lamb</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A64		<i>MRL0300 - Lean Lamb</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0.522 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A65		<i>MRF0400 - Fresh Pork</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 12 (median=0 mean=0.0 std=0.3)
578		Missing

Y07A66		<i>MRL0400 - Lean Fresh Pork</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 13.115 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A67		<i>MCF0200 - Cured Pork</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 4.508 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A68		<i>MCL0200 - Lean Cured Pork</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 4.727 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A69		<i>MRF0500 - Game</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1.576 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A70		<i>MPF0100 - Poultry</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 20.106 (median=0 mean=0.0 std=0.3)
578		Missing

Y07A71		<i>MPL0100 - Lean Poultry</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 23.021 (median=0 mean=0.1 std=0.6)
578		Missing

Y07A72		<i>MPF0200 - Fried Chicken - Commercial Entrée and Fast Food</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 11.287 (median=0 mean=0.0 std=0.3)
578		Missing

Y07A73		<i>MFF0100 - Fish - Fresh and Smoked</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A74		<i>MFL0100 - Lean Fish - Fresh and Smoked</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 10 (median=0 mean=0.0 std=0.3)
578		Missing

Y07A75		<i>MFF0200 - Fried Fish - Commercial Entrée and Fast Food</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 8.042 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A76		<i>MSL0100 - Shellfish</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 22.575 (median=0 mean=0.0 std=0.2)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A77		<i>MSF0100 - Fried Shellfish - Commercial Entrée and Fast Food</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3.492 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A78		<i>MCF0100 - Cold Cuts and Sausage</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 9.735 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A79		<i>MCL0100 - Lean Cold Cuts and Sausage</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 10.079 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A80		<i>MOF0100 - Organ Meats</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 7.341 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A81		<i>MOF0200 - Baby Food Meat Mixtures</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A82		<i>FMC0200 - Meat-based Savory Snack</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A83		<i>MOF0300 - Eggs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 6.831 (median=0 mean=0.0 std=0.2)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A84		<i>MOF0400 - Egg Substitute</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A85		<i>MOF0500 - Nuts and Seeds</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 10.582 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A86		<i>MOF0600 - Nut and Seed Butters</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 6 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A87		<i>MOF0700 - Meat Alternatives</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3.496 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A88		<i>DMF0100 - Milk - Whole</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 4 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A89		<i>DMR0100 - Milk - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 4 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A90		<i>DML0100 - Milk - Low Fat and Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 5.625 (median=0 mean=0.0 std=0.1)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A91		<i>DMN0100 - Milk - Nondairy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1.5 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A92		<i>DMF0200 - Ready-to-drink Flavored Milk - Whole</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3.75 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A93		<i>DMR0200 - Ready-to-drink Flavored Milk - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3.5 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A94		<i>DML0200 - Ready-to-drink Flavored Milk - Low Fat and Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 4 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A95		<i>DML0300 - Sweetened Flavored Milk Beverage Powder with Non-fat Dry Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1.5 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A96		<i>DML0400 - Artificially Sweetened Flavored Milk Beverage Powder with Non-fat Dry Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0.938 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A97		<i>SWT0600 - Sweetened Flavored Milk Beverage Powder without Non-fat Dry Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3 (median=0 mean=0.0 std=0.1)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A98		<i>MSC1100 - Artificially Sweetened Flavored Milk Beverage Powder without Non-fat Dry Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0.167 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A99		<i>DCF0100 - Cheese - Full Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 13.969 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A100		<i>DCR0100 - Cheese - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 9.524 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A101		<i>DCL0100 - Cheese - Low Fat and Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 2.667 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A102		<i>DCN0100 - Cheese - Nondairy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A103		<i>DYF0100 - Yogurt - Sweetened Whole Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1.389 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A104		<i>DYR0100 - Yogurt - Sweetened Low Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 2.083 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A105		<i>DYL0100 - Yogurt - Sweetened Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1.125 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A106		<i>DYF0200 - Yogurt - Artificially Sweetened Whole Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1.389 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A107		<i>DYR0200 - Yogurt - Artificially Sweetened Low Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A108		<i>DYL0200 - Yogurt - Artificially Sweetened Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0.694 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A109		<i>DYN0100 - Yogurt - Nondairy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0.433 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A110		<i>DOT0100 - Frozen Dairy Dessert</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 6 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A111		<i>DOT0200 - Frozen Nondairy Dessert</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3.75 (median=0 mean=0.0 std=0.1)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A112		<i>DOT0300 - Pudding and Other Dairy Dessert</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1.502 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A113		<i>DOT0400 - Artificially Sweetened Pudding and Other Dairy Dessert</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A114		<i>FCF0100 - Cream</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 17.399 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A115		<i>FCR0100 - Cream - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 9.934 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A116		<i>FCL0100 - Cream - Low Fat and Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 4.133 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A117		<i>FCN0100 - Cream - Nondairy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 10.667 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A118		<i>DOT0500 - Dairy-based Sweetened Meal Replacement/Supplement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1.75 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A119		<i>DOT0600 - Dairy-based Artificially Sweetened Meal Replacement/Supplement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A120		<i>DOT0700 - Infant Formula</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1.6 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A121		<i>DOT0800 - Infant Formula - Nondairy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A122		<i>FMF0100 - Margarine - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 6 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A123		<i>FMR0100 - Margarine - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 12 (median=0 mean=0.0 std=0.3)
578		Missing

Y07A124		<i>FOF0100 - Oil</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 25.109 (median=0 mean=0.1 std=0.5)
578		Missing

Y07A125		<i>FSF0100 - Shortening</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 12.846 (median=0 mean=0.0 std=0.2)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A126		<i>FAF0100 - Butter and Other Animal Fats - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 18.999 (median=0 mean=0.0 std=0.4)
578		Missing

Y07A127		<i>FAR0100 - Butter and Other Animal Fats - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 6 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A128		<i>FDF0100 - Salad Dressing - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 8.373 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A129		<i>FDR0100 - Salad Dressing - Reduced Fat/Reduced Calorie/Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 5.048 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A130		<i>SWT0400 - Sugar</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 50.484 (median=0 mean=0.1 std=0.7)
578		Missing

Y07A131		<i>MSC1200 - Sugar Substitute</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 12 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A132		<i>SWT0500 - Syrup, Honey, Jam, Jelly, Preserves</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 8 (median=0 mean=0.0 std=0.1)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A133		<i>SWT0700 - Sauces, Sweet - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1.053 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A134		<i>SWT0800 - Sauces, Sweet - Reduced Fat/Reduced Calorie/Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 2 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A135		<i>SWT0100 - Chocolate Candy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3.225 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A136		<i>SWT0200 - Non-chocolate Candy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 6.3 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A137		<i>SWT0300 - Frosting or Glaze</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A138		<i>BVS0400 - Sweetened Soft Drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 7.5 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A139		<i>BVA0400 - Artificially Sweetened Soft Drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3 (median=0 mean=0.0 std=0.1)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A140		<i>BVU0300 - Unsweetened Soft Drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3.63 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A141		<i>BVS0300 - Sweetened Fruit Drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 9 (median=0 mean=0.0 std=0.2)
578		Missing

Y07A142		<i>BVA0300 - Artificially Sweetened Fruit Drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 20.253 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A143		<i>BVS0500 - Sweetened Tea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 5 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A144		<i>BVA0500 - Artificially Sweetened Tea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 2.5 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A145		<i>BVU0400 - Unsweetened Tea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 4 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A146		<i>BVS0100 - Sweetened Coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A147		<i>BVA0100 - Artificially Sweetened Coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A148		<i>BVU0100 - Unsweetened Coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 2.5 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A149		<i>BVS0200 - Sweetened Coffee Substitutes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A150		<i>BVA0200 - Artificially Sweetened Coffee Substitutes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A151		<i>BVU0200 - Unsweetened Coffee Substitutes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A152		<i>BVS0600 - Sweetened Water</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 2 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A153		<i>BVA0600 - Artificially Sweetened Water</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 3 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A154		<i>BVU0500 - Unsweetened Water</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 16 (median=0 mean=0.2 std=0.6)
578		Missing

Y07A155		<i>BVS0700 - Nondairy-based Sweetened Meal Replacement/Supplement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 5 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A156		<i>BVA0700 - Nondairy-based Artificially Sweetened Meal Replacement/Supplement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 4 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A157		<i>BVU0600 - Nondairy-based Unsweetened Meal Replacement/Supplement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A158		<i>BVO0100 - Non-alcoholic Beer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1.25 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A159		<i>BVO0200 - Non-alcoholic Light Beer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A160		<i>BVE0100 - Beer and Ales</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A161		<i>BVE0400 - Cordial and Liqueur</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 2.667 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A162		<i>BVE0300 - Distilled Liquor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1.064 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A163		<i>BVE0200 - Wine</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 2.5 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A164		<i>MSC0100 - Gravy - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 2.83 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A165		<i>MSC0200 - Gravy - Reduced Fat/Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 1 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A166		<i>MSC0300 - Sauces and Condiments - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 5.615 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A167		<i>MSC0400 - Sauces and Condiments - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33405	Range	0 - 15 (median=0 mean=0.0 std=0.3)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y07A168		MSC0500 - Pickled Foods
N	Value	Description
33405	Range	0 - 43.333 (median=0 mean=0.0 std=0.3)
578		Missing

Y07A169		MSC0600 - Miscellaneous Dessert
N	Value	Description
33405	Range	0 - 9.105 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A170		MSC0700 - Non-grain Flour and Similar
N	Value	Description
33405	Range	0 - 0.246 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A171		MSC0800 - Soup Broth
N	Value	Description
33405	Range	0 - 4 (median=0 mean=0.0 std=0.1)
578		Missing

Y07A172		MSC0900 - Baby Food Dessert
N	Value	Description
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A173		MSC1000 - Miscellaneous Baby Food Mixtures
N	Value	Description
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

Y07A174		GRW1300 - Baby Food Grain Mixtures – Whole Grain
N	Value	Description
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A**Section A: Nutrition Reading Center Data**

Y07A175		GRS1300 - Baby Food Grain Mixtures – Some Whole Grain
N	Value	Description
33405	Range	0 - 0 (median=0 mean=0.0 std=0.0)
578		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Food Group Servings at the Meal Level (NDSR8): FORM CODE=Y08

<i>RECALLNUM</i>		<i>First or second dietary recall</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6407	1	First Dietary Recall
5999	2	Second Dietary Recall

<i>MEALID</i>		<i>Index of meal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	1	meal 1
2809	2	meal 2
2719	3	meal 3
2168	4	meal 4
1178	5	meal 5
478	6	meal 6
161	7	meal 7
50	8	meal 8
17	9	meal 9
9	10	meal 10
2	11	meal 11
1	12	meal 12
1	13	meal 13
1	14	meal 14

<i>Y08A1</i>		<i>Project Abbreviation</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Present	Variable/Text Values Suppressed

<i>Y08A2</i>		<i>Participant/Menu ID: (Refer to ID)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

<i>Y08A3</i>		<i>Date of Intake</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	12/16/2011 - 01/15/2014

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A4		Meal File ID: (Refer to MEALID)
N	Value	Description
		This variable has been removed

Y08A5		Meal Time
N	Value	Description
12406	Range	0:00 - 23:59

Y08A6		Meal Name
N	Value	Description
2492	1	Breakfast
2118	3	Lunch
3215	4	Snack
2633	5	Dinner/Supper
1617	6	Other
330	7	School Lunch
1		Missing

Y08A7		Meal Location
N	Value	Description
8884	1	Home
17	2	Work
2282	3	School
10	4	Day care
24	6	Deli/take-out/store
412	7	Restaurant/cafeteria/fast food
225	10	Friend's home
1	11	Community meal program
57	12	Party/reception/sporting event
494	13	Other

***All following variables are measured in servings/day.

Y08A8		FRU0100 Citrus Juice
N	Value	Description
12406	Range	0 - 8 (median=0 mean=0.1 std=0.4)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A9		<i>FRU0200 Fruit Juice excluding Citrus Juice</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 6 (median=0 mean=0.1 std=0.4)

Y08A10		<i>FRU0300 Citrus Fruit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 5 (median=0 mean=0.0 std=0.2)

Y08A11		<i>FRU0400 Fruit excluding Citrus Fruit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 16 (median=0 mean=0.2 std=0.6)

Y08A12		<i>FRU0500 Avocado and Similar</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 2.027 (median=0 mean=0.0 std=0.1)

Y08A13		<i>FRU0600 Fried Fruits</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 7.207 (median=0 mean=0.0 std=0.2)

Y08A14		<i>FRU0700 Fruit-based Savory Snack</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A15		<i>VEG0100 Dark-green Vegetables</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3.852 (median=0 mean=0.0 std=0.2)

Y08A16		<i>VEG0200 Deep-yellow Vegetables</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3.538 (median=0 mean=0.0 std=0.1)

Y08A17		<i>VEG0300 Tomato</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 12.752 (median=0 mean=0.1 std=0.3)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A18		VEG0400 White Potatoes
N	Value	Description
12406	Range	0 - 8.897 (median=0 mean=0.0 std=0.3)

Y08A19		VEG0800 Fried Potatoes
N	Value	Description
12406	Range	0 - 4.457 (median=0 mean=0.0 std=0.2)

Y08A20		VEG0450 Other Starchy Vegetables
N	Value	Description
12406	Range	0 - 8.053 (median=0 mean=0.0 std=0.1)

Y08A21		VEG0700 Legumes (cooked dried beans)
N	Value	Description
12406	Range	0 - 5.176 (median=0 mean=0.1 std=0.3)

Y08A22		VEG0600 Other Vegetables
N	Value	Description
12406	Range	0 - 6.545 (median=0 mean=0.1 std=0.3)

Y08A23		VEG0900 Fried Vegetables
N	Value	Description
12406	Range	0 - 1.167 (median=0 mean=0.0 std=0.0)

Y08A24		VEG0500 Vegetable Juice
N	Value	Description
12406	Range	0 - 6 (median=0 mean=0.0 std=0.1)

Y08A25		FMC0100 Vegetable-based Savory Snack
N	Value	Description
12406	Range	0 - 7.055 (median=0 mean=0.0 std=0.2)

Y08A26		GRW0100 Grains, Flour and Dry Mixes - Whole Grain
N	Value	Description
12406	Range	0 - 8.016 (median=0 mean=0.0 std=0.3)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A27		<i>GRS0100 Grains, Flour and Dry Mixes - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1.797 (median=0 mean=0.0 std=0.0)

Y08A28		<i>GRR0100 Grains, Flour and Dry Mixes - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 23.993 (median=0 mean=0.4 std=1.1)

Y08A29		<i>GRW0200 Loaf-type Bread and Plain Rolls - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 4.81 (median=0 mean=0.0 std=0.3)

Y08A30		<i>GRS0200 Loaf-type Bread and Plain Rolls - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 8 (median=0 mean=0.0 std=0.3)

Y08A31		<i>GRR0200 Loaf-type Bread and Plain Rolls - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 10.605 (median=0 mean=0.3 std=0.8)

Y08A32		<i>GRW0300 Other Breads (quick breads, corn muffins, tortillas) - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 10.159 (median=0 mean=0.1 std=0.6)

Y08A33		<i>GRS0300 Other Breads (quick breads, corn muffins, tortillas) - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 2.552 (median=0 mean=0.0 std=0.0)

Y08A34		<i>GRR0300 Other Breads (quick breads, corn muffins, tortillas) - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 11.251 (median=0 mean=0.1 std=0.6)

Y08A35		<i>GRW0400 Crackers - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0.823 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A36		<i>GRS0400 Crackers - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 2.116 (median=0 mean=0.0 std=0.0)

Y08A37		<i>GRR0400 Crackers - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 5.503 (median=0 mean=0.0 std=0.1)

Y08A38		<i>GRW0500 Pasta - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3 (median=0 mean=0.0 std=0.0)

Y08A39		<i>GRS0500 Pasta - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A40		<i>GRR0500 Pasta - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 7.111 (median=0 mean=0.1 std=0.5)

Y08A41		<i>GRW0600 Ready-to-eat Cereal (not presweetened) - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 5.82 (median=0 mean=0.0 std=0.2)

Y08A42		<i>GRS0600 Ready-to-eat Cereal (not presweetened) - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3.175 (median=0 mean=0.0 std=0.1)

Y08A43		<i>GRR0600 Ready-to-eat Cereal (not presweetened) - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 8.466 (median=0 mean=0.0 std=0.2)

Y08A44		<i>GRW0700 Ready-to-eat Cereal (presweetened) - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 6.772 (median=0 mean=0.1 std=0.4)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A45		<i>GRS0700 Ready-to-eat Cereal (presweetened) - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 4.092 (median=0 mean=0.0 std=0.2)

Y08A46		<i>GRR0700 Ready-to-eat Cereal (presweetened) - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 6.561 (median=0 mean=0.0 std=0.3)

Y08A47		<i>GRW0800 Cakes, Cookies, Pies, Pastries, Danish, Doughnuts and Cobblers - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 4.8 (median=0 mean=0.0 std=0.1)

Y08A48		<i>GRS0800 Cakes, Cookies, Pies, Pastries, Danish, Doughnuts and Cobblers - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3.267 (median=0 mean=0.0 std=0.1)

Y08A49		<i>GRR0800 Cakes, Cookies, Pies, Pastries, Danish, Doughnuts and Cobblers - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 12.24 (median=0 mean=0.1 std=0.4)

Y08A50		<i>GRW1000 Snack Bars - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 2.367 (median=0 mean=0.0 std=0.1)

Y08A51		<i>GRS1000 Snack Bars - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3.4 (median=0 mean=0.0 std=0.1)

Y08A52		<i>GRR1000 Snack Bars - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1.1 (median=0 mean=0.0 std=0.0)

Y08A53		<i>GRW0900 Snack Chips - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 9.03 (median=0 mean=0.0 std=0.2)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A54		<i>GRS0900 Snack Chips - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3.173 (median=0 mean=0.0 std=0.0)

Y08A55		<i>GRR0900 Snack Chips - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 4.938 (median=0 mean=0.0 std=0.2)

Y08A56		<i>GRW1100 Popcorn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 5.136 (median=0 mean=0.0 std=0.1)

Y08A57		<i>GRW1200 Flavored Popcorn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1 (median=0 mean=0.0 std=0.0)

Y08A58		<i>GRR1300 Baby Food Grain Mixtures - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A59		<i>MRF0100 Beef</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 17.661 (median=0 mean=0.1 std=0.7)

Y08A60		<i>MRL0100 Lean Beef</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 9 (median=0 mean=0.1 std=0.5)

Y08A61		<i>MRF0200 Veal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A62		<i>MRL0200 Lean Veal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A63		<i>MRF0300 Lamb</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A64		<i>MRL0300 Lean Lamb</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0.522 (median=0 mean=0.0 std=0.0)

Y08A65		<i>MRF0400 Fresh Pork</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 12 (median=0 mean=0.0 std=0.4)

Y08A66		<i>MRL0400 Lean Fresh Pork</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 13.115 (median=0 mean=0.0 std=0.3)

Y08A67		<i>MCF0200 Cured Pork</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 4.666 (median=0 mean=0.0 std=0.2)

Y08A68		<i>MCL0200 Lean Cured Pork</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 4.727 (median=0 mean=0.0 std=0.3)

Y08A69		<i>MRF0500 Game</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1.576 (median=0 mean=0.0 std=0.0)

Y08A70		<i>MPF0100 Poultry</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 20.106 (median=0 mean=0.1 std=0.5)

Y08A71		<i>MPL0100 Lean Poultry</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 23.021 (median=0 mean=0.2 std=1.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A72		<i>MPF0200 Fried Chicken - Commercial Entrée and Fast Food</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 12.063 (median=0 mean=0.1 std=0.6)

Y08A73		<i>MFF0100 Fish - Fresh and Smoked</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3 (median=0 mean=0.0 std=0.0)

Y08A74		<i>MFL0100 Lean Fish - Fresh and Smoked</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 10 (median=0 mean=0.0 std=0.4)

Y08A75		<i>MFF0200 Fried Fish - Commercial Entrée and Fast Food</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 8.042 (median=0 mean=0.0 std=0.1)

Y08A76		<i>MSL0100 Shellfish</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 30.575 (median=0 mean=0.0 std=0.4)

Y08A77		<i>MSF0100 Fried Shellfish - Commercial Entrée and Fast Food</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3.492 (median=0 mean=0.0 std=0.0)

Y08A78		<i>MCF0100 Cold Cuts and Sausage</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 9.735 (median=0 mean=0.1 std=0.4)

Y08A79		<i>MCL0100 Lean Cold Cuts and Sausage</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 10.079 (median=0 mean=0.0 std=0.3)

Y08A80		<i>MOF0100 Organ Meats</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 7.341 (median=0 mean=0.0 std=0.2)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A81		<i>MOF0200 Baby Food Meat Mixtures</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A82		<i>FMC0200 Meat-based Savory Snack</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A83		<i>MOF0300 Eggs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 6.831 (median=0 mean=0.1 std=0.4)

Y08A84		<i>MOF0400 Egg Substitute</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A85		<i>MOF0500 Nuts and Seeds</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 10.582 (median=0 mean=0.0 std=0.2)

Y08A86		<i>MOF0600 Nut and Seed Butters</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 6 (median=0 mean=0.0 std=0.2)

Y08A87		<i>MOF0700 Meat Alternatives</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3.496 (median=0 mean=0.0 std=0.1)

Y08A88		<i>DMF0100 Milk - Whole</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 5.5 (median=0 mean=0.1 std=0.2)

Y08A89		<i>DMR0100 Milk - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 4.125 (median=0 mean=0.1 std=0.4)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A90		<i>DML0100 Milk - Low Fat and Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 5.625 (median=0 mean=0.0 std=0.2)

Y08A91		<i>DMN0100 Milk - Nondairy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1.5 (median=0 mean=0.0 std=0.1)

Y08A92		<i>DMF0200 Ready-to-drink Flavored Milk - Whole</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3.75 (median=0 mean=0.0 std=0.1)

Y08A93		<i>DMR0200 Ready-to-drink Flavored Milk - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3.5 (median=0 mean=0.0 std=0.2)

Y08A94		<i>DML0200 Ready-to-drink Flavored Milk - Low Fat and Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 4 (median=0 mean=0.0 std=0.1)

Y08A95		<i>DML0300 Sweetened Flavored Milk Beverage Powder with Non-fat Dry Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1.5 (median=0 mean=0.0 std=0.0)

Y08A96		<i>DML0400 Artificially Sweetened Flavored Milk Beverage Powder with Non-fat Dry Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0.938 (median=0 mean=0.0 std=0.0)

Y08A97		<i>SWT0600 Sweetened Flavored Milk Beverage Powder without Non-fat Dry Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3 (median=0 mean=0.0 std=0.1)

Y08A98		<i>MSC1100 Artificially Sweetened Flavored Milk Beverage Powder without Non-fat Dry Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0.167 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A99		<i>DCF0100 Cheese - Full Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 15.297 (median=0 mean=0.1 std=0.3)

Y08A100		<i>DCR0100 Cheese - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 9.524 (median=0 mean=0.1 std=0.3)

Y08A101		<i>DCL0100 Cheese - Low Fat and Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 2.667 (median=0 mean=0.0 std=0.0)

Y08A102		<i>DCN0100 Cheese - Nondairy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3 (median=0 mean=0.0 std=0.0)

Y08A103		<i>DYF0100 Yogurt - Sweetened Whole Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1.389 (median=0 mean=0.0 std=0.0)

Y08A104		<i>DYR0100 Yogurt - Sweetened Low Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 2.083 (median=0 mean=0.0 std=0.1)

Y08A105		<i>DYL0100 Yogurt - Sweetened Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1.125 (median=0 mean=0.0 std=0.0)

Y08A106		<i>DYF0200 Yogurt - Artificially Sweetened Whole Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1.389 (median=0 mean=0.0 std=0.0)

Y08A107		<i>DYR0200 Yogurt - Artificially Sweetened Low Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A108		<i>DYL0200 Yogurt - Artificially Sweetened Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0.694 (median=0 mean=0.0 std=0.0)

Y08A109		<i>DYN0100 Yogurt - Nondairy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0.433 (median=0 mean=0.0 std=0.0)

Y08A110		<i>DOT0100 Frozen Dairy Dessert</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 6 (median=0 mean=0.0 std=0.3)

Y08A111		<i>DOT0200 Frozen Nondairy Dessert</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3.75 (median=0 mean=0.0 std=0.1)

Y08A112		<i>DOT0300 Pudding and Other Dairy Dessert</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1.502 (median=0 mean=0.0 std=0.0)

Y08A113		<i>DOT0400 Artificially Sweetened Pudding and Other Dairy Dessert</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A114		<i>FCF0100 Cream</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 17.399 (median=0 mean=0.0 std=0.2)

Y08A115		<i>FCR0100 Cream - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 9.934 (median=0 mean=0.0 std=0.2)

Y08A116		<i>FCL0100 Cream - Low Fat and Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 4.133 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A117		<i>FCN0100 Cream - Nondairy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 10.667 (median=0 mean=0.0 std=0.1)

Y08A118		<i>DOT0500 Dairy-based Sweetened Meal Replacement/Supplement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1.75 (median=0 mean=0.0 std=0.0)

Y08A119		<i>DOT0600 Dairy-based Artificially Sweetened Meal Replacement/Supplement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1 (median=0 mean=0.0 std=0.0)

Y08A120		<i>DOT0700 Infant Formula</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1.6 (median=0 mean=0.0 std=0.0)

Y08A121		<i>DOT0800 Infant Formula - Nondairy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A122		<i>FMF0100 Margarine - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 6 (median=0 mean=0.0 std=0.1)

Y08A123		<i>FMR0100 Margarine - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 12 (median=0 mean=0.1 std=0.5)

Y08A124		<i>FOF0100 Oil</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 25.109 (median=0 mean=0.3 std=0.9)

Y08A125		<i>FSF0100 Shortening</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 12.846 (median=0 mean=0.0 std=0.3)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A126		<i>FAF0100 Butter and Other Animal Fats - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 18.999 (median=0 mean=0.1 std=0.7)

Y08A127		<i>FAR0100 Butter and Other Animal Fats - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 6 (median=0 mean=0.0 std=0.1)

Y08A128		<i>FDF0100 Salad Dressing - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 8.373 (median=0 mean=0.0 std=0.3)

Y08A129		<i>FDR0100 Salad Dressing - Reduced Fat/Reduced Calorie/Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 5.048 (median=0 mean=0.0 std=0.1)

Y08A130		<i>SWT0400 Sugar</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 50.484 (median=0 mean=0.2 std=1.1)

Y08A131		<i>MSC1200 Sugar Substitute</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 12 (median=0 mean=0.0 std=0.1)

Y08A132		<i>SWT0500 Syrup, Honey, Jam, Jelly, Preserves</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 8 (median=0 mean=0.0 std=0.2)

Y08A133		<i>SWT0700 Sauces, Sweet - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1.206 (median=0 mean=0.0 std=0.0)

Y08A134		<i>SWT0800 Sauces, Sweet - Reduced Fat/Reduced Calorie/Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 2 (median=0 mean=0.0 std=0.1)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A135		<i>SWT0100 Chocolate Candy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3.225 (median=0 mean=0.0 std=0.1)

Y08A136		<i>SWT0200 Non-chocolate Candy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 6.604 (median=0 mean=0.0 std=0.1)

Y08A137		<i>SWT0300 Frosting or Glaze</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A138		<i>BVS0400 Sweetened Soft Drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 7.5 (median=0 mean=0.1 std=0.4)

Y08A139		<i>BVA0400 Artificially Sweetened Soft Drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3 (median=0 mean=0.0 std=0.1)

Y08A140		<i>BVU0300 Unsweetened Soft Drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3.63 (median=0 mean=0.0 std=0.0)

Y08A141		<i>BVS0300 Sweetened Fruit Drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 9 (median=0 mean=0.1 std=0.4)

Y08A142		<i>BVA0300 Artificially Sweetened Fruit Drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 20.253 (median=0 mean=0.0 std=0.2)

Y08A143		<i>BVS0500 Sweetened Tea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 5 (median=0 mean=0.0 std=0.2)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A144		<i>BVA0500 Artificially Sweetened Tea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 2.5 (median=0 mean=0.0 std=0.1)

Y08A145		<i>BVU0400 Unsweetened Tea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 4 (median=0 mean=0.0 std=0.1)

Y08A146		<i>BVS0100 Sweetened Coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3 (median=0 mean=0.0 std=0.0)

Y08A147		<i>BVA0100 Artificially Sweetened Coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A148		<i>BVU0100 Unsweetened Coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 2.5 (median=0 mean=0.0 std=0.1)

Y08A149		<i>BVS0200 Sweetened Coffee Substitutes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A150		<i>BVA0200 Artificially Sweetened Coffee Substitutes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A151		<i>BVU0200 Unsweetened Coffee Substitutes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A152		<i>BVS0600 Sweetened Water</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 2 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A153		<i>BVA0600 Artificially Sweetened Water</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 3 (median=0 mean=0.0 std=0.0)

Y08A154		<i>BVU0500 Unsweetened Water</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 16 (median=0 mean=0.4 std=0.9)

Y08A155		<i>BVS0700 Nondairy-based Sweetened Meal Replacement/Supplement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 5 (median=0 mean=0.0 std=0.2)

Y08A156		<i>BVA0700 Nondairy-based Artificially Sweetened Meal Replacement/Supplement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 4 (median=0 mean=0.0 std=0.1)

Y08A157		<i>BVU0600 Nondairy-based Unsweetened Meal Replacement/Supplement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1 (median=0 mean=0.0 std=0.0)

Y08A158		<i>BVO0100 Non-alcoholic Beer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1.25 (median=0 mean=0.0 std=0.0)

Y08A159		<i>BVO0200 Non-alcoholic Light Beer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A160		<i>BVE0100 Beer and Ales</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1 (median=0 mean=0.0 std=0.0)

Y08A161		<i>BVE0400 Cordial and Liqueur</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 2.667 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A162		<i>BVE0300 Distilled Liquor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1.064 (median=0 mean=0.0 std=0.0)

Y08A163		<i>BVE0200 Wine</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 2.531 (median=0 mean=0.0 std=0.0)

Y08A164		<i>MSC0100 Gravy - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 2.83 (median=0 mean=0.0 std=0.0)

Y08A165		<i>MSC0200 Gravy - Reduced Fat/Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 1 (median=0 mean=0.0 std=0.0)

Y08A166		<i>MSC0300 Sauces and Condiments - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 5.615 (median=0 mean=0.0 std=0.1)

Y08A167		<i>MSC0400 Sauces and Condiments - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 15.188 (median=0 mean=0.1 std=0.6)

Y08A168		<i>MSC0500 Pickled Foods</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 43.333 (median=0 mean=0.0 std=0.4)

Y08A169		<i>MSC0600 Miscellaneous Dessert</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 9.105 (median=0 mean=0.0 std=0.1)

Y08A170		<i>MSC0700 Non-grain Flour and Similar</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0.246 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y08A171		<i>MSC0800 Soup Broth</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 4 (median=0 mean=0.0 std=0.1)

Y08A172		<i>MSC0900 Baby Food Dessert</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A173		<i>MSC1000 Miscellaneous Baby Food Mixtures</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A174		<i>GRW1300 Baby Food Grain Mixtures - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y08A175		<i>GRS1300 Baby Food Grain Mixtures - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12406	Range	0 - 0 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Food Group Servings at the Daily Totals Level (NDSR9): FORM CODE=Y09

RECALLNUM		First or second dietary recall
N	Value	Description
1428	1	First Dietary Recall
1384	2	Second Dietary Recall

Y09A1		Project Abbreviation
N	Value	Description
2812	Present	Variable/Text Values Suppressed

Y09A2		Participant ID: (Refer to ID)
N	Value	Description
		This variable has been removed

Y09A3		Date of menu
N	Value	Description
2812	Range	12/16/2011 - 01/15/2014

***All following variables are measured in servings/day.

Y09A4		FRU0100 Citrus Juice
N	Value	Description
2812	Range	0 - 8 (median=0 mean=0.4 std=1.0)

Y09A5		FRU0200 Fruit Juice excluding Citrus Juice
N	Value	Description
2812	Range	0 - 10.5 (median=0 mean=0.3 std=0.8)

Y09A6		FRU0300 Citrus Fruit
N	Value	Description
2812	Range	0 - 5.618 (median=0 mean=0.1 std=0.4)

Y09A7		FRU0400 Fruit excluding Citrus Fruit
N	Value	Description
2812	Range	0 - 16.451 (median=0 mean=0.7 std=1.4)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A8		<i>FRU0500 Avocado and Similar</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 2.027 (median=0 mean=0.0 std=0.1)

Y09A9		<i>FRU0600 Fried Fruits</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 7.207 (median=0 mean=0.0 std=0.4)

Y09A10		<i>FRU0700 Fruit-based Savory Snack</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A11		<i>VEG0100 Dark-green Vegetables</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 4.667 (median=0 mean=0.1 std=0.4)

Y09A12		<i>VEG0200 Deep-yellow Vegetables</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3.538 (median=0 mean=0.1 std=0.3)

Y09A13		<i>VEG0300 Tomato</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 12.752 (median=0.1565 mean=0.39846 std=0.70834)

Y09A14		<i>VEG0400 White Potatoes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 8.897 (median=0 mean=0.1 std=0.6)

Y09A15		<i>VEG0800 Fried Potatoes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 4.457 (median=0 mean=0.1 std=0.5)

Y09A16		<i>VEG0450 Other Starchy Vegetables</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 8.053 (median=0 mean=0.1 std=0.2)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A17		VEG0700 Legumes (cooked dried beans)
N	Value	Description
2812	Range	0 - 5.176 (median=0 mean=0.3 std=0.6)

Y09A18		VEG0600 Other Vegetables
N	Value	Description
2812	Range	0 - 6.975 (median=0.2175 mean=0.43096 std=0.60141)

Y09A19		VEG0900 Fried Vegetables
N	Value	Description
2812	Range	0 - 1.167 (median=0 mean=0.0 std=0.0)

Y09A20		VEG0500 Vegetable Juice
N	Value	Description
2812	Range	0 - 6 (median=0 mean=0.0 std=0.2)

Y09A21		FMC0100 Vegetable-based Savory Snack
N	Value	Description
2812	Range	0 - 7.055 (median=0 mean=0.1 std=0.4)

Y09A22		GRW0100 Grains, Flour and Dry Mixes - Whole Grain
N	Value	Description
2812	Range	0 - 9.352 (median=0 mean=0.1 std=0.6)

Y09A23		GRS0100 Grains, Flour and Dry Mixes - Some Whole Grain
N	Value	Description
2812	Range	0 - 3.145 (median=0 mean=0.0 std=0.1)

Y09A24		GRR0100 Grains, Flour and Dry Mixes - Refined Grain
N	Value	Description
2812	Range	0 - 23.993 (median=0.7675 mean=1.59391 std=2.19545)

Y09A25		GRW0200 Loaf-type Bread and Plain Rolls - Whole Grain
N	Value	Description
2812	Range	0 - 6.81 (median=0 mean=0.1 std=0.6)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A26		<i>GRS0200 Loaf-type Bread and Plain Rolls - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 8 (median=0 mean=0.1 std=0.6)

Y09A27		<i>GRR0200 Loaf-type Bread and Plain Rolls - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 13.404 (median=0 mean=1.2 std=1.7)

Y09A28		<i>GRW0300 Other Breads (quick breads, corn muffins, tortillas) - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 14.053 (median=0 mean=0.5 std=1.3)

Y09A29		<i>GRS0300 Other Breads (quick breads, corn muffins, tortillas) - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 2.552 (median=0 mean=0.0 std=0.1)

Y09A30		<i>GRR0300 Other Breads (quick breads, corn muffins, tortillas) - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 11.251 (median=0 mean=0.5 std=1.3)

Y09A31		<i>GRW0400 Crackers - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0.823 (median=0 mean=0.0 std=0.0)

Y09A32		<i>GRS0400 Crackers - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 2.116 (median=0 mean=0.0 std=0.1)

Y09A33		<i>GRR0400 Crackers - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 9.171 (median=0 mean=0.1 std=0.3)

Y09A34		<i>GRW0500 Pasta - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3 (median=0 mean=0.0 std=0.1)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A35		<i>GRS0500 Pasta - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A36		<i>GRR0500 Pasta - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 10.725 (median=0 mean=0.4 std=1.0)

Y09A37		<i>GRW0600 Ready-to-eat Cereal (not presweetened) - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 8.73 (median=0 mean=0.1 std=0.5)

Y09A38		<i>GRS0600 Ready-to-eat Cereal (not presweetened) - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3.175 (median=0 mean=0.0 std=0.1)

Y09A39		<i>GRR0600 Ready-to-eat Cereal (not presweetened) - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 8.466 (median=0 mean=0.1 std=0.3)

Y09A40		<i>GRW0700 Ready-to-eat Cereal (presweetened) - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 9.877 (median=0 mean=0.3 std=0.8)

Y09A41		<i>GRS0700 Ready-to-eat Cereal (presweetened) - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 9.524 (median=0 mean=0.1 std=0.5)

Y09A42		<i>GRR0700 Ready-to-eat Cereal (presweetened) - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 6.561 (median=0 mean=0.2 std=0.6)

Y09A43		<i>GRW0800 Cakes, Cookies, Pies, Pastries, Danish, Doughnuts and Cobblers - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 4.8 (median=0 mean=0.0 std=0.1)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A44		<i>GRS0800 Cakes, Cookies, Pies, Pastries, Danish, Doughnuts and Cobblers - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3.533 (median=0 mean=0.0 std=0.2)

Y09A45		<i>GRR0800 Cakes, Cookies, Pies, Pastries, Danish, Doughnuts and Cobblers - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 12.24 (median=0 mean=0.4 std=0.9)

Y09A46		<i>GRW1000 Snack Bars - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 2.367 (median=0 mean=0.0 std=0.1)

Y09A47		<i>GRS1000 Snack Bars - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 5.1 (median=0 mean=0.0 std=0.2)

Y09A48		<i>GRR1000 Snack Bars - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1.1 (median=0 mean=0.0 std=0.0)

Y09A49		<i>GRW0900 Snack Chips - Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 9.03 (median=0 mean=0.1 std=0.5)

Y09A50		<i>GRS0900 Snack Chips - Some Whole Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3.173 (median=0 mean=0.0 std=0.1)

Y09A51		<i>GRR0900 Snack Chips - Refined Grain</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 11.036 (median=0 mean=0.1 std=0.5)

Y09A52		<i>GRW1100 Popcorn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 5.136 (median=0 mean=0.0 std=0.3)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A53		<i>GRW1200 Flavored Popcorn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1 (median=0 mean=0.0 std=0.0)

Y09A54		<i>GRO0100 Baby Food Grain Mixtures</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A55		<i>MRF0100 Beef</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 18 (median=0 mean=0.6 std=1.5)

Y09A56		<i>MRL0100 Lean Beef</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 10 (median=0 mean=0.2 std=1.0)

Y09A57		<i>MRF0200 Veal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A58		<i>MRL0200 Lean Veal</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A59		<i>MRF0300 Lamb</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A60		<i>MRL0300 Lean Lamb</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0.522 (median=0 mean=0.0 std=0.0)

Y09A61		<i>MRF0400 Fresh Pork</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 18 (median=0 mean=0.2 std=0.9)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A62		<i>MRL0400 Lean Fresh Pork</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 13.115 (median=0 mean=0.1 std=0.7)

Y09A63		<i>MCF0200 Cured Pork</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 4.666 (median=0 mean=0.1 std=0.3)

Y09A64		<i>MCL0200 Lean Cured Pork</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 7.002 (median=0 mean=0.2 std=0.6)

Y09A65		<i>MRF0500 Game</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1.576 (median=0 mean=0.0 std=0.0)

Y09A66		<i>MPF0100 Poultry</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 26.808 (median=0 mean=0.3 std=1.2)

Y09A67		<i>MPL0100 Lean Poultry</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 23.021 (median=0 mean=1.1 std=2.0)

Y09A68		<i>MPF0200 Fried Chicken - Commercial Entrée and Fast Food</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 12.063 (median=0 mean=0.3 std=1.2)

Y09A69		<i>MFF0100 Fish - Fresh and Smoked</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3 (median=0 mean=0.0 std=0.1)

Y09A70		<i>MFL0100 Lean Fish - Fresh and Smoked</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 10 (median=0 mean=0.2 std=0.9)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A71		<i>MFF0200 Fried Fish - Commercial Entrée and Fast Food</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 8.042 (median=0 mean=0.0 std=0.3)

Y09A72		<i>MSL0100 Shellfish</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 30.575 (median=0 mean=0.1 std=0.9)

Y09A73		<i>MSF0100 Fried Shellfish - Commercial Entrée and Fast Food</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3.492 (median=0 mean=0.0 std=0.1)

Y09A74		<i>MCF0100 Cold Cuts and Sausage</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 9.735 (median=0 mean=0.3 std=0.9)

Y09A75		<i>MCL0100 Lean Cold Cuts and Sausage</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 10.079 (median=0 mean=0.2 std=0.6)

Y09A76		<i>MOF0100 Organ Meats</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 11.012 (median=0 mean=0.0 std=0.4)

Y09A77		<i>MOF0200 Baby Food Meat Mixtures</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A78		<i>FMC0200 Meat-based Savory Snack</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A79		<i>MOF0300 Eggs</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 7.297 (median=0 mean=0.3 std=0.8)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A80		<i>MOF0400 Egg Substitute</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A81		<i>MOF0500 Nuts and Seeds</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 10.582 (median=0 mean=0.0 std=0.4)

Y09A82		<i>MOF0600 Nut and Seed Butters</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 6 (median=0 mean=0.1 std=0.4)

Y09A83		<i>MOF0700 Meat Alternatives</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3.496 (median=0 mean=0.0 std=0.1)

Y09A84		<i>DMF0100 Milk - Whole</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 10 (median=0 mean=0.2 std=0.6)

Y09A85		<i>DMR0100 Milk - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 7.5 (median=0 mean=0.5 std=0.9)

Y09A86		<i>DML0100 Milk - Low Fat and Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 6.625 (median=0 mean=0.2 std=0.6)

Y09A87		<i>DMN0100 Milk - Nondairy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 2.75 (median=0 mean=0.0 std=0.1)

Y09A88		<i>DMF0200 Ready-to-drink Flavored Milk - Whole</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3.75 (median=0 mean=0.0 std=0.2)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A89		<i>DMR0200 Ready-to-drink Flavored Milk - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 4.5 (median=0 mean=0.1 std=0.4)

Y09A90		<i>DML0200 Ready-to-drink Flavored Milk - Low Fat and Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 4 (median=0 mean=0.1 std=0.3)

Y09A91		<i>DML0300 Sweetened Flavored Milk Beverage Powder with Non-fat Dry Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1.5 (median=0 mean=0.0 std=0.1)

Y09A92		<i>DML0400 Artificially Sweetened Flavored Milk Beverage Powder with Non-fat Dry Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0.938 (median=0 mean=0.0 std=0.0)

Y09A93		<i>SWT0600 Sweetened Flavored Milk Beverage Powder without Non-fat Dry Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 4.5 (median=0 mean=0.0 std=0.3)

Y09A94		<i>MSC1100 Artificially Sweetened Flavored Milk Beverage Powder without Non-fat Dry Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0.167 (median=0 mean=0.0 std=0.0)

Y09A95		<i>DCF0100 Cheese - Full Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 15.297 (median=0.0245 mean=0.36407 std=0.72322)

Y09A96		<i>DCR0100 Cheese - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 9.524 (median=0 mean=0.2 std=0.6)

Y09A97		<i>DCL0100 Cheese - Low Fat and Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 2.667 (median=0 mean=0.0 std=0.1)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A98		<i>DCN0100 Cheese - Nondairy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3 (median=0 mean=0.0 std=0.1)

Y09A99		<i>DYF0100 Yogurt - Sweetened Whole Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1.389 (median=0 mean=0.0 std=0.0)

Y09A100		<i>DYR0100 Yogurt - Sweetened Low Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 2.083 (median=0 mean=0.0 std=0.2)

Y09A101		<i>DYL0100 Yogurt - Sweetened Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1.389 (median=0 mean=0.0 std=0.1)

Y09A102		<i>DYF0200 Yogurt - Artificially Sweetened Whole Milk</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1.389 (median=0 mean=0.0 std=0.0)

Y09A103		<i>DYR0200 Yogurt - Artificially Sweetened Low Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1 (median=0 mean=0.0 std=0.0)

Y09A104		<i>DYL0200 Yogurt - Artificially Sweetened Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1.389 (median=0 mean=0.0 std=0.0)

Y09A105		<i>DYN0100 Yogurt - Nondairy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0.433 (median=0 mean=0.0 std=0.0)

Y09A106		<i>DOT0100 Frozen Dairy Dessert</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 6.023 (median=0 mean=0.1 std=0.5)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A107		<i>DOT0200 Frozen Nondairy Dessert</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3.75 (median=0 mean=0.0 std=0.2)

Y09A108		<i>DOT0300 Pudding and Other Dairy Dessert</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3.003 (median=0 mean=0.0 std=0.1)

Y09A109		<i>DOT0400 Artificially Sweetened Pudding and Other Dairy Dessert</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A110		<i>FCF0100 Cream</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 17.399 (median=0 mean=0.1 std=0.5)

Y09A111		<i>FCR0100 Cream - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 9.934 (median=0 mean=0.0 std=0.3)

Y09A112		<i>FCL0100 Cream - Low Fat and Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 4.133 (median=0 mean=0.0 std=0.1)

Y09A113		<i>FCN0100 Cream - Nondairy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 10.667 (median=0 mean=0.0 std=0.3)

Y09A114		<i>DOT0500 Dairy-based Sweetened Meal Replacement/Supplement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3 (median=0 mean=0.0 std=0.1)

Y09A115		<i>DOT0600 Dairy-based Artificially Sweetened Meal Replacement/Supplement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A116		<i>DOT0700 Infant Formula</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1.6 (median=0 mean=0.0 std=0.0)

Y09A117		<i>DOT0800 Infant Formula - Nondairy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A118		<i>FMF0100 Margarine - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 6 (median=0 mean=0.0 std=0.2)

Y09A119		<i>FMR0100 Margarine - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 12 (median=0 mean=0.3 std=1.0)

Y09A120		<i>FOF0100 Oil</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 25.109 (median=0.66 mean=1.281 std=1.762)

Y09A121		<i>FSF0100 Shortening</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 12.846 (median=0 mean=0.1 std=0.6)

Y09A122		<i>FAF0100 Butter and Other Animal Fats - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 28.417 (median=0 mean=0.4 std=1.5)

Y09A123		<i>FAR0100 Butter and Other Animal Fats - Reduced Fat</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 6 (median=0 mean=0.0 std=0.2)

Y09A124		<i>FDF0100 Salad Dressing - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 8.373 (median=0 mean=0.2 std=0.5)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A125		<i>FDR0100 Salad Dressing - Reduced Fat/Reduced Calorie/Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 5.048 (median=0 mean=0.0 std=0.1)

Y09A126		<i>SWT0400 Sugar</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 50.679 (median=0 mean=0.8 std=2.5)

Y09A127		<i>MSC1200 Sugar Substitute</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 12 (median=0 mean=0.0 std=0.3)

Y09A128		<i>SWT0500 Syrup, Honey, Jam, Jelly, Preserves</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 8 (median=0 mean=0.1 std=0.4)

Y09A129		<i>SWT0700 Sauces, Sweet - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1.206 (median=0 mean=0.0 std=0.1)

Y09A130		<i>SWT0800 Sauces, Sweet - Reduced Fat/Reduced Calorie/Fat Free</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 2 (median=0 mean=0.0 std=0.1)

Y09A131		<i>SWT0100 Chocolate Candy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3.225 (median=0 mean=0.0 std=0.2)

Y09A132		<i>SWT0200 Non-chocolate Candy</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 6.604 (median=0 mean=0.1 std=0.3)

Y09A133		<i>SWT0300 Frosting or Glaze</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A134		<i>BVS0400 Sweetened Soft Drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 15.5 (median=0 mean=0.5 std=0.9)

Y09A135		<i>BVA0400 Artificially Sweetened Soft Drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 5 (median=0 mean=0.0 std=0.2)

Y09A136		<i>BVU0300 Unsweetened Soft Drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3.63 (median=0 mean=0.0 std=0.1)

Y09A137		<i>BVS0300 Sweetened Fruit Drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 13 (median=0 mean=0.4 std=0.9)

Y09A138		<i>BVA0300 Artificially Sweetened Fruit Drinks</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 20.253 (median=0 mean=0.0 std=0.4)

Y09A139		<i>BVS0500 Sweetened Tea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 6.375 (median=0 mean=0.1 std=0.5)

Y09A140		<i>BVA0500 Artificially Sweetened Tea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 5 (median=0 mean=0.0 std=0.2)

Y09A141		<i>BVU0400 Unsweetened Tea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 9.25 (median=0 mean=0.0 std=0.3)

Y09A142		<i>BVS0100 Sweetened Coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 3 (median=0 mean=0.0 std=0.1)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A143		<i>BVA0100 Artificially Sweetened Coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A144		<i>BVU0100 Unsweetened Coffee</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 2.75 (median=0 mean=0.0 std=0.2)

Y09A145		<i>BVS0200 Sweetened Coffee Substitutes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A146		<i>BVA0200 Artificially Sweetened Coffee Substitutes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A147		<i>BVU0200 Unsweetened Coffee Substitutes</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A148		<i>BVS0600 Sweetened Water</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 2 (median=0 mean=0.0 std=0.0)

Y09A149		<i>BVA0600 Artificially Sweetened Water</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 4.875 (median=0 mean=0.0 std=0.1)

Y09A150		<i>BVU0500 Unsweetened Water</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 32.563 (median=1.415 mean=1.9413 std=2.1954)

Y09A151		<i>BVS0700 Nondairy-based Sweetened Meal Replacement/Supplement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 6 (median=0 mean=0.1 std=0.5)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A152		<i>BVA0700 Nondairy-based Artificially Sweetened Meal Replacement/Supplement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 6 (median=0 mean=0.0 std=0.1)

Y09A153		<i>BVU0600 Nondairy-based Unsweetened Meal Replacement/Supplement</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1 (median=0 mean=0.0 std=0.0)

Y09A154		<i>BVO0100 Non-alcoholic Beer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1.25 (median=0 mean=0.0 std=0.1)

Y09A155		<i>BVO0200 Non-alcoholic Light Beer</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A156		<i>BVE0100 Beer and Ales</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1 (median=0 mean=0.0 std=0.0)

Y09A157		<i>BVE0400 Cordial and Liqueur</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 2.667 (median=0 mean=0.0 std=0.1)

Y09A158		<i>BVE0300 Distilled Liquor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 1.064 (median=0 mean=0.0 std=0.0)

Y09A159		<i>BVE0200 Wine</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 2.531 (median=0 mean=0.0 std=0.1)

Y09A160		<i>MSC0100 Gravy - Regular</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 2.83 (median=0 mean=0.0 std=0.1)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y09A161		MSC0200 Gravy - Reduced Fat/Fat Free
N	Value	Description
2812	Range	0 - 1 (median=0 mean=0.0 std=0.0)

Y09A162		MSC0300 Sauces and Condiments - Regular
N	Value	Description
2812	Range	0 - 5.615 (median=0 mean=0.0 std=0.2)

Y09A163		MSC0400 Sauces and Condiments - Reduced Fat
N	Value	Description
2812	Range	0 - 22.498 (median=0 mean=0.5 std=1.2)

Y09A164		MSC0500 Pickled Foods
N	Value	Description
2812	Range	0 - 43.333 (median=0 mean=0.1 std=0.9)

Y09A165		MSC0600 Miscellaneous Dessert
N	Value	Description
2812	Range	0 - 9.105 (median=0 mean=0.0 std=0.2)

Y09A166		MSC0700 Non-grain Flour and Similar
N	Value	Description
2812	Range	0 - 0.246 (median=0 mean=0.0 std=0.0)

Y09A167		MSC0800 Soup Broth
N	Value	Description
2812	Range	0 - 7.673 (median=0 mean=0.1 std=0.3)

Y09A168		MSC0900 Baby Food Dessert
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

Y09A169		MSC1000 Miscellaneous Baby Food Mixtures
N	Value	Description
2812	Range	0 - 0 (median=0 mean=0.0 std=0.0)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Total 24-hr Supplement Intake (NDSR12): FORM CODE=Y12

RECALLNUM		First or second dietary recall
N	Value	Description
1428	1	First Dietary Recall
1384	2	Second Dietary Recall

Y12A1		Project Abbreviation
N	Value	Description
2812	Present	Variable/Text Values Suppressed

Y12A2		Participant ID: (Refer to ID)
N	Value	Description
		This variable has been removed

Y12A3		Date of Intake
N	Value	Description
2812	Range	12/16/2011 - 01/15/2014

Y12A4		Project Name
N	Value	Description
2812	Present	Variable/Text Values Suppressed

Y12A5		Record Type
N	Value	Description
2812	0	Recall

Y12A6		Interview Type
N	Value	Description
1678	announced/ scheduled	announced/scheduled
1134	unannounced/ unscheduled	unannounced/unscheduled

Y12A7		Participant Name
N	Value	Description
		This variable has been removed

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A8		<i>Gender: (Refer to Gender variable in the Participant Derived Variable File)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

Y12A9		<i>Date of Birth: (Refer to Age variable in the Participant Derived Variable File)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

Y12A10		<i>Date of Entry</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	12/17/2011 - 03/14/2014

Y12A11		<i>Day of Intake</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
216	0	Sunday
425	1	Monday
395	2	Tuesday
502	3	Wednesday
426	4	Thursday
828	5	Friday
20	6	Saturday

Y12A12		<i>Visit Number: (Refer to RECALLNUM)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

Y12A13		<i>Interviewer ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

Y12A14		<i>Site ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A15		<i>DRI Life Stage Group</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

Y12A16		<i>Intake Amount</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1992	0	Usual
264	1	Considerably more than usual
556	2	Considerably less than usual

Y12A17		<i>Intake Reliability</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	0	Reliable

Y12A18		<i>Data Collected in NCC Database Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1734	2012	
4	2010	2010
1074	2011	2011

Y12A19		<i>Data Collected in DSAM Database Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1733	2012	
4	2010	2010
1074	2011	2011
1		Missing

Y12A20		<i>Data Collected in Software Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1734	2012	
4	2010	2010
1074	2011	2011

Y12A21		<i>Data Generated in NCC Database Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	2013	

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A22		<i>Data Generated in Software Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	2011	2011

Y12A23		<i>Black Cohosh</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	N	No

Y12A24		<i>Echinacea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2809	N	No
3	Y	Yes

Y12A25		<i>Garlic</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2810	N	No
2	Y	Yes

Y12A26		<i>Ginger</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2809	N	No
3	Y	Yes

Y12A27		<i>Ginkgo</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2809	N	No
3	Y	Yes

Y12A28		<i>Ginseng</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2811	N	No
1	Y	Yes

Y12A29		<i>Hawthorn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	N	No

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A30		<i>Kava Kava</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	N	No

Y12A31		<i>Ma Huang/Ephedra</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	N	No

Y12A32		<i>Saw Palmetto</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	N	No

Y12A33		<i>St. John's Wort</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	N	No

Y12A34		<i>Number of Supplements Reported</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	Range	0 - 4 (median=0 mean=0.1 std=0.4)

Y12A35		<i>Energy (kilocalories)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 130 (median=0 mean=0.7 std=4.4)
6		Missing

Y12A36		<i>Total Protein (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 20 (median=0 mean=0.0 std=0.4)
6		Missing

Y12A37		<i>Total Fat (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 4 (median=0 mean=0.0 std=0.2)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A38		<i>Total Carbohydrate (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 12 (median=0 mean=0.2 std=0.9)
6		Missing

Y12A39		<i>Total Saturated Fatty Acids (SFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 1.5 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A40		<i>Total Monounsaturated Fatty Acids (MUFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 1 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A41		<i>Total Polyunsaturated Fatty Acids (PUFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 2 (median=0 mean=0.0 std=0.1)
6		Missing

Y12A42		<i>Omega-3 Fatty Acids in Supplements (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 1600 (median=0 mean=3.9 std=62.2)
6		Missing

Y12A43		<i>Cholesterol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 40 (median=0 mean=0.0 std=0.9)
6		Missing

Y12A44		<i>SFA 8:0 (caprylic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A45		SFA 10:0 (capric acid) (g)
N	Value	Description
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A46		SFA 12:0 (lauric acid) (g)
N	Value	Description
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A47		SFA 14:0 (myristic acid) (g)
N	Value	Description
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A48		SFA 16:0 (palmitic acid) (g)
N	Value	Description
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A49		SFA 18:0 (stearic acid) (g)
N	Value	Description
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A50		SFA 20:0 (arachidic acid) (g)
N	Value	Description
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A51		SFA 22:0 (behenic acid) (g)
N	Value	Description
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A52		<i>MUFA 16:1 (palmitoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A53		<i>MUFA 18:1 (oleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A54		<i>MUFA 20:1 (gadoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A55		<i>PUFA 18:2 (linoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A56		<i>PUFA 18:3 (linolenic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A57		<i>PUFA 20:4 (arachidonic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A58		<i>PUFA 20:5 (eicosapentaenoic acid [EPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0.8 (median=0 mean=0.0 std=0.0)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A59		<i>PUFA 22:6 (docosahexaenoic acid [DHA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0.5 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A60		<i>Total Vitamin A Activity (International Units)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 7500 (median=0 mean=163.0 std=728.7)
6		Missing

Y12A61		<i>Retinol (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A62		<i>Vitamin D (calciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 55 (median=0 mean=0.5 std=2.5)
6		Missing

Y12A63		<i>Vitamin E (International Units)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 400 (median=0 mean=1.8 std=14.6)
6		Missing

Y12A64		<i>Vitamin E (Total Alpha-Tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A65		<i>Synthetic Alpha-Tocopherol(all rac-alpha-tocopherol or dl-alpha-tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A66		<i>Beta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A67		<i>Delta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A68		<i>Gamma-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A69		<i>Vitamin K (phylloquinone) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 80 (median=0 mean=0.2 std=3.2)
6		Missing

Y12A70		<i>Vitamin C (ascorbic acid) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 8010 (median=0 mean=13.8 std=173.0)
6		Missing

Y12A71		<i>Thiamin (vitamin B1) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 100 (median=0 mean=0.2 std=2.5)
6		Missing

Y12A72		<i>Riboflavin (vitamin B2) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 400 (median=0 mean=0.4 std=10.9)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A73		<i>Niacin (vitamin B3) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 100 (median=0 mean=0.6 std=4.0)
6		Missing

Y12A74		<i>Pantothenic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 100 (median=0 mean=0.5 std=3.0)
6		Missing

Y12A75		<i>Vitamin B6 (pyridoxine, pyridoxyl, and pyridoxamine) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 100 (median=0 mean=0.2 std=2.6)
6		Missing

Y12A76		<i>Synthetic Folate (folic acid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 900 (median=0 mean=18.1 std=83.2)
6		Missing

Y12A77		<i>Vitamin B12 (cobalamin) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 5000 (median=0 mean=2.9 std=97.2)
6		Missing

Y12A78		<i>Biotin (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 3000 (median=0 mean=5.9 std=67.0)
6		Missing

Y12A79		<i>Beta-Carotene (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A80		<i>Alpha-Carotene (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A81		<i>Beta-Cryptoxanthin (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A82		<i>Lutein + Zeaxanthin (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 4000 (median=0 mean=5.5 std=124.9)
6		Missing

Y12A83		<i>Lycopene (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 1833.333 (median=0 mean=3.6 std=60.8)
6		Missing

Y12A84		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2547	Range	0 - 0 (median=0 mean=0.0 std=0.0)
265		Missing

Y12A85		<i>Boron (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 300 (median=0 mean=0.7 std=12.0)
6		Missing

Y12A86		<i>Calcium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 2000 (median=0 mean=6.7 std=66.8)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A87		<i>Chromium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 240 (median=0 mean=0.8 std=10.4)
6		Missing

Y12A88		<i>Copper (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 4 (median=0 mean=0.0 std=0.3)
6		Missing

Y12A89		<i>Non-dietary Fluoride (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 1000 (median=0 mean=0.4 std=18.9)
6		Missing

Y12A90		<i>Iodine (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 300 (median=0 mean=4.3 std=23.8)
6		Missing

Y12A91		<i>Iron (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 65.8 (median=0 mean=0.5 std=3.6)
6		Missing

Y12A92		<i>Magnesium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 361.313 (median=0 mean=1.3 std=13.1)
6		Missing

Y12A93		<i>Manganese (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 7.5 (median=0 mean=0.0 std=0.3)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A94		<i>Molybdenum (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 150 (median=0 mean=0.3 std=5.5)
6		Missing

Y12A95		<i>Nickel (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 10 (median=0 mean=0.0 std=0.4)
6		Missing

Y12A96		<i>Phosphorus (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 218 (median=0 mean=2.1 std=15.7)
6		Missing

Y12A97		<i>Potassium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 240 (median=0 mean=0.6 std=8.0)
6		Missing

Y12A98		<i>Selenium (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 200 (median=0 mean=0.3 std=5.2)
6		Missing

Y12A99		<i>Silicon (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 4 (median=0 mean=0.0 std=0.2)
6		Missing

Y12A100		<i>Sodium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 524.409 (median=0 mean=0.6 std=11.9)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A101		Vanadium (mcg)
N	Value	Description
2806	Range	0 - 20 (median=0 mean=0.0 std=0.8)
6		Missing

Y12A102		Zinc (mg)
N	Value	Description
2806	Range	0 - 50 (median=0 mean=0.4 std=2.5)
6		Missing

Y12A103		Tryptophan (g)
N	Value	Description
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A104		Threonine (g)
N	Value	Description
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A105		Isoleucine (g)
N	Value	Description
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A106		Leucine (g)
N	Value	Description
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A107		Lysine (g)
N	Value	Description
2806	Range	0 - 0.1 (median=0 mean=0.0 std=0.0)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A108		<i>Methionine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A109		<i>Cystine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0.09 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A110		<i>Phenylalanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0.025 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A111		<i>Tyrosine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A112		<i>Valine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A113		<i>Arginine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A114		<i>Histidine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A115		<i>Alanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A116		<i>Aspartic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A117		<i>Glutamic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A118		<i>Glycine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0.09 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A119		<i>Proline (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A120		<i>Serine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A121		<i>Daidzein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A122		<i>Genistein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A123		<i>Glycitein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A124		<i>Total Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 3 (median=0 mean=0.0 std=0.1)
6		Missing

Y12A125		<i>Soluble Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 2 (median=0 mean=0.0 std=0.1)
6		Missing

Y12A126		<i>Insoluble Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A127		<i>Betaine (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A128		<i>Choline (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 76 (median=0 mean=0.5 std=5.0)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A129		<i>Caffeine (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A130		<i>Fructose (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A131		<i>Glucose (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A132		<i>Sucrose (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A133		<i>Inositol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0.008 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A134		<i>Mannitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A135		<i>Phytic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A136		<i>Pinitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A137		<i>Sorbitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A138		<i>Xylitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A139		<i>PUFA 22:5 (docosapentaenoic acid [DPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A140		<i>CLA cis-9, trans-11 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A141		<i>CLA trans-10, cis-12 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A142		<i>Data Generated in DSAM Database Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2812	2013	2013

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y12A143		<i>MUFA 14:1 (myristoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

Y12A144		<i>Total trans-fatty acids (trans) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2806	Range	0 - 0 (median=0 mean=0.0 std=0.0)
6		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Averaged 30-day Supplement Intake (NDSR13): FORM CODE=Y13

Y13A1		<i>Project Abbreviation</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	Present	Variable/Text Values Suppressed

Y13A2		<i>Participant ID: (Refer to ID)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

Y13A3		<i>Date of Intake</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	Range	12/16/2011 - 12/26/2013

Y13A4		<i>Project Name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	Present	Variable/Text Values Suppressed

Y13A5		<i>Record Type</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	0	Recall

Y13A6		<i>Interview Type</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	announced/ scheduled	announced/scheduled

Y13A7		<i>Participant Name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

Y13A8		<i>Gender: (Refer to Gender variable in the Participant Derived Variable File)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A9		<i>Date of Birth: (Refer to Age variable in the Participant Derived Variable File)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

Y13A10		<i>Date of Entry</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	Range	12/17/2011 - 12/27/2013

Y13A11		<i>Day of Intake</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
85	0	Sunday
159	1	Monday
161	2	Tuesday
158	3	Wednesday
228	4	Thursday
634	5	Friday
3	6	Saturday

Y13A12		<i>Visit Number</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

Y13A13		<i>Interviewer ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

Y13A14		<i>Site ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

Y13A15		<i>DRI Life Stage Group or RDA Category</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A16		<i>Intake Amount</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
941	0	Usual
151	1	Considerably more than usual
336	2	Considerably less than usual

Y13A17		<i>Intake Reliability</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	0	Reliable

Y13A18		<i>Data Collected in NCC Database Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
880	2012	
548	2011	2011

Y13A19		<i>Data Collected in DSAM Database Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
880	2012	
548	2011	2011

Y13A20		<i>Data Collected in Software Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
548	2011	
880	2012	

Y13A21		<i>Data Generated in NCC Database Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	2013	

Y13A22		<i>Data Generated in Software Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	2011	2011

Y13A23		<i>Black Cohosh</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	N	No

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A
Section A: Nutrition Reading Center Data

Y13A24		<i>Echinacea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1426	N	No
2	Y	Yes

Y13A25		<i>Garlic</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1426	N	No
2	Y	Yes

Y13A26		<i>Ginger</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1426	N	No
2	Y	Yes

Y13A27		<i>Ginkgo</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1425	N	No
3	Y	Yes

Y13A28		<i>Ginseng</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1425	N	No
3	Y	Yes

Y13A29		<i>Hawthorn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	N	No

Y13A30		<i>Kava Kava</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	N	No

Y13A31		<i>Ma Huang/Ephedra</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	N	No

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A32		<i>Saw Palmetto</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	N	No

Y13A33		<i>St. John's Wort</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	N	No

Y13A34		<i>Number of Supplements Reported</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	Range	0 - 4 (median=0 mean=0.2 std=0.5)

Y13A35		<i>Energy (kcal)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 90 (median=0 mean=0.8 std=3.9)
10		Missing

Y13A36		<i>Total Protein (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 3.333 (median=0 mean=0.0 std=0.1)
10		Missing

Y13A37		<i>Total Fat (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 2 (median=0 mean=0.0 std=0.1)
10		Missing

Y13A38		<i>Total Carbohydrate (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 24 (median=0 mean=0.2 std=1.0)
10		Missing

Y13A39		<i>Total Saturated Fatty Acids (SFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0.667 (median=0 mean=0.0 std=0.0)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A40		<i>Total Monounsaturated Fatty Acids (MUFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0.5 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A41		<i>Total Polyunsaturated Fatty Acids (PUFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 1.5 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A42		<i>Omega-3 Fatty Acids in Supplements (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 600 (median=0 mean=1.5 std=25.8)
10		Missing

Y13A43		<i>Cholesterol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 6.667 (median=0 mean=0.0 std=0.2)
10		Missing

Y13A44		<i>SFA 8:0 (caprylic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A45		<i>SFA 10:0 (capric acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A46		<i>SFA 12:0 (lauric acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A47		SFA 14:0 (myristic acid) (g)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A48		SFA 16:0 (palmitic acid) (g)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A49		SFA 18:0 (stearic acid) (g)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A50		SFA 20:0 (arachidic acid) (g)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A51		SFA 22:0 (behenic acid) (g)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A52		MUFA 16:1 (palmitoleic acid) (g)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A53		MUFA 18:1 (oleic acid) (g)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A54		<i>MUFA 20:1 (gadoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A55		<i>PUFA 18:2 (linoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A56		<i>PUFA 18:3 (linolenic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A57		<i>PUFA 20:4 (arachidonic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A58		<i>PUFA 20:5 (eicosapentaenoic acid [EPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0.45 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A59		<i>PUFA 22:6 (docosahexaenoic acid [DHA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0.45 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A60		<i>Total Vitamin A Activity (International Units) (IU)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 15600 (median=0 mean=186.6 std=800.1)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A61		<i>Retinol (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 213.333 (median=0 mean=0.2 std=5.7)
10		Missing

Y13A62		<i>Vitamin D (calciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 55 (median=0 mean=0.6 std=2.9)
10		Missing

Y13A63		<i>Vitamin E (International Units) (IU)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 99 (median=0 mean=1.5 std=6.5)
10		Missing

Y13A64		<i>Vitamin E (Total Alpha-Tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A65		<i>Synthetic Alpha-Tocopherol (all rac-alpha-tocopherol or dl-alpha-tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 1 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A66		<i>Beta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A67		<i>Delta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A68		<i>Gamma-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A69		<i>Vitamin K (phylloquinone) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 40 (median=0 mean=0.3 std=3.0)
10		Missing

Y13A70		<i>Vitamin C (ascorbic acid) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 2138.333 (median=0 mean=10.8 std=82.9)
10		Missing

Y13A71		<i>Thiamin (vitamin B1) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 67.2 (median=0 mean=0.2 std=2.4)
10		Missing

Y13A72		<i>Riboflavin (vitamin B2) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 653.333 (median=0 mean=0.6 std=17.4)
10		Missing

Y13A73		<i>Niacin (vitamin B3) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 50 (median=0 mean=0.6 std=3.4)
10		Missing

Y13A74		<i>Pantothenic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 50 (median=0 mean=0.5 std=2.3)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A75		<i>Vitamin B-6 (pyridoxine, pyridoxyl, & pyridoxamine) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 50 (median=0 mean=0.2 std=2.0)
10		Missing

Y13A76		<i>Synthetic Folate (folic acid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 1560 (median=0 mean=21.3 std=90.9)
10		Missing

Y13A77		<i>Vitamin B-12 (cobalamin) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 500 (median=0 mean=1.5 std=22.1)
10		Missing

Y13A78		<i>Biotin (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 3000 (median=0 mean=7.1 std=86.5)
10		Missing

Y13A79		<i>Beta-Carotene (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A80		<i>Alpha-Carotene (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A81		<i>Beta-Cryptoxanthin (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A82		<i>Lutein and/or Zeaxanthin (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 3000 (median=0 mean=4.5 std=96.7)
10		Missing

Y13A83		<i>Lycopene (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 1500 (median=0 mean=3.4 std=55.0)
10		Missing

Y13A84		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1174	0	
254		Missing

Y13A85		<i>Boron (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 200 (median=0 mean=0.8 std=10.0)
10		Missing

Y13A86		<i>Calcium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 1200 (median=0 mean=6.2 std=51.2)
10		Missing

Y13A87		<i>Chromium (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 160 (median=0 mean=1.0 std=9.1)
10		Missing

Y13A88		<i>Copper (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 4 (median=0 mean=0.0 std=0.3)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A89		<i>Fluoride (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 666.667 (median=0 mean=1.1 std=26.0)
10		Missing

Y13A90		<i>Iodine (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 300 (median=0 mean=4.6 std=22.6)
10		Missing

Y13A91		<i>Iron (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 65 (median=0 mean=0.6 std=4.2)
10		Missing

Y13A92		<i>Magnesium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 300 (median=0 mean=1.5 std=11.8)
10		Missing

Y13A93		<i>Manganese (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 2.667 (median=0 mean=0.0 std=0.2)
10		Missing

Y13A94		<i>Molybdenum (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 100 (median=0 mean=0.4 std=4.5)
10		Missing

Y13A95		<i>Nickel (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 6.667 (median=0 mean=0.0 std=0.3)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A96		<i>Phosphorus (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 200 (median=0 mean=2.2 std=14.3)
10		Missing

Y13A97		<i>Potassium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 106.667 (median=0 mean=0.5 std=5.0)
10		Missing

Y13A98		<i>Selenium (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 66.667 (median=0 mean=0.3 std=3.1)
10		Missing

Y13A99		<i>Silicon (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 2.667 (median=0 mean=0.0 std=0.1)
10		Missing

Y13A100		<i>Sodium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 40 (median=0 mean=0.3 std=2.2)
10		Missing

Y13A101		<i>Vanadium (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 13.333 (median=0 mean=0.0 std=0.6)
10		Missing

Y13A102		<i>Zinc (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 25.833 (median=0 mean=0.4 std=2.2)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A103		<i>Tryptophan (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A104		<i>Threonine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A105		<i>Isoleucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A106		<i>Leucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A107		<i>Lysine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A108		<i>Methionine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A109		<i>Cystine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0.09 (median=0 mean=0.0 std=0.0)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A110		<i>Phenylalanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0.025 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A111		<i>Tyrosine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A112		<i>Valine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A113		<i>Arginine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A114		<i>Histidine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A115		<i>Alanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A116		<i>Aspartic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A117		<i>Glutamic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A118		<i>Glycine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0.09 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A119		<i>Proline (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A120		<i>Serine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A121		<i>Daidzein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A122		<i>Genistein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A123		<i>Glycitein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A124		Total Dietary Fiber (g)
N	Value	Description
1418	Range	0 - 4.5 (median=0 mean=0.0 std=0.1)
10		Missing

Y13A125		Soluble Dietary Fiber (g)
N	Value	Description
1418	Range	0 - 4.5 (median=0 mean=0.0 std=0.1)
10		Missing

Y13A126		Insoluble Dietary Fiber (g)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A127		Betaine (mg)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A128		Choline (mg)
N	Value	Description
1418	Range	0 - 76 (median=0 mean=0.4 std=4.2)
10		Missing

Y13A129		Caffeine (mg)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A130		Fructose (g)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A131		Glucose (g)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A132		Sucrose (g)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A133		Inositol (g)
N	Value	Description
1418	Range	0 - 0.009 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A134		Mannitol (g)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A135		Phytic Acid (mg)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A136		Pinitol (g)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A137		Sorbitol (g)
N	Value	Description
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y13A138		<i>Xylitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A139		<i>PUFA 22:5 (docosapentaenoic acid [DPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A140		<i>CLA cis-9, trans-11 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A141		<i>CLA trans-10, cis-12 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A142		<i>Data Generated in DSAM Database Version</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1428	2013	2013

Y13A143		<i>MUFA 14:1 (myristoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

Y13A144		<i>Total trans-fatty acids (trans) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1418	Range	0 - 0 (median=0 mean=0.0 std=0.0)
10		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Product file for 24-hr Supplement Intake (NDSR14): FORM CODE=Y14

<i>RECALLNUM</i>		<i>First or Second dietary recall</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
154	1	First Dietary Recall
155	2	Second Dietary Recall

<i>PRDID</i>		<i>Product File ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309	Present	Variable/Text Values Suppressed

<i>Y14A1</i>		<i>Project Abbreviation</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309	Present	Variable/Text Values Suppressed

<i>Y14A2</i>		<i>Participant ID (Refer to ID)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309		Missing

<i>Y14A3</i>		<i>Date of Intake</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309	Range	01/06/2012 - 01/03/2014

<i>Y14A4</i>		<i>DSAM File ID (Refer to PRDID)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

<i>Y14A5</i>		<i>Dietary Supplement Report Item Number</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309	Present	Variable/Text Values Suppressed

<i>Y14A6</i>		<i>DSAM Supplement ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309	Present	Variable/Text Values Suppressed

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A7		Product Name
N	Value	Description
309	Present	Variable/Text Values Suppressed

Y14A8		Label seen
N	Value	Description
222	N	No
87	Y	Yes

Y14A9		Times taken yesterday
N	Value	Description
309	Range	1 - 3 (median=1 mean=1.2 std=0.5)

Y14A10		Total taken yesterday (amount)
N	Value	Description
309	Range	0.5 - 5 (median=1 mean=1.4 std=0.7)

Y14A11		Total taken yesterday (unit)
N	Value	Description
6	caplet	
12	capsule	
77	chew	
1	dropper	
11	gummy	
1	milliliter	
1	package/pa cket	
2	scoop/powd er	
29	softgel	
4	tablespoon/l iquid	
3	tablespoon/ powder	
156	tablet	
4	teaspoon/liq uid	
2	teaspoon/po wder	

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A12		<i>Taken for (amount)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
154	Range	1 - 30 (median=2 mean=2.9 std=3.3)
155		Missing

Y14A13		<i>Taken for (unit)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
65	Y	Years
68	M	Months
15	W	Weeks
6	D	Days
155		Missing

Y14A14		<i>Why taken</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
308	Present	Variable/Text Values Suppressed
1		Missing

Y14A15		<i>Recommended by</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309		Missing

Y14A16		<i>Where purchased</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309		Missing

Y14A17		<i>Working as expected</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309		Missing

Y14A18		<i>Note</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
51	Present	Variable/Text Values Suppressed
258		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A
Section A: Nutrition Reading Center Data

Y14A19		<i>Black Cohosh</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309	N	No

Y14A20		<i>Echinacea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
306	N	No
3	Y	Yes

Y14A21		<i>Garlic</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
307	N	No
2	Y	Yes

Y14A22		<i>Ginger</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
304	N	No
5	Y	Yes

Y14A23		<i>Ginkgo</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
306	N	No
3	Y	Yes

Y14A24		<i>Ginseng</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
308	N	No
1	Y	Yes

Y14A25		<i>Hawthorn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309	N	No

Y14A26		<i>Kava Kava</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309	N	No

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A27		<i>Ma Huang/Ephedra</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309	N	No

Y14A28		<i>Saw Palmetto</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309	N	No

Y14A29		<i>St. John's Wort</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309	N	No

Y14A30		<i>Energy (kcal)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 130 (median=0 mean=6.9 std=11.5)
17		Missing

Y14A31		<i>Total Protein (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 20 (median=0 mean=0.1 std=1.2)
17		Missing

Y14A32		<i>Total Fat (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 4 (median=0 mean=0.1 std=0.5)
17		Missing

Y14A33		<i>Total Carbohydrate (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 12 (median=0 mean=1.5 std=2.2)
17		Missing

Y14A34		<i>Total Saturated Fatty Acids (SFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 1.5 (median=0 mean=0.0 std=0.1)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A35		<i>Total Monounsaturated Fatty Acids (MUFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 1 (median=0 mean=0.0 std=0.1)
17		Missing

Y14A36		<i>Total Polyunsaturated Fatty Acids (PUFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 2 (median=0 mean=0.0 std=0.2)
17		Missing

Y14A37		<i>Omega-3 Fatty Acids in Supplements (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 1600 (median=0 mean=37.7 std=189.8)
17		Missing

Y14A38		<i>Cholesterol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 40 (median=0 mean=0.3 std=2.7)
17		Missing

Y14A39		<i>SFA 8:0 (caprylic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A40		<i>SFA 10:0 (capric acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A41		<i>SFA 12:0 (lauric acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A42		SFA 14:0 (myristic acid) (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A43		SFA 16:0 (palmitic acid) (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A44		SFA 18:0 (stearic acid) (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A45		SFA 20:0 (arachidic acid) (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A46		SFA 22:0 (behenic acid) (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A47		MUFA 16:1 (palmitoleic acid) (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A48		MUFA 18:1 (oleic acid) (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A49		<i>MUFA 20:1 (gadoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A50		<i>PUFA 18:2 (linoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A51		<i>PUFA 18:3 (linolenic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A52		<i>PUFA 20:4 (arachidonic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A53		<i>PUFA 20:5 (eicosapentaenoic acid [EPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0.8 (median=0 mean=0.0 std=0.1)
17		Missing

Y14A54		<i>PUFA 22:6 (docosahexaenoic acid [DHA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0.5 (median=0 mean=0.0 std=0.1)
17		Missing

Y14A55		<i>Total Vitamin A Activity (International Units) (IU)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 7500 (median=1300 mean=1566.1 std=1620.0)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A56		<i>Retinol (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A57		<i>Vitamin D (calciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 50 (median=3 mean=5.0 std=6.0)
17		Missing

Y14A58		<i>Vitamin E (International Units) (IU)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 400 (median=10 mean=17.6 std=41.8)
17		Missing

Y14A59		<i>Vitamin E (Total Alpha-Tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A60		<i>Synthetic Alpha-Tocopherol (all rac-alpha-tocopherol or dl-alpha-tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A61		<i>Beta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A62		<i>Delta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A63		<i>Gamma-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A64		<i>Vitamin K (phylloquinone) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 80 (median=0 mean=2.3 std=9.8)
17		Missing

Y14A65		<i>Vitamin C (ascorbic acid) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 8000 (median=20 mean=133.0 std=519.3)
17		Missing

Y14A66		<i>Thiamin (vitamin B1) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 100 (median=0 mean=1.4 std=7.7)
17		Missing

Y14A67		<i>Riboflavin (vitamin B2) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 400 (median=0 mean=4.1 std=33.7)
17		Missing

Y14A68		<i>Niacin (vitamin B3) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 100 (median=0 mean=5.6 std=11.4)
17		Missing

Y14A69		<i>Pantothenic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 100 (median=0 mean=4.3 std=8.2)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A70		<i>Vitamin B-6 (pyridoxine, pyridoxyl, pyridoxamine) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 100 (median=0.6125 mean=1.87998 std=7.75590)
17		Missing

Y14A71		<i>Synthetic Folate (folic acid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 900 (median=130 mean=173.7 std=194.8)
17		Missing

Y14A72		<i>Vitamin B-12 (cobalamin) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 5000 (median=2.55 mean=27.881 std=300.603)
17		Missing

Y14A73		<i>Biotin (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 3000 (median=30 mean=56.9 std=200.9)
17		Missing

Y14A74		<i>Beta-Carotene (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A75		<i>Alpha-Carotene (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A76		<i>Beta-Cryptoxanthin (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A77		<i>Lutein and/or Zeaxanthin (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 4000 (median=0 mean=53.1 std=384.6)
17		Missing

Y14A78		<i>Lycopene (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 1500 (median=0 mean=34.3 std=176.4)
17		Missing

Y14A79		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
309		Missing

Y14A80		<i>Boron (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 300 (median=0 mean=7.1 std=36.5)
17		Missing

Y14A81		<i>Calcium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 2000 (median=0 mean=63.9 std=197.2)
17		Missing

Y14A82		<i>Chromium (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 240 (median=0 mean=7.5 std=31.4)
17		Missing

Y14A83		<i>Copper (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 4 (median=0 mean=0.4 std=0.9)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A84		Fluoride (mcg)
N	Value	Description
292	Range	0 - 1000 (median=0 mean=3.4 std=58.5)
17		Missing

Y14A85		Iodine (mcg)
N	Value	Description
292	Range	0 - 300 (median=0 mean=41.0 std=62.8)
17		Missing

Y14A86		Iron (mg)
N	Value	Description
292	Range	0 - 65 (median=0 mean=4.4 std=10.5)
17		Missing

Y14A87		Magnesium (mg)
N	Value	Description
292	Range	0 - 361.313 (median=0 mean=12.5 std=37.9)
17		Missing

Y14A88		Manganese (mg)
N	Value	Description
292	Range	0 - 7.5 (median=0 mean=0.2 std=0.7)
17		Missing

Y14A89		Molybdenum (mcg)
N	Value	Description
292	Range	0 - 150 (median=0 mean=3.3 std=16.8)
17		Missing

Y14A90		Nickel (mcg)
N	Value	Description
292	Range	0 - 10 (median=0 mean=0.2 std=1.2)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A91		Phosphorus (mg)
N	Value	Description
292	Range	0 - 218 (median=0 mean=20.3 std=44.9)
17		Missing

Y14A92		Potassium (mg)
N	Value	Description
292	Range	0 - 240 (median=0 mean=5.5 std=24.3)
17		Missing

Y14A93		Selenium (mcg)
N	Value	Description
292	Range	0 - 200 (median=0 mean=3.1 std=15.6)
17		Missing

Y14A94		Silicon (mg)
N	Value	Description
292	Range	0 - 4 (median=0 mean=0.1 std=0.5)
17		Missing

Y14A95		Sodium (mg)
N	Value	Description
292	Range	0 - 524.409 (median=0 mean=6.0 std=36.6)
17		Missing

Y14A96		Vanadium (mcg)
N	Value	Description
292	Range	0 - 20 (median=0 mean=0.4 std=2.3)
17		Missing

Y14A97		Zinc (mg)
N	Value	Description
292	Range	0 - 50 (median=1.35 mean=3.917 std=6.399)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A98		<i>Tryptophan (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A99		<i>Threonine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A100		<i>Isoleucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A101		<i>Leucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A102		<i>Lysine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0.1 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A103		<i>Methionine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A104		<i>Cystine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0.09 (median=0 mean=0.0 std=0.0)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A105		Phenylalanine (g)
N	Value	Description
292	Range	0 - 0.025 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A106		Tyrosine (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A107		Valine (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A108		Arginine (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A109		Histidine (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A110		Alanine (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A111		Aspartic Acid (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A112		<i>Glutamic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A113		<i>Glycine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0.09 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A114		<i>Proline (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A115		<i>Serine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A116		<i>Daidzein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A117		<i>Genistein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A118		<i>Glycitein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A119		Total Dietary Fiber (g)
N	Value	Description
292	Range	0 - 3 (median=0 mean=0.1 std=0.4)
17		Missing

Y14A120		Soluble Dietary Fiber (g)
N	Value	Description
292	Range	0 - 2 (median=0 mean=0.0 std=0.2)
17		Missing

Y14A121		Insoluble Dietary Fiber (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A122		Betaine (mg)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A123		Choline (mg)
N	Value	Description
292	Range	0 - 76 (median=0 mean=5.2 std=14.7)
17		Missing

Y14A124		Caffeine (mg)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A125		Fructose (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A126		Glucose (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A127		Sucrose (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A128		Inositol (g)
N	Value	Description
292	Range	0 - 0.008 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A129		Mannitol (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A130		Phytic Acid (mg)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A131		Pinitol (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A132		Sorbitol (g)
N	Value	Description
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y14A133		<i>Xylitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A134		<i>PUFA 22:5 (docosapentaenoic acid [DPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A135		<i>CLA cis-9, trans-11 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A136		<i>CLA trans-10, cis-12 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A137		<i>MUFA 14:1 (myristoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

Y14A138		<i>Total trans-fatty acids (trans) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
292	Range	0 - 0 (median=0 mean=0.0 std=0.0)
17		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Product File for 30-day Supplement Intake (NDSR15): FORM CODE=Y15

SUPPLID		Index of supplement
N	Value	Description
254	1	supplement 1
40	2	supplement 2
6	3	supplement 3
3	4	supplement 4

Y15A1		Project Abbreviation
N	Value	Description
303	Present	Variable/Text Values Suppressed

Y15A2		Participant ID: (Refer to ID)
N	Value	Description
303		Missing

Y15A3		Date of Intake
N	Value	Description
303	Range	01/06/2012 - 12/26/2013

Y15A4		DSAM File ID
N	Value	Description
		This variable has been removed

Y15A5		Dietary Supplement Report Item Number
N	Value	Description
303	Range	1 - 4 (median=1 mean=1.2 std=0.5)

Y15A6		DSAM Supplement ID
N	Value	Description
303	Present	Variable/Text Values Suppressed

Y15A7		Product Name
N	Value	Description
303	Present	Variable/Text Values Suppressed

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A8		<i>Label seen</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
245	N	No
58	Y	Yes

Y15A9		<i>Days taken in last 30</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
303	Range	1 - 30 (median=15 mean=16.0 std=11.2)

Y15A10		<i>Number per day taken in last 30</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
302	Range	1 - 12 (median=1 mean=1.5 std=1.0)
1		Missing

Y15A11		<i>Unit per day taken in last 30</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
303	Present	Variable/Text Values Suppressed

Y15A12		<i>Taken for (amount)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
303	Range	1 - 30 (median=2 mean=2.8 std=2.8)

Y15A13		<i>Taken for (unit)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
112	Y	Years
153	M	Months
21	W	Weeks
17	D	Days

Y15A14		<i>Why taken</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
302	Present	Variable/Text Values Suppressed
1		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A15		<i>Recommended by</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
303		Missing

Y15A16		<i>Where purchased</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
303		Missing

Y15A17		<i>Working as expected</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
303		Missing

Y15A18		<i>Note</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
50	Present	Variable/Text Values Suppressed
253		Missing

Y15A19		<i>Black Cohosh</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
303	N	No

Y15A20		<i>Echinacea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
301	N	No
2	Y	Yes

Y15A21		<i>Garlic</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
301	N	No
2	Y	Yes

Y15A22		<i>Ginger</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
300	N	No
3	Y	Yes

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A23		<i>Ginkgo</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
300	N	No
3	Y	Yes

Y15A24		<i>Ginseng</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
300	N	No
3	Y	Yes

Y15A25		<i>Hawthorn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
303	N	No

Y15A26		<i>Kava Kava</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
303	N	No

Y15A27		<i>Ma Huang/Ephedra</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
303	N	No

Y15A28		<i>Saw Palmetto</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
303	N	No

Y15A29		<i>St. John's Wort</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
303	N	No

Y15A30		<i>Energy (kcal)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 90 (median=0 mean=3.8 std=7.9)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A31		Total Protein (g)
N	Value	Description
283	Range	0 - 3.333 (median=0 mean=0.0 std=0.2)
20		Missing

Y15A32		Total Fat (g)
N	Value	Description
283	Range	0 - 2 (median=0 mean=0.1 std=0.3)
20		Missing

Y15A33		Total Carbohydrate (g)
N	Value	Description
283	Range	0 - 24 (median=0 mean=0.9 std=2.0)
20		Missing

Y15A34		Total Saturated Fatty Acids (SFA) (g)
N	Value	Description
283	Range	0 - 0.667 (median=0 mean=0.0 std=0.1)
20		Missing

Y15A35		Total Monounsaturated Fatty Acids (MUFA) (g)
N	Value	Description
283	Range	0 - 0.5 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A36		Total Polyunsaturated Fatty Acids (PUFA) (g)
N	Value	Description
283	Range	0 - 1.5 (median=0 mean=0.0 std=0.1)
20		Missing

Y15A37		Omega-3 Fatty Acids in Supplements (mg)
N	Value	Description
283	Range	0 - 600 (median=0 mean=7.4 std=57.6)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A38		<i>Cholesterol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 6.667 (median=0 mean=0.1 std=0.6)
20		Missing

Y15A39		<i>SFA 8:0 (caprylic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A40		<i>SFA 10:0 (capric acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A41		<i>SFA 12:0 (lauric acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A42		<i>SFA 14:0 (myristic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A43		<i>SFA 16:0 (palmitic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A44		<i>SFA 18:0 (stearic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A45		<i>SFA 20:0 (arachidic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A46		<i>SFA 22:0 (behenic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A47		<i>MUFA 16:1 (palmitoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A48		<i>MUFA 18:1 (oleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A49		<i>MUFA 20:1 (gadoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A50		<i>PUFA 18:2 (linoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A51		<i>PUFA 18:3 (linolenic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A52		<i>PUFA 20:4 (arachidonic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A53		<i>PUFA 20:5 (eicosapentaenoic acid [EPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0.45 (median=0 mean=0.0 std=0.1)
20		Missing

Y15A54		<i>PUFA 22:6 (docosahexaenoic acid [DHA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0.45 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A55		<i>Total Vitamin A Activity (International Units) (IU)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 15600 (median=173.333 mean=935.1682 std=1576.0383)
20		Missing

Y15A56		<i>Retinol (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 213.333 (median=0 mean=0.8 std=12.7)
20		Missing

Y15A57		<i>Vitamin D (calciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 50 (median=1 mean=3.1 std=5.6)
20		Missing

Y15A58		<i>Vitamin E (International Units) (IU)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 99 (median=1.65 mean=7.683 std=12.614)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A59		<i>Vitamin E (Total Alpha-Tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A60		<i>Synthetic Alpha-Tocopherol (all rac-alpha-tocopherol or dl-alpha-tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 1 (median=0 mean=0.0 std=0.1)
20		Missing

Y15A61		<i>Beta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A62		<i>Delta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A63		<i>Gamma-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A64		<i>Vitamin K (phylloquinone) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 40 (median=0 mean=1.6 std=6.6)
20		Missing

Y15A65		<i>Vitamin C (ascorbic acid) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 2133.333 (median=8 mean=54.2 std=178.2)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A66		<i>Thiamin (vitamin B1) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 67.2 (median=0 mean=0.8 std=5.2)
20		Missing

Y15A67		<i>Riboflavin (vitamin B2) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 653.333 (median=0 mean=2.9 std=38.9)
20		Missing

Y15A68		<i>Niacin (vitamin B3) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 50 (median=0 mean=3.0 std=7.2)
20		Missing

Y15A69		<i>Pantothenic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 50 (median=0 mean=2.3 std=4.7)
20		Missing

Y15A70		<i>Vitamin B-6 (pyridoxine, pyridoxyl, & pyridoxamine) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 50 (median=0.121 mean=1.0290 std=4.3412)
20		Missing

Y15A71		<i>Synthetic Folate (folic acid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 1560 (median=20 mean=106.8 std=178.6)
20		Missing

Y15A72		<i>Vitamin B-12 (cobalamin) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 500 (median=0.4 mean=7.36 std=49.11)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A73		<i>Biotin (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 3000 (median=1.556 mean=35.5364 std=191.2410)
20		Missing

Y15A74		<i>Beta-Carotene (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A75		<i>Alpha-Carotene (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A76		<i>Beta-Cryptoxanthin (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A77		<i>Lutein and/or Zeaxanthin (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 3000 (median=0 mean=22.5 std=215.8)
20		Missing

Y15A78		<i>Lycopene (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 1500 (median=0 mean=17.1 std=115.8)
20		Missing

Y15A79		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
303		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A80		Boron (mcg)
N	Value	Description
283	Range	0 - 200 (median=0 mean=3.9 std=22.0)
20		Missing

Y15A81		Calcium (mg)
N	Value	Description
283	Range	0 - 1200 (median=0 mean=31.3 std=108.8)
20		Missing

Y15A82		Chromium (mcg)
N	Value	Description
283	Range	0 - 160 (median=0 mean=5.0 std=19.9)
20		Missing

Y15A83		Copper (mg)
N	Value	Description
283	Range	0 - 4 (median=0 mean=0.2 std=0.6)
20		Missing

Y15A84		Fluoride (mcg)
N	Value	Description
283	Range	0 - 666.667 (median=0 mean=5.7 std=58.1)
20		Missing

Y15A85		Iodine (mcg)
N	Value	Description
283	Range	0 - 300 (median=0 mean=23.3 std=46.3)
20		Missing

Y15A86		Iron (mg)
N	Value	Description
283	Range	0 - 65 (median=0 mean=3.0 std=8.9)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A87		Magnesium (mg)
N	Value	Description
283	Range	0 - 300 (median=0 mean=7.3 std=24.9)
20		Missing

Y15A88		Manganese (mg)
N	Value	Description
283	Range	0 - 2.667 (median=0 mean=0.1 std=0.4)
20		Missing

Y15A89		Molybdenum (mcg)
N	Value	Description
283	Range	0 - 100 (median=0 mean=2.0 std=9.8)
20		Missing

Y15A90		Nickel (mcg)
N	Value	Description
283	Range	0 - 6.667 (median=0 mean=0.1 std=0.7)
20		Missing

Y15A91		Phosphorus (mg)
N	Value	Description
283	Range	0 - 200 (median=0 mean=11.1 std=30.6)
20		Missing

Y15A92		Potassium (mg)
N	Value	Description
283	Range	0 - 106.667 (median=0 mean=2.3 std=11.0)
20		Missing

Y15A93		Selenium (mcg)
N	Value	Description
283	Range	0 - 66.667 (median=0 mean=1.6 std=6.7)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A94		<i>Silicon (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 2.667 (median=0 mean=0.0 std=0.3)
20		Missing

Y15A95		<i>Sodium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 40 (median=0 mean=1.5 std=4.7)
20		Missing

Y15A96		<i>Vanadium (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 13.333 (median=0 mean=0.2 std=1.3)
20		Missing

Y15A97		<i>Zinc (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 25 (median=0.09 mean=2.182 std=4.350)
20		Missing

Y15A98		<i>Tryptophan (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A99		<i>Threonine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A100		<i>Isoleucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A101		<i>Leucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A102		<i>Lysine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A103		<i>Methionine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A104		<i>Cystine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0.09 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A105		<i>Phenylalanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0.025 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A106		<i>Tyrosine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A107		<i>Valine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A108		<i>Arginine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A109		<i>Histidine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A110		<i>Alanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A111		<i>Aspartic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A112		<i>Glutamic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A113		<i>Glycine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0.09 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A114		<i>Proline (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A115		<i>Serine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A116		<i>Daidzein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A117		<i>Genistein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A118		<i>Glycitein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A119		<i>Total Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 4.5 (median=0 mean=0.0 std=0.3)
20		Missing

Y15A120		<i>Soluble Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 4.5 (median=0 mean=0.0 std=0.3)
20		Missing

Y15A121		<i>Insoluble Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A122		<i>Betaine (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A123		<i>Choline (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 76 (median=0 mean=2.2 std=9.2)
20		Missing

Y15A124		<i>Caffeine (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A125		<i>Fructose (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A126		<i>Glucose (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A127		<i>Sucrose (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A128		<i>Inositol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0.009 (median=0 mean=0.0 std=0.0)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A129		<i>Mannitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A130		<i>Phytic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A131		<i>Pinitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A132		<i>Sorbitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A133		<i>Xylitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A134		<i>PUFA 22:5 (docosapentaenoic acid [DPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A135		<i>CLA cis-9, trans-11 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y15A136		<i>CLA trans-10, cis-12 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A137		<i>MUFA 14:1 (myristoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

Y15A138		<i>Total trans-fatty acids (trans) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
283	Range	0 - 0 (median=0 mean=0.0 std=0.0)
20		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Product Ingredients for 24-hr Supplement Intake (NDSR16): FORM CODE=Y16

<i>RECALLNUM</i>		<i>First or Second dietary recall</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1926	1	First Dietary Recall
1845	2	Second Dietary Recall

<i>INGID</i>		<i>Ingredient File ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3771	Present	Variable/Text Values Suppressed

<i>Y16A1</i>		<i>Project Abbreviation</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3771	Present	Variable/Text Values Suppressed

<i>Y16A2</i>		<i>Participant ID (Refer to ID)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3771		Missing

<i>Y16A3</i>		<i>Date of Intake</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3771	Range	01/06/2012 - 01/03/2014

<i>Y16A4</i>		<i>DSAM Ingredient File ID (Refer to INGID)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

<i>Y16A5</i>		<i>Dietary Supplement Report Item Number</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3771	Present	Variable/Text Values Suppressed

<i>Y16A6</i>		<i>DSAM Ingredient ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3771	Present	Variable/Text Values Suppressed

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A7		<i>Ingredient Name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3771	Present	Variable/Text Values Suppressed

Y16A8		<i>Daily Intake</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3747	Range	0 - 8000 (median=20 mean=216.4 std=655.3)
24		Missing

Y16A9		<i>Unit</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
49	%	
1	Billion	
558	IU	
1	Million	
10	Unknown	
317	gm	
160	kcal	
867	mcg	
1784	mg	
24		Missing

Y16A10		<i>NHANES Ingredient Category</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1924	1	vitamin
806	2	mineral
128	3	botanical
881	4	other
12	5	amino acid
20		Missing

Y16A11		<i>Black Cohosh</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3771	N	No

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A
Section A: Nutrition Reading Center Data

Y16A12		<i>Echinacea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	Y	Yes
3768	N	No

Y16A13		<i>Garlic</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	Y	Yes
3769	N	No

Y16A14		<i>Ginger</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
5	Y	Yes
3766	N	No

Y16A15		<i>Ginkgo</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	Y	Yes
3768	N	No

Y16A16		<i>Ginseng</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	Y	Yes
3770	N	No

Y16A17		<i>Hawthorn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3771	N	No

Y16A18		<i>Kava Kava</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3771	N	No

Y16A19		<i>Ma Huang/Ephedra</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3771	N	No

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A20		<i>Saw Palmetto</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3771	N	No

Y16A21		<i>St. John's Wort</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3771	N	No

Y16A22		<i>Energy (kcal)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 130 (median=0 mean=0.6 std=3.9)
441		Missing

Y16A23		<i>Total Protein (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 20 (median=0 mean=0.0 std=0.3)
441		Missing

Y16A24		<i>Total Fat (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 4 (median=0 mean=0.0 std=0.1)
441		Missing

Y16A25		<i>Total Carbohydrate (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 12 (median=0 mean=0.1 std=0.8)
441		Missing

Y16A26		<i>Total Saturated Fatty Acids (SFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 1.5 (median=0 mean=0.0 std=0.0)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A27		<i>Total Monounsaturated Fatty Acids (MUFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 1 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A28		<i>Total Polyunsaturated Fatty Acids (PUFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 2 (median=0 mean=0.0 std=0.1)
441		Missing

Y16A29		<i>Omega-3 Fatty Acids in Supplements (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 1600 (median=0 mean=3.3 std=57.1)
441		Missing

Y16A30		<i>Cholesterol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 40 (median=0 mean=0.0 std=0.8)
441		Missing

Y16A31		<i>SFA 8:0 (caprylic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A32		<i>SFA 10:0 (capric acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A33		<i>SFA 12:0 (lauric acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A34		SFA 14:0 (myristic acid) (g)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A35		SFA 16:0 (palmitic acid) (g)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A36		SFA 18:0 (stearic acid) (g)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A37		SFA 20:0 (arachidic acid) (g)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A38		SFA 22:0 (behenic acid) (g)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A39		MUFA 16:1 (palmitoleic acid) (g)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A40		MUFA 18:1 (oleic acid) (g)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A41		<i>MUFA 20:1 (gadoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A42		<i>PUFA 18:2 (linoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A43		<i>PUFA 18:3 (linolenic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A44		<i>PUFA 20:4 (arachidonic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A45		<i>PUFA 20:5 (eicosapentaenoic acid [EPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0.8 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A46		<i>PUFA 22:6 (docosahexaenoic acid [DHA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0.5 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A47		<i>Total Vitamin A Activity (International Units) (IU)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 7500 (median=0 mean=137.3 std=652.4)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A48		<i>Retinol (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A49		<i>Vitamin D (calciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 50 (median=0 mean=0.4 std=2.3)
441		Missing

Y16A50		<i>Vitamin E (International Units) (IU)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 400 (median=0 mean=1.5 std=13.3)
441		Missing

Y16A51		<i>Vitamin E (Total Alpha-Tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A52		<i>Synthetic Alpha-Tocopherol (all rac-alpha-tocopherol or dl-alpha-tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A53		<i>Beta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A54		<i>Delta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A55		<i>Gamma-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A56		<i>Vitamin K (phylloquinone) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 80 (median=0 mean=0.2 std=3.0)
441		Missing

Y16A57		<i>Vitamin C (ascorbic acid) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 8000 (median=0 mean=11.7 std=158.1)
441		Missing

Y16A58		<i>Thiamin (vitamin B1) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 100 (median=0 mean=0.1 std=2.3)
441		Missing

Y16A59		<i>Riboflavin (vitamin B2) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 400 (median=0 mean=0.4 std=10.0)
441		Missing

Y16A60		<i>Niacin (vitamin B3) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 100 (median=0 mean=0.5 std=3.7)
441		Missing

Y16A61		<i>Pantothenic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 100 (median=0 mean=0.4 std=2.7)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A62		<i>Vitamin B-6 (pyridoxine, pyridoxyl, & pyridoxamine) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 100 (median=0 mean=0.2 std=2.4)
441		Missing

Y16A63		<i>Synthetic Folate (folic acid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 900 (median=0 mean=15.2 std=75.7)
441		Missing

Y16A64		<i>Vitamin B-12 (cobalamin) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 5000 (median=0 mean=2.4 std=89.2)
441		Missing

Y16A65		<i>Biotin (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 3000 (median=0 mean=5.0 std=61.5)
441		Missing

Y16A66		<i>Beta-Carotene (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A67		<i>Alpha-Carotene (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A68		<i>Beta-Cryptoxanthin (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A69		<i>Lutein and/or Zeaxanthin (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 4000 (median=0 mean=4.7 std=114.7)
441		Missing

Y16A70		<i>Lycopene (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 1500 (median=0 mean=3.0 std=53.0)
441		Missing

Y16A71		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3771		Missing

Y16A72		<i>Boron (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 300 (median=0 mean=0.6 std=11.0)
441		Missing

Y16A73		<i>Calcium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 2000 (median=0 mean=5.6 std=61.0)
441		Missing

Y16A74		<i>Chromium (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 240 (median=0 mean=0.7 std=9.5)
441		Missing

Y16A75		<i>Copper (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 4 (median=0 mean=0.0 std=0.3)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A76		Fluoride (mcg)
N	Value	Description
3330	Range	0 - 1000 (median=0 mean=0.3 std=17.3)
441		Missing

Y16A77		Iodine (mcg)
N	Value	Description
3330	Range	0 - 300 (median=0 mean=3.6 std=21.9)
441		Missing

Y16A78		Iron (mg)
N	Value	Description
3330	Range	0 - 65 (median=0 mean=0.4 std=3.3)
441		Missing

Y16A79		Magnesium (mg)
N	Value	Description
3330	Range	0 - 361.313 (median=0 mean=1.1 std=11.7)
441		Missing

Y16A80		Manganese (mg)
N	Value	Description
3330	Range	0 - 7.5 (median=0 mean=0.0 std=0.2)
441		Missing

Y16A81		Molybdenum (mcg)
N	Value	Description
3330	Range	0 - 150 (median=0 mean=0.3 std=5.1)
441		Missing

Y16A82		Nickel (mcg)
N	Value	Description
3330	Range	0 - 10 (median=0 mean=0.0 std=0.4)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A83		Phosphorus (mg)
N	Value	Description
3330	Range	0 - 218 (median=0 mean=1.8 std=14.5)
441		Missing

Y16A84		Potassium (mg)
N	Value	Description
3330	Range	0 - 240 (median=0 mean=0.5 std=7.4)
441		Missing

Y16A85		Selenium (mcg)
N	Value	Description
3330	Range	0 - 200 (median=0 mean=0.3 std=4.7)
441		Missing

Y16A86		Silicon (mg)
N	Value	Description
3330	Range	0 - 4 (median=0 mean=0.0 std=0.2)
441		Missing

Y16A87		Sodium (mg)
N	Value	Description
3330	Range	0 - 524.409 (median=0 mean=0.5 std=11.0)
441		Missing

Y16A88		Vanadium (mcg)
N	Value	Description
3330	Range	0 - 20 (median=0 mean=0.0 std=0.7)
441		Missing

Y16A89		Zinc (mg)
N	Value	Description
3330	Range	0 - 50 (median=0 mean=0.3 std=2.2)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A90		<i>Tryptophan (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A91		<i>Threonine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A92		<i>Isoleucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A93		<i>Leucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A94		<i>Lysine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0.1 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A95		<i>Methionine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A96		<i>Cystine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0.09 (median=0 mean=0.0 std=0.0)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A97		<i>Phenylalanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0.025 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A98		<i>Tyrosine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A99		<i>Valine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A100		<i>Arginine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A101		<i>Histidine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A102		<i>Alanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A103		<i>Aspartic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A104		<i>Glutamic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A105		<i>Glycine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0.09 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A106		<i>Proline (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A107		<i>Serine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A108		<i>Daidzein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A109		<i>Genistein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A110		<i>Glycitein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A111		Total Dietary Fiber (g)
N	Value	Description
3330	Range	0 - 3 (median=0 mean=0.0 std=0.1)
441		Missing

Y16A112		Soluble Dietary Fiber (g)
N	Value	Description
3330	Range	0 - 2 (median=0 mean=0.0 std=0.1)
441		Missing

Y16A113		Insoluble Dietary Fiber (g)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A114		Betaine (mg)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A115		Choline (mg)
N	Value	Description
3330	Range	0 - 76 (median=0 mean=0.5 std=4.6)
441		Missing

Y16A116		Caffeine (mg)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A117		Fructose (g)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A118		Glucose (g)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A119		Sucrose (g)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A120		Inositol (g)
N	Value	Description
3330	Range	0 - 0.008 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A121		Mannitol (g)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A122		Phytic Acid (mg)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A123		Pinitol (g)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A124		Sorbitol (g)
N	Value	Description
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y16A125		<i>Xylitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A126		<i>PUFA 22:5 (docosapentaenoic acid [DPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A127		<i>CLA cis-9, trans-11 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A128		<i>CLA trans-10, cis-12 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A129		<i>MUFA 14:1 (myristoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

Y16A130		<i>Total trans-fatty acids (trans) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3330	Range	0 - 0 (median=0 mean=0.0 std=0.0)
441		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Product Ingredients for 30-day Supplement Intake (NDSR17): FORM CODE=Y17

INGID		Ingredient File ID
N	Value	Description
3634	Present	Variable/Text Values Suppressed

Y17A1		Project Abbreviation
N	Value	Description
3634	Present	Variable/Text Values Suppressed

Y17A2		Participant ID (Refer to ID)
N	Value	Description
3634		Missing

Y17A3		Date of Intake
N	Value	Description
3634	Range	01/06/2012 - 12/26/2013

Y17A4		DSAM Ingredient File ID (Refer to INGID)
N	Value	Description
		This variable has been removed

Y17A5		Dietary Supplement Report Item Number
N	Value	Description
3634	Present	Variable/Text Values Suppressed

Y17A6		DSAM Ingredient ID
N	Value	Description
3634	Present	Variable/Text Values Suppressed

Y17A7		Ingredient Name
N	Value	Description
3634	Present	Variable/Text Values Suppressed

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A8		Daily Intake
N	Value	Description
3587	Range	0 - 15600 (median=8 mean=126.2 std=529.4)
47		Missing

Y17A9		Unit
N	Value	Description
43	%	
513	IU	
1	Million	
10	Unknown	
289	gm	
154	kcal	
865	mcg	
1742	mg	
17		Missing

Y17A10		NHANES Ingredient Category
N	Value	Description
1827	1	vitamin
843	2	mineral
100	3	botanical
825	4	other
24	5	amino acid
15		Missing

Y17A11		Black Cohosh
N	Value	Description
3634	N	No

Y17A12		Echinacea
N	Value	Description
2	Y	Yes
3632	N	No

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A13		Garlic
<i>N</i>	<i>Value</i>	<i>Description</i>
2	Y	Yes
3632	N	No

Y17A14		Ginger
<i>N</i>	<i>Value</i>	<i>Description</i>
3	Y	Yes
3631	N	No

Y17A15		Ginkgo
<i>N</i>	<i>Value</i>	<i>Description</i>
3	Y	Yes
3631	N	No

Y17A16		Ginseng
<i>N</i>	<i>Value</i>	<i>Description</i>
3	Y	Yes
3631	N	No

Y17A17		Hawthorn
<i>N</i>	<i>Value</i>	<i>Description</i>
3634	N	No

Y17A18		Kava Kava
<i>N</i>	<i>Value</i>	<i>Description</i>
3634	N	No

Y17A19		Ma Huang/Ephedra
<i>N</i>	<i>Value</i>	<i>Description</i>
3634	N	No

Y17A20		Saw Palmetto
<i>N</i>	<i>Value</i>	<i>Description</i>
3634	N	No

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A21		<i>St. John's Wort</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3634	N	No

Y17A22		<i>Energy (kcal)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 90 (median=0 mean=0.3 std=2.6)
424		Missing

Y17A23		<i>Total Protein (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 3.333 (median=0 mean=0.0 std=0.1)
424		Missing

Y17A24		<i>Total Fat (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 2 (median=0 mean=0.0 std=0.1)
424		Missing

Y17A25		<i>Total Carbohydrate (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 24 (median=0 mean=0.1 std=0.6)
424		Missing

Y17A26		<i>Total Saturated Fatty Acids (SFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0.667 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A27		<i>Total Monounsaturated Fatty Acids (MUFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0.5 (median=0 mean=0.0 std=0.0)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A28		<i>Total Polyunsaturated Fatty Acids (PUFA) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 1.5 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A29		<i>Omega-3 Fatty Acids in Supplements (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 600 (median=0 mean=0.7 std=17.2)
424		Missing

Y17A30		<i>Cholesterol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 6.667 (median=0 mean=0.0 std=0.2)
424		Missing

Y17A31		<i>SFA 8:0 (caprylic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A32		<i>SFA 10:0 (capric acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A33		<i>SFA 12:0 (lauric acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A34		<i>SFA 14:0 (myristic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A35		<i>SFA 16:0 (palmitic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A36		<i>SFA 18:0 (stearic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A37		<i>SFA 20:0 (arachidic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A38		<i>SFA 22:0 (behenic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A39		<i>MUFA 16:1 (palmitoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A40		<i>MUFA 18:1 (oleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A41		<i>MUFA 20:1 (gadoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A42		<i>PUFA 18:2 (linoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A43		<i>PUFA 18:3 (linolenic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A44		<i>PUFA 20:4 (arachidonic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A45		<i>PUFA 20:5 (eicosapentaenoic acid [EPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0.45 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A46		<i>PUFA 22:6 (docosahexaenoic acid [DHA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0.45 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A47		<i>Total Vitamin A Activity (International Units) (IU)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 15600 (median=0 mean=82.4 std=537.2)
424		Missing

Y17A48		<i>Retinol (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 213.333 (median=0 mean=0.1 std=3.8)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A49		<i>Vitamin D (calciferol) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 50 (median=0 mean=0.3 std=1.9)
424		Missing

Y17A50		<i>Vitamin E (International Units) (IU)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 99 (median=0 mean=0.7 std=4.3)
424		Missing

Y17A51		<i>Vitamin E (Total Alpha-Tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A52		<i>Synthetic Alpha-Tocopherol (all rac-alpha-tocopherol or dl-alpha-tocopherol) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 1 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A53		<i>Beta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A54		<i>Delta-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A55		<i>Gamma-Tocopherol (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A56		<i>Vitamin K (phylloquinone) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 40 (median=0 mean=0.1 std=2.0)
424		Missing

Y17A57		<i>Vitamin C (ascorbic acid) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 2133.333 (median=0 mean=4.8 std=55.0)
424		Missing

Y17A58		<i>Thiamin (vitamin B1) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 67.2 (median=0 mean=0.1 std=1.6)
424		Missing

Y17A59		<i>Riboflavin (vitamin B2) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 653.333 (median=0 mean=0.3 std=11.6)
424		Missing

Y17A60		<i>Niacin (vitamin B3) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 50 (median=0 mean=0.3 std=2.3)
424		Missing

Y17A61		<i>Pantothenic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 50 (median=0 mean=0.2 std=1.5)
424		Missing

Y17A62		<i>Vitamin B-6 (pyridoxine, pyridoxyl, & pyridoxamine) (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 50 (median=0 mean=0.1 std=1.3)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A63		<i>Synthetic Folate (folic acid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 1560 (median=0 mean=9.4 std=61.0)
424		Missing

Y17A64		<i>Vitamin B-12 (cobalamin) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 500 (median=0 mean=0.6 std=14.7)
424		Missing

Y17A65		<i>Biotin (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 3000 (median=0 mean=3.1 std=57.6)
424		Missing

Y17A66		<i>Beta-Carotene (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A67		<i>Alpha-Carotene (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A68		<i>Beta-Cryptoxanthin (provitamin A carotenoid) (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A69		<i>Lutein and/or Zeaxanthin (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 3000 (median=0 mean=2.0 std=64.3)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A70		<i>Lycopene (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 1500 (median=0 mean=1.5 std=34.7)
424		Missing

Y17A71		<i>Column intentionally left blank</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3634		Missing

Y17A72		<i>Boron (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 200 (median=0 mean=0.3 std=6.6)
424		Missing

Y17A73		<i>Calcium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 1200 (median=0 mean=2.8 std=33.5)
424		Missing

Y17A74		<i>Chromium (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 160 (median=0 mean=0.4 std=6.1)
424		Missing

Y17A75		<i>Copper (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 4 (median=0 mean=0.0 std=0.2)
424		Missing

Y17A76		<i>Fluoride (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 666.667 (median=0 mean=0.5 std=17.3)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A77		<i>Iodine (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 300 (median=0 mean=2.0 std=15.2)
424		Missing

Y17A78		<i>Iron (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 65 (median=0 mean=0.3 std=2.8)
424		Missing

Y17A79		<i>Magnesium (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 300 (median=0 mean=0.6 std=7.7)
424		Missing

Y17A80		<i>Manganese (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 2.667 (median=0 mean=0.0 std=0.1)
424		Missing

Y17A81		<i>Molybdenum (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 100 (median=0 mean=0.2 std=3.0)
424		Missing

Y17A82		<i>Nickel (mcg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 6.667 (median=0 mean=0.0 std=0.2)
424		Missing

Y17A83		<i>Phosphorus (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 200 (median=0 mean=1.0 std=9.6)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A84		Potassium (mg)
N	Value	Description
3210	Range	0 - 106.667 (median=0 mean=0.2 std=3.3)
424		Missing

Y17A85		Selenium (mcg)
N	Value	Description
3210	Range	0 - 66.667 (median=0 mean=0.1 std=2.0)
424		Missing

Y17A86		Silicon (mg)
N	Value	Description
3210	Range	0 - 2.667 (median=0 mean=0.0 std=0.1)
424		Missing

Y17A87		Sodium (mg)
N	Value	Description
3210	Range	0 - 40 (median=0 mean=0.1 std=1.4)
424		Missing

Y17A88		Vanadium (mcg)
N	Value	Description
3210	Range	0 - 13.333 (median=0 mean=0.0 std=0.4)
424		Missing

Y17A89		Zinc (mg)
N	Value	Description
3210	Range	0 - 25 (median=0 mean=0.2 std=1.4)
424		Missing

Y17A90		Tryptophan (g)
N	Value	Description
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A91		<i>Threonine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A92		<i>Isoleucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A93		<i>Leucine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A94		<i>Lysine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A95		<i>Methionine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A96		<i>Cystine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0.09 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A97		<i>Phenylalanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0.025 (median=0 mean=0.0 std=0.0)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A98		<i>Tyrosine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A99		<i>Valine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A100		<i>Arginine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A101		<i>Histidine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A102		<i>Alanine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A103		<i>Aspartic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A104		<i>Glutamic Acid (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A105		<i>Glycine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0.09 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A106		<i>Proline (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A107		<i>Serine (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A108		<i>Daidzein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A109		<i>Genistein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A110		<i>Glycitein (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A111		<i>Total Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 4.5 (median=0 mean=0.0 std=0.1)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A112		<i>Soluble Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 4.5 (median=0 mean=0.0 std=0.1)
424		Missing

Y17A113		<i>Insoluble Dietary Fiber (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A114		<i>Betaine (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A115		<i>Choline (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 76 (median=0 mean=0.2 std=2.8)
424		Missing

Y17A116		<i>Caffeine (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A117		<i>Fructose (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A118		<i>Glucose (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A119		<i>Sucrose (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A120		<i>Inositol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0.009 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A121		<i>Mannitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A122		<i>Phytic Acid (mg)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A123		<i>Pinitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A124		<i>Sorbitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A125		<i>Xylitol (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y17A126		<i>PUFA 22:5 (docosapentaenoic acid [DPA]) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A127		<i>CLA cis-9, trans-11 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A128		<i>CLA trans-10, cis-12 (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A129		<i>MUFA 14:1 (myristoleic acid) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

Y17A130		<i>Total trans-fatty acids (trans) (g)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3210	Range	0 - 0 (median=0 mean=0.0 std=0.0)
424		Missing

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Blend Ingredients for 24-hr supplement intake (NDSR18): FORM CODE=Y18

<i>RECALLNUM</i>		<i>First or Second dietary recall</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
63	1	First Dietary Recall
32	2	Second Dietary Recall

<i>BLDID</i>		<i>Blend ingredient file ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95	Present	Variable/Text Values Suppressed

<i>Y18A1</i>		<i>Project Abbreviation</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95	Present	Variable/Text Values Suppressed

<i>Y18A2</i>		<i>Participant ID (Refer to ID)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95		Missing

<i>Y18A3</i>		<i>Date of Intake</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95	Range	07/12/2012 - 11/13/2013

<i>Y18A4</i>		<i>DSAM Blend Ingredient ID (Refer to BLDID)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

<i>Y18A5</i>		<i>DSAM Ingredient ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95	Present	Variable/Text Values Suppressed

<i>Y18A6</i>		<i>Ingredient Name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95	Present	Variable/Text Values Suppressed

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A
Section A: Nutrition Reading Center Data

Y18A7		<i>NHANES Ingredient Category</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	1	vitamin
2	2	mineral
61	3	botanical
25	4	other
6	5	amino acid

Y18A8		<i>Black Cohosh</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95	N	No

Y18A9		<i>Echinacea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	Y	Yes
93	N	No

Y18A10		<i>Garlic</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	Y	Yes
94	N	No

Y18A11		<i>Ginger</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	Y	Yes
92	N	No

Y18A12		<i>Ginkgo</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95	N	No

Y18A13		<i>Ginseng</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95	N	No

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y18A14		<i>Hawthorn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95	N	No

Y18A15		<i>Kava Kava</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95	N	No

Y18A16		<i>Ma Huang/Ephedra</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95	N	No

Y18A17		<i>Saw Palmetto</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95	N	No

Y18A18		<i>St. John's Wort</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
95	N	No

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Blend Ingredients for 30-day Supplement Intake (NDSR19): FORM CODE=Y19

<i>BLDID</i>		<i>Blend ingredient file ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74	Present	Variable/Text Values Suppressed

<i>Y19A1</i>		<i>Project Abbreviation</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74	Present	Variable/Text Values Suppressed

<i>Y19A2</i>		<i>Participant ID (Refer to ID)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74		Missing

<i>Y19A3</i>		<i>Date of Intake</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74	Range	06/27/2012 - 11/08/2013

<i>Y19A4</i>		<i>DSAM Blend Ingredient ID (Refer to BLDID)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
		This variable has been removed

<i>Y19A5</i>		<i>DSAM Ingredient ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74	Present	Variable/Text Values Suppressed

<i>Y19A6</i>		<i>Ingredient Name</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74	Present	Variable/Text Values Suppressed

<i>Y19A7</i>		<i>NHANES Ingredient Category</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	1	vitamin
1	2	mineral
48	3	botanical
22	4	other
2	5	amino acid

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y19A8		<i>Black Cohosh</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74	N	No

Y19A9		<i>Echinacea</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	Y	Yes
73	N	No

Y19A10		<i>Garlic</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	Y	Yes
73	N	No

Y19A11		<i>Ginger</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	Y	Yes
72	N	No

Y19A12		<i>Ginkgo</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74	N	No

Y19A13		<i>Ginseng</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74	N	No

Y19A14		<i>Hawthorn</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74	N	No

Y19A15		<i>Kava Kava</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74	N	No

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 1 Section A

Section A: Nutrition Reading Center Data

Y19A16		<i>Ma Huang/Ephedra</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74	N	No

Y19A17		<i>Saw Palmetto</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74	N	No

Y19A18		<i>St. John's Wort</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
74	N	No

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 2 Section A

Section A: Food Groups - Recall Level

Food Group Derived Variables

<i>RECALLNUM</i>		<i>First or second dietary recall</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1400	1	First Dietary Recall
1358	2	Second Dietary Recall

<i>FRUIT_CIT</i>		<i>Fruit-Citrus(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 8 (median=0 mean=0.5 std=1.1)

<i>FRUIT_OTH</i>		<i>Fruit-Others(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 16.451 (median=0.133 mean=1.0201 std=1.6571)

<i>FRUIT_ALL</i>		<i>Fruit-Overall(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 19.234 (median=1 mean=1.5 std=2.0)

<i>FRUIT_ALL_WOJUICE</i>		<i>Fruit - Overall, without fruit juice (servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 16.451 (median=0 mean=0.8 std=1.4)

<i>VEG_DARK</i>		<i>Vegetable - Dark green(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 4.667 (median=0 mean=0.1 std=0.4)

<i>VEG_ORAN</i>		<i>Vegetable - Orange(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 3.538 (median=0 mean=0.1 std=0.3)

<i>VEG_TOMA</i>		<i>Vegetable - Tomato(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 6.95 (median=0.158 mean=0.3922 std=0.6615)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 2 Section A

Section A: Food Groups - Recall Level

VEG_WPOT		Vegetable - White Potatos(servings/day)
N	Value	Description
2758	Range	0 - 8.897 (median=0 mean=0.1 std=0.6)

VEG_STAR		Vegetable - Starchy(servings/day)
N	Value	Description
2758	Range	0 - 8.053 (median=0.001 mean=0.2040 std=0.5378)

VEG_BEAN		Vegetable - Beans(servings/day)
N	Value	Description
2758	Range	0 - 5.176 (median=0 mean=0.3 std=0.6)

VEG_OTH		Vegetable - Others(servings/day)
N	Value	Description
2758	Range	0 - 44.081 (median=0.262 mean=0.5459 std=1.1627)

VEG_ALL		Vegetable - Overall(servings/day)
N	Value	Description
2758	Range	0 - 44.081 (median=1.2625 mean=1.71740 std=1.85708)

VEG_ALL_WOPOTA TO		Vegetable - Overall, without potato (servings/day)
N	Value	Description
2758	Range	0 - 8.876 (median=0.64 mean=1.062 std=1.260)

VEG_ALL_WOFPOT ATO		Vegetable - Overall, without fried potato (servings/day)
N	Value	Description
2758	Range	0 - 44.081 (median=1.0955 mean=1.56890 std=1.82586)

FRUITVEG_WOFPO TATO		Fruit and vegetables without fried potato (servings/day)
N	Value	Description
2758	Range	0 - 44.081 (median=2.479 mean=3.0673 std=2.7074)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 2 Section A

Section A: Food Groups - Recall Level

<i>GRAIN_REF</i>		<i>Grain - Refined Grain(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 26.781 (median=4.286 mean=4.7626 std=3.0589)

<i>GRAIN_WHL</i>		<i>Grain - Whole Grain(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 14.717 (median=0.417 mean=1.2839 std=1.8694)

<i>GRAIN_ALL</i>		<i>Grain - Overall(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 26.781 (median=5.6045 mean=6.04649 std=3.19120)

<i>MEAT_RED</i>		<i>Meat - Red Meat(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 18 (median=0 mean=1.1 std=2.0)

<i>MEAT_LUNCH</i>		<i>Meat - Luncheon(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 11.129 (median=0 mean=0.7 std=1.3)

<i>MEAT_POUL</i>		<i>Meat - Poultry(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 23.021 (median=0 mean=1.7 std=2.4)

<i>MEAT_FISH</i>		<i>Meat - Fish(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 30.575 (median=0 mean=0.3 std=1.3)

<i>MEAT_ORG</i>		<i>Meat - Organ Meats(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 11.012 (median=0 mean=0.0 std=0.4)

<i>MEAT_EGG</i>		<i>Meat - Eggs(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 6.831 (median=0 mean=0.3 std=0.8)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 2 Section A

Section A: Food Groups - Recall Level

<i>MEAT_NUT</i>		<i>Meat - Nuts(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 10.582 (median=0 mean=0.1 std=0.5)

<i>MEAT_SOY</i>		<i>Meat - Soy(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 3.496 (median=0 mean=0.0 std=0.1)

<i>MEAT_ALL</i>		<i>Meat - Overall(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 34.974 (median=3.772 mean=4.3256 std=3.2350)

<i>NUT_LEGUMES</i>		<i>Nut and Legumes (servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 10.582 (median=0 mean=0.4 std=0.8)

<i>MILK_MILK</i>		<i>Milk - Milk(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 10 (median=1 mean=1.2 std=1.2)

<i>MILK_CHES</i>		<i>Milk - Cheese(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 9.524 (median=0.329 mean=0.6129 std=0.8880)

<i>MILK_YOGU</i>		<i>Milk - Yogurt(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 2 (median=0 mean=0.0 std=0.2)

<i>MILK_DESR</i>		<i>Milk - Dessert(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 6.023 (median=0 mean=0.2 std=0.6)

<i>MILK_ALL</i>		<i>Milk - Overall(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 13.857 (median=1.771 mean=2.0471 std=1.5327)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 2 Section A

Section A: Food Groups - Recall Level

<i>FAT_DISC</i>		<i>Fat - Discretionary Fat(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 17.399 (median=0 mean=0.1 std=0.7)

<i>FAT_OIL</i>		<i>Fat - Oil(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 28.109 (median=2.1485 mean=2.81365 std=2.80063)

<i>FAT_ALL</i>		<i>Fat - Overall(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 32.242 (median=2.232 mean=2.9367 std=2.9147)

<i>SUGAR_SGR</i>		<i>Sugar - Sugar(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 28.397 (median=0.0335 mean=0.87349 std=2.29471)

<i>SUGAR_DESR</i>		<i>Sugar - Dessert(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 9.105 (median=0 mean=0.1 std=0.5)

<i>SUGAR_SWTB</i>		<i>Sugar - Sugar Sweetened Beverage(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 13 (median=0.844 mean=1.1565 std=1.3706)

<i>SUGAR_SWTB_WJU ICE</i>		<i>Sugar Sweetened Beverage, include fruit juice (servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 13.875 (median=1.5 mean=1.79 std=1.70)

<i>SUGAR_DIETB</i>		<i>Sugar - Diet Beverage(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 20.253 (median=0 mean=0.1 std=0.6)

<i>SUGAR_ALL</i>		<i>Sugar - Overall(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 28.397 (median=1.5 mean=2.30 std=2.81)

SOL Youth Code Book for Baseline Visit (INV version 2), Chapter 2 Section A

Section A: Food Groups - Recall Level

<i>WATER</i>		<i>Water(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 32.563 (median=1.426 mean=1.9478 std=2.2000)

<i>ALCOHOL</i>		<i>Alcohol(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 2.667 (median=0 mean=0.0 std=0.1)

<i>SNACK_SWT</i>		<i>Snack - Sweet Snack(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 12.24 (median=0 mean=0.4 std=1.0)

<i>SNACK_SALT</i>		<i>Snack - Salty Snack(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 9.514 (median=0 mean=0.3 std=0.7)

<i>SNACK_NUT</i>		<i>Snack - Nuts(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 10.582 (median=0 mean=0.1 std=0.5)

<i>SNACK_CRACK</i>		<i>Snack - Crackers(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 9.171 (median=0 mean=0.1 std=0.3)

<i>SNACK_VEGFR</i>		<i>Snack - Fruit or Vegetable Savory(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 7.055 (median=0 mean=0.1 std=0.4)

<i>SNACK_ALL</i>		<i>Snack - Overall(servings/day)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2758	Range	0 - 15.204 (median=0.333 mean=0.9782 std=1.4664)